

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.89

RECEIVED
OCT 2 1916
Agriculture






1916




THOROUGHbred SEEDS

B✓



GEO. TAIT & SONS
INCORPORATED
NORFOLK, VA.



TRADE MARK



REGISTERED

THE ever increasing demand for
Thoroughbred Seeds,
is undoubtedly due to the fact that they
are never grown to meet a price.

As seed specialists for nearly fifty
years, it has been our aim in producing
Thoroughbred Seeds, to give
Farmers and Gardeners the best seeds
that can be grown.

Remember that the so-called "cheap
seeds" are usually dear at any price, and
that it is worth something to know what
you are getting.

TRADE MARK



REGISTERED

IT PAYS TO PAY FOR QUALITY



Tait's Thoroughbred Extra Early Model Forcing Cucumber.

Photograph of a Model Cucumber grown by
Messrs. Y. Old & Bro., Portsmouth, Va.

THOROUGHbred SEEDS

A CATALOGUE
OF
THOROUGHbred
FIELD AND GARDEN
SEEDS

WITH ILLUSTRATIONS FROM PHOTOGRAPHS AND
CULTURAL SUGGESTIONS FOR AMATEUR
GARDENERS.

THE FORTY-SEVENTH ANNUAL EDITION.


TRADE-MARK



REGISTERED

GEORGE TAIT & SONS,
(INCORPORATED)
55 COMMERCIAL PLACE,
NORFOLK, VIRGINIA.
1916.

(All rights reserved.)



WE trust that this catalogue will interest all gardeners, but we feel that it should appeal with especial force to those who, by exasperating experience, have learned that the superlatives so lavishly used in most seed catalogues are not always properly employed. Our book tells the simple truth, and while aiming primarily to promote the sale of our seeds, it is not less concerned with maintaining our reputation for sincerity. Common sense should make it clear to every one that if there are numerous types of a certain vegetable, each cannot be of supreme value, and the following pages will be found a consistent protest against that familiar kind of description. We trust that the total absence of display type, tiresome "testimonials," and misleading illustrations will emphasize our desire to appeal to the intelligence rather than the credulity of our readers. Our catalogue tells just what is said to customers across our counters, and thus any gardener, with this beside him, no matter how far he may live from Norfolk, stands in the matter of information concerning seeds on the same footing as the truckers of the world-famous market-gardening section surrounding this city. With 20,000 miles of railroad and numerous steamship lines leading from Norfolk, we are very advantageously situated for reaching any part of the world, and we offer great inducements to distant customers.

We allow a cash discount of 5 per cent. which may be deducted from the price of vegetable seeds on orders amounting to \$2.00 and upwards, cash to accompany the order.

We Pay the Postage or Express Charges upon all vegetable and flower seed orders for which cash is sent at prices in descriptive list with the exception of Peas, Beans, Corn, Onion Sets, Potatoes, Field Seeds or Bulbs.

Do Not Fear Delay, should you be unable to order before the busy season. Those who order early, however, confer a favor upon us, and such consideration on the part of our friends is deeply appreciated.

We Guarantee the Safe Arrival of every package of seed we send by mail or express, but onion sets, bulbs and plants of all kinds travel at the purchaser's risk. If a package fails to arrive within a reasonable time, we should be advised, and it is well to send at the same time a duplicate of the order.

We Assume No Responsibility for seeds shipped by ordinary freight after taking receipt for them in good order.

The Only Packing Charge is for bags and wooden boxes; these are charged at cost, or less than cost, our customers having the privilege of returning them at any time, if in good condition. Where seamless cotton sacks costing more than twenty cents each are given "free" with seeds, it will usually be found that the package is not full weight. One does not often get something for nothing.

Small Orders are Welcome, if for only the smallest packet, but those for less than a dollar must be accompanied with cash for the full amount, it being impossible to burden our books with such accounts.

Remittances May be Made by any of the usual methods. Stamps can be readily utilized by us, and we accept all denominations in payment of small bills. (5c stamps preferred.)

C. O. D. Shipments will not be made unless the purchaser sends cash for one-fourth the value of the order as a guarantee of good faith.

We Make Prompt Correction whenever notified of mistakes, although such rarely occur in our well systematized business. It is our desire to be informed of anything which is in the least degree unsatisfactory to the purchaser, and we appreciate the opportunity to explain whatever may be or appear to be wrong. Never return seeds before communicating with us.

We Answer Questions Cheerfully about anything connected with seeds, and are always pleased to help our customers. We particularly request, however, that all such questions be written on a separate sheet of paper.

The Convenient Order Sheet which is furnished with the catalogue should always be used, and we will take pleasure in supplying duplicates whenever requested.

About Warranting Seeds.—We give no warranty, expressed or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants we send out, and will not be in any way responsible for the crop.

A General Index will be found on the last two pages of this catalogue.

Prices in this Catalogue are Subject to Change Without Notice.

GEO. TAIT & SONS, Inc.

James C. Tait, Pres.; James T. Moreland, Vice-Pres.; David B. Blackwood, Sec. and Treas.
Norfolk, Va., January 1, 1916.



PARCEL POST RATES.

All Seeds, Plants, Bulbs, Roots, etc., can now be sent by Parcel Post.

After ascertaining from your Postmaster or Rural Delivery Carrier in what zone you are, from Norfolk, Va., refer to this table and you will know just how much to send for postage on Peas, Beans, Corn, Onion Sets, Potatoes, Bulbs, Field Seed, etc.

ON ALL OTHER VEGETABLE AND FLOWER SEEDS WE PREPAY POSTAGE, if cash is sent at prices in Descriptive List.

ZONES.

| | Local | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------------------------------|----------------------|--------------------------------|------------------------------|-------------------------------|-------------------------------|--------------------------------|---------------------------------|---------------------------------|------------------------------|
| | Norfolk and Suburbs. | Not over 50 miles from Norfolk | 51 to 150 miles from Norfolk | 151 to 300 miles from Norfolk | 301 to 600 miles from Norfolk | 601 to 1000 miles from Norfolk | 1000 to 1400 miles from Norfolk | 1400 to 1800 miles from Norfolk | Over 1800 miles from Norfolk |
| Weight of Package | | | | | | | | | |
| Amount of Postage Required. | | | | | | | | | |
| Over 8 ozs. up to 1 lb..... | .05 | .05 | .05 | .06 | .07 | .08 | .09 | .11 | .12 |
| Over 1 lb. up to 2 lbs..... | .06 | .06 | .06 | .08 | .11 | .14 | .17 | .21 | .24 |
| Over 2 lbs. up to 3 lbs..... | .06 | .07 | .07 | .10 | .15 | .20 | .25 | .31 | .36 |
| Over 3 lbs. up to 4 lbs..... | .07 | .08 | .08 | .12 | .19 | .26 | .33 | .41 | .48 |
| Over 4 lbs. up to 5 lbs..... | .07 | .09 | .09 | .14 | .23 | .32 | .41 | .51 | .60 |
| Over 5 lbs. up to 6 lbs..... | .08 | .10 | .10 | .16 | .27 | .38 | .49 | .61 | .72 |
| Over 6 lbs. up to 7 lbs..... | .08 | .11 | .11 | .18 | .31 | .44 | .57 | .71 | .84 |
| Over 7 lbs. up to 8 lbs..... | .09 | .12 | .12 | .20 | .35 | .50 | .65 | .81 | .96 |
| Over 8 lbs. up to 9 lbs..... | .09 | .13 | .13 | .22 | .39 | .56 | .73 | .91 | 1.08 |
| Over 9 lbs. up to 10 lbs..... | .10 | .14 | .14 | .24 | .43 | .62 | .81 | 1.01 | 1.20 |
| Over 10 lbs. up to 11 lbs..... | .10 | .15 | .15 | .26 | .47 | .68 | .89 | 1.11 | 1.32 |
| Over 11 lbs. up to 12 lbs..... | .11 | .16 | .16 | .28 | .51 | .74 | .97 | 1.21 | 1.44 |
| Over 12 lbs. up to 13 lbs..... | .11 | .17 | .17 | .30 | .55 | .80 | 1.05 | 1.31 | 1.56 |
| Over 13 lbs. up to 14 lbs..... | .12 | .18 | .18 | .32 | .59 | .86 | 1.13 | 1.41 | 1.68 |
| Over 14 lbs. up to 15 lbs..... | .12 | .19 | .19 | .34 | .63 | .92 | 1.21 | 1.51 | 1.80 |
| Over 15 lbs. up to 16 lbs..... | .13 | .20 | .20 | .36 | .67 | .98 | 1.29 | 1.61 | 1.92 |
| Over 16 lbs. up to 17 lbs..... | .13 | .21 | .21 | .38 | .71 | 1.04 | 1.37 | 1.71 | 2.04 |
| Over 17 lbs. up to 18 lbs..... | .14 | .22 | .22 | .40 | .75 | 1.10 | 1.45 | 1.81 | 2.16 |
| Over 18 lbs. up to 19 lbs..... | .14 | .23 | .23 | .42 | .79 | 1.16 | 1.53 | 1.91 | 2.28 |
| Over 19 lbs. up to 20 lbs..... | .15 | .24 | .24 | .44 | .83 | 1.22 | 1.61 | 2.01 | 2.40 |
| Over 20 lbs. up to 21 lbs..... | .15 | .25 | .25 | | | | | | |
| Over 21 lbs. up to 22 lbs..... | .16 | .26 | .26 | | | | | | |
| Over 22 lbs. up to 23 lbs..... | .16 | .27 | .27 | | | | | | |
| Over 23 lbs. up to 24 lbs..... | .17 | .28 | .28 | | | | | | |
| Over 24 lbs. up to 25 lbs..... | .17 | .29 | .29 | | | | | | |
| Over 25 lbs. up to 26 lbs..... | .18 | .30 | .30 | | | | | | |
| Over 26 lbs. up to 27 lbs..... | .18 | .31 | .31 | | | | | | |
| Over 27 lbs. up to 28 lbs..... | .19 | .32 | .32 | | | | | | |
| Over 28 lbs. up to 29 lbs..... | .19 | .33 | .33 | | | | | | |
| Over 29 lbs. up to 30 lbs..... | .20 | .34 | .34 | | | | | | |
| Over 30 lbs. up to 31 lbs..... | .20 | .35 | .35 | | | | | | |
| Over 31 lbs. up to 32 lbs..... | .21 | .36 | .36 | | | | | | |
| Over 32 lbs. up to 33 lbs..... | .21 | .37 | .37 | | | | | | |
| Over 33 lbs. up to 34 lbs..... | .22 | .38 | .38 | | | | | | |
| Over 34 lbs. up to 35 lbs..... | .22 | .39 | .39 | | | | | | |
| Over 35 lbs. up to 36 lbs..... | .23 | .40 | .40 | | | | | | |
| Over 36 lbs. up to 37 lbs..... | .23 | .41 | .41 | | | | | | |
| Over 37 lbs. up to 38 lbs..... | .24 | .42 | .42 | | | | | | |
| Over 38 lbs. up to 39 lbs..... | .24 | .43 | .43 | | | | | | |
| Over 39 lbs. up to 40 lbs..... | .25 | .44 | .44 | | | | | | |
| Over 40 lbs. up to 41 lbs..... | .25 | .45 | .45 | | | | | | |
| Over 41 lbs. up to 42 lbs..... | .26 | .46 | .46 | | | | | | |
| Over 42 lbs. up to 43 lbs..... | .26 | .47 | .47 | | | | | | |
| Over 43 lbs. up to 44 lbs..... | .27 | .48 | .48 | | | | | | |
| Over 44 lbs. up to 45 lbs..... | .27 | .49 | .49 | | | | | | |
| Over 45 lbs. up to 46 lbs..... | .28 | .50 | .50 | | | | | | |
| Over 46 lbs. up to 47 lbs..... | .28 | .51 | .51 | | | | | | |
| Over 47 lbs. up to 48 lbs..... | .29 | .52 | .52 | | | | | | |
| Over 48 lbs. up to 49 lbs..... | .29 | .53 | .53 | | | | | | |
| Over 49 lbs. up to 50 lbs..... | .30 | .54 | .54 | | | | | | |

On less than 8 ounces

The pound rate applies to packages of more than half a pound, and the rate for smaller packages is one cent for each two ounces or fraction thereof, any distance.

Express Rates

By order of the Interstate Commerce Commission all Express rates have been very much reduced. Our customers will find Express cheaper than Parcel Post on packages of 15 pounds and over, outside of the first and second Zones.

Weight That Can be Sent by Parcel Post

The limit of weight by Parcel Post in the local, first and second zones is 50 pounds, and in all the other zones 20 pounds.

Size of Package by Parcel Post

No package can be sent by Parcel Post over 84 inches in length and girth combined.

C. O. D. by Mail

Orders will be sent by Parcel Post, C. O. D., provided a remittance of at least one-fourth the value is sent with the order.

THE GARDEN

A FEW HINTS & SUGGESTIONS



SITUATION

SUCCESS in gardening being, to a considerable degree, dependent upon the eligibility of the location, it is worth while to select the best drained and most favorable spot at command. The morning sun, which is most desirable, should if possible reach all parts of the place selected, and the near presence of large trees should be avoided. Trees generally furnish more shade than is desirable, and their roots, extending in all directions over an area equal to the spread of the branches, take moisture and nourishment from the soil, very much to the detriment of any crop planted in their immediate vicinity.

SOIL.

A loamy soil which is not apt to bake into a hard crust after heavy rains will be found best. If the soil naturally is stiff and close, it may be gradually mellowed by a liberal use of stable manure, or by working in vegetable matter of any kind.

FERTILIZER.

Stable manure is the best fertilizer, and must be freely used. It should always be thoroughly well rotted, as vegetables of delicate flavor cannot be raised from rank, fresh manure. Liquid manure is of the greatest value, the famous gardeners of the East using fertilizer almost exclusively in that form, even in the case of their largest field crops. When not possible to obtain stable manure, bone meal or pulverized sheep manure are the next best substitutes.

SOWING.

In sowing seeds it should be remembered that those sown too early are apt to produce not only an inferior crop, but often a later crop than if put in the ground at the proper time. The suggestions given in this catalogue as to the time for sowing are a safe guide, but judgment must, of course, be exercised, seasons varying greatly in different years. Remember that, as a rule, seeds do one of two things shortly after planting—they germinate and grow, or else they die. In general, seeds should be covered according to their size, the character and condition of the soil, and with due regard to the advance of the season. Rolling, or some substitute for that process of firming the soil over the seeds, greatly facilitates the germination of almost all kinds of seeds, especially in dry weather.

Sow as much as possible in long, straight rows or drills. In this way the plants may be easily recognized as they come up, and may be thinned and cultivated most conveniently and cheaply.

TRANSPLANTING.

Transplanting should be done, if possible, about sunset, and if it can be done immediately before or during a shower the plants will naturally suffer much less than when the roots are exposed to sunshine and dry air. Most plants may be taken up from the seedbed with little injury to the root if handled carefully, and success depends largely upon this first step. Make the hole with a dibble, insert the root, pour a little water about it, and press the earth carefully but firmly around the stalk. If convenient, shade for a day or two if the weather be hot.

SPRAYING AND SPRAYERS.

Since plant diseases have become so prevalent as to make spraying almost necessary to the perfecting of many crops, our customers will find on page 10 a list of plant diseases and remedies. We have also decided to catalogue sprayers, and a list of them and formulæ for spraying mixture will be found in back of the catalogue. (See index.)

THE COLD FRAME.

The purpose of the cold frame is to ward off cold winds, to keep the ground warm during the winter and early spring, to increase the feeble heat of the slanting sunbeams, and thus foster plant growth.



The construction of the cold frame is very simple. The back board is usually twelve inches, and the front eight inches wide. The two are connected by a tapered board twelve inches wide at one end, and eight inches at the other. It should be three by six feet overall, as the standard sash are that size. The frame work can be readily made by a person handy with tools, and when completed, the frame should be set in a sheltered, well-drained place, with southern exposure if possible.

When in position, fill the frame with good soil to within six inches deep in front, and eight inches at the back. Make shallow drills three or four inches apart across the face of the soil in the frame, and in these sow the seed, being careful in sowing to observe the kinds that produce plants somewhat of the same nature, strength, and time of germination. Cover them thinly, and firm the soil over them with the hand or a piece of board. After watering moderately with a fine rose, put on the sash and keep snug and warm until the seedlings appear. After the seedlings are up, the sash should be tilted back during the warm part of the day to admit the fresh air, that the plants may be made sturdy. As the seedlings grow, remove the sash both day and night in fine weather, but replace as a protection against wet, muggy or cold weather. In very cold or stormy weather the sash should be carefully closed and covered with mats that come for that purpose, or with straw as an additional protection.

As soon as the plants are large enough, and the danger of frost is over, transplant them into the open ground.

THE HOTBED.

For all gardeners who appreciate early vegetables, the hotbed is a prime requisite. Seeds of such kinds as endure little cold may be sown in hotbeds very early in the season, so that by the time it would be safe to sow in the open ground the plants are well established, and, in the case of many varieties, nearly ready to begin fruiting. A serviceable hotbed may be made at very little cost. Take tongued and grooved boards enough to make a frame six feet wide—the width of standard sash—and as long as desired, putting them together at the corners with hooks and staples, or by nailing to corner posts. The back of the frames should be two feet high, sloping down to eighteen inches at the front, cross-strips three feet apart being used to support sash of the regulation size. These may be had from dealers more cheaply than they can be made at home. Dig the pit a foot wider than the frame, making it two feet deep and boarding up the sides to prevent falling of earth. The bed proper is made of fresh stable manure not more than six weeks old heaped into the pit until it is above the level of the ground, and made firm and level. Set the frame upon this, water well, and put sash in position. As soon as the heat rises, which will be indicated by steam upon the glass, remove the sash and fill in on top of the manure with eight or ten inches of fine loamy garden soil, spreading it smoothly and evenly. The glass is then replaced, and when the bed is warmed again the seeds are sown broadcast or in drills.

Water with tepid water as often as necessary, and when the plants appear admit the air freely, except in freezing weather, to prevent them from "damping off." In frosty weather air may be given in the middle of the day by simply raising the sash at the back an inch or two. Cover at night when the temperature is very low with mats that come for that purpose, or straw. As the plants grow strong, accustom them gradually to the air by taking the sash entirely off during the day, and only partially closing them on mild nights. After the season is over, the sash should be stored away from the weather, and it is well worth while to give them a coat of paint occasionally.

TABLE SHOWING NUMBER OF PLANTS TO THE ACRE AT GIVEN DISTANCES.

| Distance apart. | No. Plants. | Distance apart. | No. Plants. | Distance apart. | No. Plants. |
|------------------|-------------|--------------------|-------------|--------------------|-------------|
| 12 by 1 in..... | 522,720 | 42 by 24 in..... | 6,223 | 4 by 3 feet..... | 3,630 |
| 12 by 3 in..... | 174,240 | 42 by 36 in..... | 4,148 | 4 by 4 feet..... | 2,722 |
| 18 by 1 in..... | 348,480 | 42 by 42 in..... | 3,556 | 5 by 5 feet..... | 1,742 |
| 18 by 3 in..... | 116,160 | 48 by 18 in..... | 7,790 | 6 by 6 feet..... | 1,210 |
| 18 by 12 in..... | 29,040 | 48 by 30 in..... | 4,356 | 7 by 7 feet..... | 888 |
| 18 by 18 in..... | 19,360 | ½ by ½ foot..... | 174,240 | 8 by 8 feet..... | 680 |
| 24 by 1 in..... | 261,360 | 1 by 1 foot..... | 43,560 | 9 by 9 feet..... | 537 |
| 24 by 18 in..... | 15,520 | 1 by 2 feet..... | 21,780 | 10 by 10 feet..... | 435 |
| 30 by 1 in..... | 209,088 | 1 by 3 feet..... | 14,520 | 12 by 12 feet..... | 302 |
| 30 by 6 in..... | 34,848 | 1½ by 1½ feet..... | 19,360 | 15 by 15 feet..... | 196 |
| 30 by 12 in..... | 17,424 | 2 by 2 feet..... | 10,890 | 16 by 16 feet..... | 170 |
| 30 by 24 in..... | 8,712 | 2 by 3 feet..... | 7,260 | 18 by 18 feet..... | 134 |
| 40 by 30 in..... | 9,970 | 3 by 3 feet..... | 4,840 | 20 by 20 feet..... | 108 |
| 36 by 3 in..... | 58,080 | 4 by 1 feet..... | 10,890 | 25 by 25 feet..... | 60 |
| 36 by 30 in..... | 5,808 | 4 by 2 feet..... | 5,445 | 30 by 30 feet..... | 48 |

A GUIDE TO SOWING AND PLANTING IN THE SOUTHERN STATES.

For fuller instructions, see cultural directions at the beginning of the description of each vegetable.

Copyright, 1914, (all rights reserved), by Geo. Tait & Sons, Inc., Norfolk, Va.

| VARIETY | FOR 100 FEET (Garden Culture) | FOR ONE ACRE (Field Culture) | TIME FOR SOWING IN TIDEWATER VIRGINIA |
|--|----------------------------------|---------------------------------|--|
| Artichoke, Globe | 1 ounce | 1 pound—T | March |
| Artichoke, Jerusalem Roots | 4 quarts | 2 to 3 bushels | March or April |
| Asparagus Seed | 1 ounce | 6 to 8 pounds | February or March |
| Asparagus Roots | 50 | 5,000 to 7,000 | Spring or Fall |
| Beans, Snap Bush | 1 quart | 1 to 1½ bushels | April to August |
| Beans, Snap Pole | ½ pint (in hills) | 8 to 12 quarts | April to July |
| Beans, Lima Bush, Large | 1 pint | 1½ bushels | May to July |
| Beans, Lima Bush, Small | 1 pint | 2 bushels | May to July |
| Beans, Lima Pole, Large | 1 pint (in hills) | 2 bushels | May to July |
| Beans, Lima Pole, Small | ½ pint (in hills) | 2 bushels | May to July |
| Beets | 2 ounces | 4 to 10 pounds—B | February to August |
| Beets (Swiss Chard) | 2 ounces | 6 to 8 pounds | February to August |
| Beets (Mangels) | 2 ounces | 6 to 8 pounds | April to July |
| Borage | 1 ounce | 1½ pounds | March and April |
| Broccoli | 1 ounce | 2 pound—T | April and November |
| Brussels Sprouts | 1 ounce | 2 pound—T | April or September |
| Burnet | 1 ounce | 2 to 5 pounds | April and August |
| Cabbage (Spring) | 1 ounce | 2 pound—T | September to December |
| Cabbage (Summer) | 1 ounce | 2 pound—T | March to May |
| Cabbage (Winter) | 1 ounce | 2 pound—T | May to August |
| Cantaloupe (see Muskmelon) | | | |
| Cardoon | 1 ounce | ½ pound—T | March and April |
| Carrot | 1 ounce | 2 to 5 pounds—B | March to August |
| Cauliflower | 1 ounce | 2 pound—T | April and November |
| Celeriac | 1 ounce | 2 pound—T | April and May |
| Celery | 1 ounce | 2 pound—T | April to July |
| Chervil | 1 ounce | 3 to 5 pounds | April and May |
| Chicory | 1 ounce | 3 to 5 pounds | April to July |
| Chives Seed | 1 ounce | 4 to 6 pounds—TB | March and September |
| Chives Sets | 1 dozen clumps | 300 clumps | March and October |
| Collards | 1 ounce | ½ pound—T | March to July |
| Corn | ½ pint (in hills) | 6 to 10 quarts | April to July |
| Corn Salad | 2 ounces | 3 to 5 pounds | April and September |
| Cress, Garden | 1 ounce | 1½ pounds | March to October |
| Cress, Water. (See Cultural Directions.) | | | |
| Cucumber | 1 ounce (in hills) | 2 to 10 pounds | April to July |
| Dandelion | 1 ounce | 4 to 6 pounds | July and August |
| Egg Plant | 1 ounce | 6 ounces—T | February to May |
| Endive | 1 ounce | 1 pound—TB | April to September |
| Garlic Sets | 2 to 3 pounds | 300 to 500 pounds—B | March and April |
| Gherkin. (See Cucumber) | | | |
| Horseradish Roots | 100 | 10,000 | March to April |
| Kale (Green or Siberian) | 1 ounce | 1½ pounds | August to October |
| Kale (Plain) | 1 ounce | 1½ pounds | February to October |
| Kale (Scotch) | 2 ounces | 3 to 7 pounds | August and September |
| Kohl Rabi | 1 ounce | 1½ pounds | April and May |
| Leek | 1 ounce | 4 to 6 pounds | February and March |
| Lettuce | 1 ounce | ½ pound—TB | March to October |
| Mangels. (See Beets.) | | | |
| Martynia | 1 ounce (in hills) | 2 to 3 pounds | April and May |
| Mint (Roots) | 50 | 10,000 | Spring and Fall |
| Melon (Musk) | 1 ounce (in hills) | 1½ to 3 pounds | April to June |
| Melon (Water) | 1 ounce for 25 hills | 2 to 3 pounds | April to June |
| Mushroom Spawn | 5 pounds | | January to March |
| Mustard | 1 ounce | 1½ pounds | February to October |
| Okra | 1 ounce | 6 to 8 pounds | May to July |
| Onion | 1 ounce | 4 to 6 pounds—TB | September and March |
| Onion Sets | 2 quarts | 6 to 10 bushels—B | Spring and Fall |
| Parsley | 1 ounce | 3 to 5 pounds—B | February to August |
| Parsnips | 1 ounce | 4 to 6 pounds | March to July |
| Peas | 1 quart | 1 to 2 bushels | January to June |
| Peanuts | 1 quart | 2 bushels | April to June |
| Pepper | 1 ounce | 6 ounces—T | February to June |
| Potatoes | 4 quarts | 4 to 5 barrels | Feb. to April, July and Aug. |
| Potatoes, Sweet | 100 plants | 10,000 plants | May to July |
| Pumpkins | 1 ounce for 25 hills | 2 to 3 pounds | May to July |
| Radish | 1 ounce | 3 to 30 pounds—B | February to October |
| Rhubarb Seed | 1 ounce | 8 to 10 pounds—T | March to May |
| Rhubarb Roots | 25 | 3,000 | March and April or November |
| Salsify | 2 ounces | 6 to 8 pounds | April to July |
| Sorrel | 1 ounce | 1 to 1½ pounds—T | March and April |
| Spinach | 2 ounces | 3 to 30 pounds—B | Feb. to April, Sept. to Nov. |
| Squash, Bush | 1 ounce (in hills) | 2 to 3 pounds | April to July |
| Squash, Running | 1 ounce for 25 hills | 1 to 3 pounds | April to July |
| Spring Sprouts. (See Plain Kale.) | | | |
| Tomato | 1 ounce | 4 ounces—T | January to July |
| Turnips | 1 ounce | 1½ to 3 pounds | February to August |
| Vegetable Marrow | 1 ounce for 25 hills | 1 to 3 pounds | April to July |
| Witloof. (See Chicory.) | | | |

T—Those marked T, are usually sown on beds and transplanted into rows.

B—Those marked B, are usually sown in beds from 4 to 7 feet wide, leaving 9 to 10 inches between the rows.

G—A 5 or 10 cent package of those varieties designated to be transplanted, will be sufficient to set a row 100 feet long, if sown first in a box or bed.

A GUIDE TO SOWING AND PLANTING IN THE SOUTHERN STATES.

For fuller instructions, see cultural directions at the beginning of the description of each vegetable.

Copyright, 1914, (all rights reserved), by Geo. Tait & Sons, Inc., Norfolk, Va.

| DEPTH TO PLANT | MATURITY OF CROP | FIELD CULTURE | | GARDEN CULTURE | |
|-------------------|---------------------|--------------------------------|---------------------|--------------------|---------------------|
| | | Rows Apart | Plants in Row | Rows Apart | Plants in Row |
| 1 inch. | Second Spring. | 3 feet. | 3 feet. | 3 feet. | 2½ feet. |
| 3 inches. | 6 to 8 months. | 3 feet. | 1½ feet. | 3 feet. | 1½ feet. |
| 1 inch. | Third Spring. | 1½ feet. | 3 inches. | 1 foot. | 3 inches. |
| 6 to 12 inches. | Second Spring. | 4 feet. | 1½ feet. | 2 feet. | 1½ feet. |
| 1½ inches. | 60 to 75 days. | 2½ feet. | 4 to 6 inches. | 2 feet. | 6 inches. |
| 1½ inches. | 75 to 100 days. | 4 feet. | 4 feet. | 4 feet. | 4 feet. |
| 1½ inches. | 75 to 100 days. | 3 feet. | 15 to 18 inches. | 3 feet. | 1½ feet. |
| 1½ inches. | 75 to 90 days. | 2½ feet. | 10 to 12 inches. | 2½ feet. | 12 inches. |
| 1½ inches. | 90 to 100 days. | 4 feet. | 4 feet. | 4 feet. | 4 feet. |
| 1½ inches. | 90 to 100 days. | 4 feet. | 4 feet. | 4 feet. | 4 feet. |
| 1½ inches. | 90 to 100 days. | 1½ feet. | 4 to 6 inches. | 1 foot. | 4 to 6 inches. |
| 1 inch. | 75 to 90 days. | 1½ feet. | 10 to 12 inches. | 1½ feet. | 10 to 12 inches. |
| 1 inch. | 4 to 6 months. | 2½ feet. | 10 inches. | 2 feet. | 10 inches. |
| 1 inch. | 60 to 90 days. | 1½ feet. | 10 to 12 inches. | 1½ feet. | 10 to 12 inches. |
| 1 inch. | 3 to 4 months. | 2½ feet. | 2½ feet. | 2½ feet. | 2½ feet. |
| 1 inch. | 4 to 6 months. | 2½ feet. | 2½ feet. | 2½ feet. | 2½ feet. |
| 1 inch. | 60 to 75 days. | 1½ feet. | 10 inches. | 1½ feet. | 10 inches. |
| 1 inch. | May and June. | 2½ feet. | 15 inches. | 2½ feet. | 15 inches. |
| 1 inch. | 3 to 4 months. | 3 feet. | 1½ feet. | 2½ feet. | 1½ feet. |
| 1 inch. | 3 to 4 months. | 3 feet. | 1½ feet. | 2½ feet. | 1½ feet. |
| 1 inch. | 3 to 4 months. | 2½ feet. | 1½ feet. | 2½ feet. | 1½ feet. |
| 1 inch. | 75 to 100 days. | 1½ feet. | 4 inches. | 1½ feet. | 4 inches. |
| 1 inch. | 3 to 5 months. | 2½ feet. | 1½ feet. | 2½ feet. | 1½ feet. |
| 1 inch. | 3 to 4 months. | 1½ feet. | 6 to 9 inches. | 1½ feet. | 6 to 9 inches. |
| 1 inch. | 4 to 6 months. | 4 feet. | 6 to 9 inches. | 2½ feet. | 6 to 9 inches. |
| 1 inch. | 60 to 75 days. | 1½ feet. | 6 inches. | 1 foot. | 6 inches. |
| 1 inch. | 3 to 4 months. | 1½ feet. | 6 inches. | 1 foot. | 6 inches. |
| 1 inch. | 3 months. | 1½ feet. | 3 inches. | 1 foot. | 3 inches. |
| 1 inch. | 60 days. | 1½ feet. | 3 inches. | 1 foot. | 3 inches. |
| 1 inch. | 3 to 4 months. | 3 feet. | 3 feet. | 3 feet. | 3 feet. |
| 1 inch. | 60 to 110 days. | 3 feet. | 1½ feet. | 3 feet. | 1½ feet. |
| 1 inch. | 60 days. | 1½ feet. | 10 inches. | 1½ feet. | 10 inches. |
| 1 inch. | 50 to 60 days. | 1½ feet. | 6 to 9 inches. | 1½ feet. | 6 to 9 inches. |
| 1 inch. | 75 to 110 days. | 6 feet. | 12 inches. | 4 feet. | 4 feet (in hills). |
| 1 inch. | 6 to 8 inches. | 1½ feet. | 9 to 12 inches. | 1½ feet. | 9 to 12 inches. |
| 1 inch. | 4 to 5 months. | 4 feet. | 3 feet. | 4 feet. | 3 feet. |
| 1 inch. | 3 to 4 months. | 1½ feet. | 9 inches. | 1 foot. | 9 inches. |
| 1 inch. | 4 to 6 months. | 1½ feet. | 4 to 6 inches. | 1 foot. | 4 to 6 inches. |
| 3 inches. | 8 months. | 2½ feet. | 9 to 12 inches. | 2 feet. | 12 inches. |
| 1 inch. | 2 to 3 months. | 2½ feet. | 8 to 10 inches. | 2½ feet. | 8 to 10 inches. |
| 1 inch. | 50 to 75 days. | 1½ feet. | 6 to 8 inches. | 1½ feet. | 6 to 8 inches. |
| 1 inch. | 2½ to 4 months. | 2½ feet. | 8 to 10 inches. | 1½ feet. | 8 to 10 inches. |
| 1 inch. | 90 to 100 days. | 1½ feet. | 6 to 10 inches. | 1½ feet. | 6 to 10 inches. |
| 1 inch. | 6 to 8 months. | 1½ feet. | 4 to 6 inches. | 1½ feet. | 4 to 6 inches. |
| 1 inch. | 2 to 3 months. | 1½ feet. | 9 inches. | 1 foot. | 9 inches. |
| 1 inch. | 2½ to 3 months. | 3 feet. | 3 feet. | 3 feet. | 3 feet. |
| 2 inches. | 60 to 75 days. | 3 feet. | 12 inches. | 3 feet. | 12 inches. |
| 1 inch. | 2½ to 4 months. | 6 feet. | 4 feet. | 6 feet. | 4 feet. |
| 1 inch. | 3 to 4 months. | 8 feet. | 8 feet. | 8 feet. | 8 feet. |
| 2 inches. | 60 to 75 days. | 1½ feet. | 6 to 8 inches. | 1 foot. | 6 to 8 inches. |
| 1 inch. | 75 to 100 days. | Dwarf 2½ feet. Tall 4 feet. | 1½ feet. 3 feet. | 2 feet. 4 feet. | 1½ feet. 3 feet. |
| 1 inch. | 4 to 6 months. | 1½ feet. | 4 to 6 inches. | 1 foot. | 4 inches. |
| 1 inch. | 3 to 6 months. | 1½ feet. | 4 to 6 inches. | 1 foot. | 4 to 6 inches. |
| 1 inch. | 3 to 4 months. | 1½ feet. | 6 to 9 inches. | 1 foot. | 6 to 9 inches. |
| 1 inch. | 3 to 4 months. | 1½ feet. | 4 to 6 inches. | 1½ feet. | 4 to 6 inches. |
| 2 to 3 inches. | 50 to 85 days. | 2½ feet. | 1 to 3 inches. | 2½ feet. | 1 to 3 inches. |
| 1 inch. | 75 to 90 days. | 2 to 3 feet. | 10 to 18 inches. | 2 to 3 feet. | 1 to 1½ feet. |
| 1 inch. | 3 to 5 months. | 2½ feet. | 12 to 18 inches. | 2½ feet. | 12 to 18 inches. |
| 1 inch. | 3 to 4 months. | 3 feet. | 12 to 15 inches. | 3 feet. | 12 to 15 inches. |
| 1 to 2 inches. | 3 to 4 months. | 3 feet. | 12 to 15 inches. | 3 feet. | 12 to 15 inches. |
| 1 inch. | 3 to 4 months. | 8 feet. | 8 feet. | 8 feet. | 8 feet. |
| 1 inch. | 1 to 3 months. | 1½ f. | 1 to 6 inches. | 1 foot. | 1 to 6 inches. |
| 1 inch. | Second Season. | 1½ feet. | 6 inches. | 1½ feet. | 6 inches. |
| 3 to 4 inches. | 2 to 5 months. | 4 feet. | 4 feet. | 4 feet. | 4 feet. |
| 1 inch. | 3 to 4 months. | 1½ feet. | 3 to 6 inches. | 1 foot. | 3 to 6 inches. |
| 1 inch. | 50 to 75 days. | 1½ feet. | 4 to 6 inches. | 1 foot. | 4 to 6 inches. |
| 1 inch. | 2½ to 4 months. | 1½ feet. | 4 to 6 inches. | 1 foot. | 4 to 6 inches. |
| 1 inch. | 60 to 75 days. | 2½ feet. | 2 feet. | 2½ feet. | 2 feet. |
| 1 inch. | 75 to 90 days. | 8 feet. | 8 feet. | 6 feet. | 6 feet. |
| 1 inch. | 3 to 4 months. | 4 feet. | 3 feet. | 4 feet. | 3 feet. |
| 1 inch. | 2 to 3 months. | 1½ feet. | 6 to 8 inches. | 1 foot. | 6 to 8 inches. |
| 1 inch. | 75 to 90 days. | 8 feet. | 8 feet. | 6 feet. | 6 feet. |

GARDEN CALENDAR FOR THE SOUTHERN STATES. IN THE OPEN GROUND.

| 1916 JANUARY | | | | | | | | | | | |
|-----------------|----------|----------------|----------------|----|----|----|--|--|--|--|--|
| S | M | T | W | T | F | S | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | | | |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | | | | | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | | | | | |
| 30 | 31 | | | | | | | | | | |
| FEBRUARY | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 | | | | | |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 | | | | | |
| 27 | 28 | 29 | | | | | | | | | |
| MARCH | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | | |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | | |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | | | | | |
| 26 | 27 | 28 | 29 | 30 | 31 | | | | | | |
| APRIL | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | | | |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | | | | | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | | | | | |
| 30 | | | | | | | | | | | |
| MAY | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 | | | | | |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 | | | | | |
| 29 | 30 | 31 | | | | | | | | | |
| JUNE | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | | | | | |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | | | | | |
| 25 | 26 | 27 | 28 | 29 | 30 | | | | | | |
| JULY | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | | | |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | | | | | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | | | | | |
| 30 | 31 | | | | | | | | | | |
| AUGUST | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 | | | | | |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 | | | | | |
| 27 | 28 | 29 | 30 | 31 | | | | | | | |
| SEPTEMBER | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | |
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | | | | | |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | | | | | |
| 24 | 25 | 26 | 27 | 28 | 29 | 30 | | | | | |
| OCTOBER | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | | | |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 | | | | | |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 | | | | | |
| 29 | 30 | 31 | | | | | | | | | |
| NOVEMBER | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | | |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | | |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | | | | | |
| 26 | 27 | 28 | 29 | 30 | | | | | | | |
| DECEMBER | | | | | | | | | | | |
| S | M | T | W | T | F | S | | | | | |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | |
| 10 | 11 | 12 | 13 | 14 | 15 | 16 | | | | | |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | | | | | |
| 24 | 25 | 26 | 27 | 28 | 29 | 30 | | | | | |
| 31 | | | | | | | | | | | |
| HOTBED SOWINGS. | | | | | | | | | | | |
| NOVEMBER..... | Cabbage | Cauliflower | Radish | | | | | | | | |
| DECEMBER..... | Beet | Cabbage | Forcing Carrot | | | | | | | | |
| JANUARY..... | Beet | Forcing Carrot | Egg Plant | | | | | | | | |
| FEBRUARY..... | Cucumber | Egg Plant | Lettuce | | | | | | | | |
| MARCH..... | Cucumber | Muskmelon | | | | | | | | | |



PLANT DISEASES AND REMEDIES


| PLANT | DISEASE | SYMPTOMS | REMEDIES |
|------------------------------|----------------------------------|--|--|
| Asparagus..... | Rust..... | Reddish or black pustules on stem and branches..... | Spray with Bordeaux 4-5-50, containing a sticker of resin-sal-soda soap, once or twice a week all season. |
| Bean..... | Anthraxnose..... | Circular, brown or purplish spots on pods, stems and leaves..... | Plant clean seed obtained by sorting for absolutely clean pods. Spray with Bordeaux 4-5-50. |
| Bean..... | Blight (bacterial)..... | Large dead spots on leaves. Watery spots on pods..... | Spray with Bordeaux 4-5-50 as for anthracnose. |
| Bean..... | Rust..... | Rusty spots on leaves..... | Burn old leaves and vines each year. |
| Bean..... | Root and stem rot..... | White moldy growth on pods, and at base of stem..... | Good drainage, liming of soil. In greenhouse sterilization of soil. |
| Beet..... | Leaf-spot..... | Circular spots on leaves, with gray center and purple border..... | Spray early with Bordeaux 4-5-50. Afterward every ten days. |
| Beet..... | Root-rot..... | Base of leaves black, root rotted and cracked at crown..... | Good drainage, and liming of soil recommended. |
| Beet..... | Scab..... | Warty and scabby spots on roots..... | Practice crop rotation. |
| Cabbage and Cauliflower..... | Black-rot (bacterial)..... | Leaves yellow, then black on margin, later fall off. Heads not formed..... | Treat seed in mercuric bichloride 1-1000 for 15 minutes. |
| Cabbage and Cauliflower..... | Club-root..... | Plants stunted and unhealthy looking, roots much deformed..... | Plant only healthy plants, use no manure containing cabbage refuse. Practice crop rotation. Avoid clubbed plants for transplanting. |
| Celery..... | Blight..... | Yellowish spotted leaves. Often in seed-beds..... | Spray with ammoniacal copper carbonate 6-2-50; make about eight applications; begin when plants are in seed bed. |
| Cucumber..... | Downy mildew ("the blight")..... | Yellow leaves, later drying up..... | Spray with Bordeaux 4-5-50, every 2 weeks from time plants begin to run; burn diseased plants in fall. |
| Cucumber..... | Wilt (bacterial)..... | Plants wilt down rapidly..... | Destroy striped cucumber beetles, or spray with Bordeaux 4-5-50, to drive beetles out. Gather and burn wilted leaves and vines. |
| Lettuce..... | Drop..... | Sudden wilting of plants, especially in green houses..... | Steam sterilize soil to depth of two inches or more. |
| Muskmelons..... | Blight..... | Yellow leaves, later drying up..... | Spray with Bordeaux 4-5-50, every 2 weeks from time plants begin to run. Burn diseased plants. |
| Onion..... | Mildew..... | Wilted plants, gray mildew on leaves..... | Spray with Bordeaux 4-5-50, begin when plants show three leaves. |
| Onion..... | Smut..... | Black pustules on leaves and bulbs..... | Practice crop rotation. Drill into rows when planting seed, sulphur and lime, equal parts or formalin solution. |
| Potato..... | Scab..... | Scabby tubers..... | Treat tubers before cutting in formalin solution, 1 pt. to 30 gallons water for 2 hours. |
| Potato..... | Blight..... | Leaves spotted and blackened. Tubers show dry rot..... | Spray with Bordeaux 4-5-50. Begin when plants are six inches high, and repeat every ten days. Use clean tubers, spray five or six times. |
| Potato..... | Dry-rot..... | Falling over and wilting of tops. Tubers show brown ring at cutting across stem end..... | Select seed which show no brown ring, treat as for scab, and plant in clean soil. |
| Tomato..... | Leaf-spot..... | Numerous minute angular spots on leaves..... | Spray with Bordeaux 4-5-50, every week or ten days from time plants are set out. |
| Turnip..... | Club-root..... | Plants stunted and unhealthy, roots much deformed..... | Same as for club-root of cabbage above. |
| Sweet Potato..... | Black-rot..... | In seedling, black spots on roots and stems. Badly rotted old roots..... | Practice rotation of crops. Avoid diseased roots as seed. |
| Squash..... | Wilt (bacterial)..... | Plants wilting rapidly down..... | Spray with Bordeaux 4-5-50, to drive away insects on vines, burn all wilted leaves. |
| Squash..... | Downy mildew..... | Yellow leaves, later drying up..... | Spray as for downy mildew of cucumbers. Burn all diseased plants in the fall. |

VEGETABLE SEEDS

With Descriptions and Prices



The words Thoroughbred Seeds being a registered trade-mark (U. S. Patent Office, No. 51052), and the word Thoroughbred being also a registered trade-mark (U. S. Patent Office, No. 92011), all persons are warned against their use in connection with the advertising or sale of seeds. We solicit the help of our friends in the detection and punishment of infringements of our copyright.



THE seeds offered in this catalogue have been grown with the determination to produce strains of the highest possible purity, the cost of growing being really a secondary consideration, and it is therefore obviously impossible for us to compete as to price with seedsmen who have reversed that policy. We are, however, better prepared perhaps than any other house in the world to serve Southern gardeners who appreciate Thoroughbred Seeds, and it is to the steadily increasing number of these careful buyers that we confidently look for encouragement and support.

A thorough system of testing is applied to our seeds to ascertain their vitality, vigor as well as percentage of germination being carefully noted, and as tests are made not merely once, but at regular intervals through the year, our customers are protected as far as possible against any uncertainty of germination. Whenever seeds purchased from us fail to germinate promptly, it is almost invariably owing to the manner in which they were planted, to unfavorable soil or seasons, or destruction by insects. We guarantee a satisfactory germination under reasonable conditions.

So far as is practicable, the most important seeds are grown under our personal supervision, but we guarantee neither purity nor productiveness in any case. No seedsmen can or ever does in good faith assume any responsibility as to the crops produced from seeds supplied by him. Abnormal weather conditions, peculiarities of soil or climate, or wrong methods of cultivation may often and do cause amazing changes of type in vegetables, in addition to which it must be remembered that no precautions on our part can prevent mistakes being made on the farms where the seeds are produced. With all the care a seedsmen can exercise, he is, to a certain extent, at the mercy of his individual growers.

Where, however, it is evident that failure was due to defects in the seed or to a mistake on our part, we will gladly make restitution to the extent of the amount actually paid us. All other responsibility is expressly disclaimed, and, in cases where purchases have been made in ignorance of this stipulation, we will, if desired, cheerfully refund the money upon the return of the seeds.

As unscrupulous dealers in various sections do not hesitate to trade upon the reputation of our house by selling under our name seeds bought from cheaper growers, we beg again to caution those who order Thoroughbred Seeds through their local stores against accepting any unsealed packages. They will thus secure themselves against disappointment and loss while protecting us from fraud.

We are obliged to list here many kinds of vegetables which are of comparatively inferior value, in order to meet demands from customers unacquainted with finer varieties. We are careful, however, to point out the inferiority, and our readers will find it to their advantage to rely upon our judgment.

Not a little of the annual increase in our business has been due to customers who never lose an opportunity to speak kindly of us and our part in raising the standard of seeds in the United States. For this invaluable service we are deeply grateful, and we wish to give expression here to our appreciation of such loyal friendship.

January 1, 1916.

GEO. TAIT & SONS, Inc.



ARTICHOKE

(*Cynara Scolymus*.)

Artichaut. Artischoke. Articiocca. Alcachofa.



French Globe Artichoke.

CULTURE.—One ounce is enough for one hundred feet of drill, and one pound will produce enough plants to set out an acre. Sow one inch deep the last of March in light, rich soil, and transplant, when large enough, into rows three feet apart, leaving three feet between the plants in the row. It is a perennial which does not come into bearing until the second season, but if properly cultivated will continue to yield for many years. As the plant will become exhausted if the heads are allowed to ripen, they must be cut even if not wanted for the table. Should the plants show signs of deterioration, in three or four years, a new bed should be started from either seeds or offshoots removed from the old plants.

French Green Globe (*Thoroughbred*.)—A vegetable which, although almost unknown in American gardens, is destined to eventually gain the estimation it deserves and has long enjoyed in other countries. The flower heads while immature, are very tender and of peculiarly delicious flavor. Attention is called to

the mistake many of our readers make in confusing this with the common **Jerusalem Artichoke**, only the roots of which are edible. (See description below.) Pkt., 10 cts.; oz., 40 cts.; 2 ozs., 75 cts.; $\frac{1}{4}$ lb., \$1.25; lb., \$5.00. Postpaid.

ARTICHOKE ROOTS.

(*Helianthus Tuberosus*.)

The artichoke best known in this country is the **Jerusalem Artichoke**, the roots of which grow in the form of large tubers, and are not only good for table use, when boiled or pickled, but also furnish excellent food for hogs. Nothing is more easily and cheaply grown than a crop of artichokes, and the yield will often exceed one hundred barrels to the acre. Four quarts are enough for a row of one hundred feet, and two to three bushels will plant an acre. They should be planted in March or April, three inches deep in rows three feet apart, and eighteen inches in the row, and treated much in the same way as Irish potatoes, the tubers being cut to any desired number of eyes, one being enough. After the crop has matured in the fall, hogs may be simply turned into the field and left to take care of themselves. For table use it is best to leave the roots in the ground until wanted, as they shrivel somewhat when exposed to the air. Lb., 20 cts.; bush., \$1.50; bbl., \$4.00, F. O. B. Norfolk.



(*Asparagus Officinalis*.)

Asperge. Spargel. Sparagio. Esparrago.

CULTURE.—One ounce is sufficient for one hundred feet of drill; six to eight pounds to the acre. Sow in February or March in rows one and a half feet apart and one inch deep, having previously soaked the seeds twenty-four hours in warm water. Thin the seedlings to three inches in the row, reserving only the most vigorous, and keep the ground clean throughout the season. Transplant the following spring into trenches which may be four or five feet apart, according to the space available, setting the crowns eighteen inches apart, and taking care to spread the long roots as widely as practicable. To make white stalks, the trench should be nine or ten inches deep, but if green shoots are preferred, seven inches will be deep enough. An inch or two of earth is sufficient covering for the first year, the ground being levelled the second season. Every autumn the stalks should be cut down and carefully removed in order to avoid scattering seeds over the bed, and the bed then covered with a heavy coating of manure. Early in the spring this covering should be forked in, care being taken to avoid injury to the roots;



if a plow be used, the cultivation must be very shallow. Cutting may be begun in earnest after two seasons, and the bed, if well cared for, should last ten or twelve years. Do not cut too closely or too long, as the health of the roots requires some foliage during the year.

Charleston, French or Palmetto (*Thoroughbred*).—For many years this has been the standard market asparagus in Virginia, the Carolinas and Florida, and we see no prospect of its being supplanted by any of the newer kinds, as it is the least susceptible to disease. It is a rapid and even grower, very regular in size, and keeps in excellent condition long after cutting, the immense stalks and bright green color making a most attractive bunch. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Bonvallette's Giant (*Thoroughbred*).—Very similar to the Palmetto, and thought by some to be a trifle larger and more vigorous, but we prefer the Palmetto. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Barr's Philadelphia Mammoth (*Thoroughbred*).—This is the favorite with Pennsylvania market gardeners, but inferior to Palmetto for Southern shippers. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Giant Argenteuil (*Thoroughbred*).—The most popular French variety, with large green stalks that are quite thick and very much like the Palmetto. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Mammoth White Columbian (*Thoroughbred*).—We have not found this beautiful asparagus popular with Southern growers, partly, no doubt, because it does not reach full productiveness until the fourth year. For canning it is undoubtedly the best variety which could be selected. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Conover's Colossal. (*Thoroughbred*).—This old stock is very productive and is largely used in the West for canning, but is too inferior in size to be profitable for shipping in competition with the newer varieties. Pkt., 5 cts.; oz., 10 cts.; cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.



Culture. (See Asparagus Seed.)

Although the sowing of seed is the most economical method of getting asparagus, it is somewhat uncertain, and necessarily requires three years to produce marketable shoots. There are, therefore, many gardeners who are glad to save time and trouble by buying roots instead of seeds, and for their convenience we are now offering Asparagus Roots. These are grown from the best seed stocks, and will be found fine, strong roots. Five thousand to seven thousand plants are required to the acre, according to the number of rows made. We will have pleasure in making specially low quotations to buyers of large quantities, and are prepared to fill the largest orders. A family of ordinary size will find one hundred roots sufficient to keep it supplied with asparagus during the season, and the bed need not take up more than five hundred square feet. Contrary to a general impression, two-year-old roots are really less desirable than selected ones of the first year's growing, and, as a matter of fact, the two-year roots, commonly listed in catalogues, are actually only one year old.

Palmetto (*Thoroughbred*), 90 cts., per 100; \$5.00 per 1,000, F. O. B. Norfolk. Special prices for lots of 10,000 and upwards.

Mammoth White Columbian (*Thoroughbred*).—90 cts., per 100; \$5.00 per 1,000, F. O. B. Norfolk. Special prices for lots of 10,000 and upwards.





BEANS

(*Phaseolus Vulgaris*.)

Haricot Nains. Krupp Bohnen. Faginolo-nani. Frijole Nano.

All prices quoted for beans are invariably "F. O. B. Norfolk."

Parcel Post rates, see page 5. Beans weigh by Parcel Post: Pint, 2 lbs.; quart, 3 lbs.; 4 quarts, 8 lbs.; peck, 16 lbs.

Especial attention is called to the fact that our quotations are for quarts, pints and half-pints in dry measure; these contain much more than the liquid measures commonly sold in the trade.

Be sure to add postage to the price of beans.

CULTURE.—One quart of beans will plant about one hundred feet of drill, from one to one and a half bushels being allowed to the acre. While most varieties of beans, especially wax, are very tender, and should not be planted in this latitude before the beginning of April, if one is disposed to take some risk, plantings in March will frequently produce very early crops, to the great advantage of either private or market gardeners. If a succession is desired, plant at intervals of about two weeks until August. Prepare the ground well, manure lightly, and plant one and a half inches deep, in rows two and a half feet apart, allowing four to six inches between green kinds, and six to eight between the wax. Keep well cultivated, always drawing the earth to the plants, but avoid working the ground when it is wet or when dew is on the beans, as they will be more likely to rust.

BEANS WITH WAX PODS.

Tait's Thoroughbred Extra Early.—Those who were so fortunate as to have crops of our new wax bean the past three seasons will not need to read this report of its extraordinary success, or to be solicited for orders this year. Beyond question, it has been one of the most profitable wax beans shipped from the South, being the earliest in all sections and everywhere seemingly free from disease. It is a remarkably beautiful bean, the pod long, well-proportioned and very rich in coloring, while the bush meets all requirements as to strength and erectness. Having proved the hardest as well as the earliest of all wax, it cannot fail to take among wax beans the position now held by the Black Valentine regarding green-podded varieties, and we expect it to speedily supplant practically all the early wax sorts now in cultivation. We are especially pleased to be able to offer this new strain, since Tait's Celestial has been so long the standard that deterioration as to vigor and resistance to disease must be expected before many more years. Few wax beans maintain their usefulness in the South more than seven or eight years, no matter how carefully bred for purity. Variations of color in the seed should not excite suspicion, as this peculiarity is characteristic of Tait's Extra Early and does not indicate mixture of any kind. As a fall bean it rivals Hodson Silver Wax. We shall have a considerable quantity of seed to offer the coming season, but as the bean has made a great reputation wherever seen, our friends are respectfully cautioned that early ordering will be necessary. Pkt., 10 cts.; pt., 25 cts.; qt., 40 cts.; 4 qts., \$1.25. (See full page illustration). Write for prices on larger quantities.

Tait's Thoroughbred Celestial.—In the ceaseless effort after improvement, we occasionally find a certain stock has changed to such a degree that, in order to avoid confusion, a new name is required for identification; in the new Celestial, we merely claim to offer an improved strain of the California Wax, but if our own opinion and the judgment of the best Southern market gardeners are to be regarded, the improvement is such that we could not well retain the old name for both beans. Early and handsome as the California Wax is, our Celestial is several days earlier and has a decidedly longer pod, the bush being remarkable for strength and tree-like erectness. Although not absolutely rust-proof, it resists disease much better than any Black Wax, except Tait's Extra Early, and we rarely hear of any loss from that cause. Pkt., 10 cts.; pt., 20 cts.; qt., 35 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Hodson Silver (Thoroughbred).—Earliness cannot be claimed for this superb bean, but it is certainly the equal of any in beauty and apparently absolutely immune to "rust." The bush is larger than most kinds and is remarkably productive, the pods being very thick as well as of



Tait's New Extra Early Wax Bean.

(Photo of plant grown by
Mr. W. I. Conover, Norfolk, Va.)

As early as the Black Valentine, and very hardy. Since introducing it, we have never been able to supply the demand



unusual length; they are peculiar in color, having a soft creamy tint, very clear and at the same time even richer in effect than many of the deeper-colored varieties of wax. Its lateness is partially offset by the fact that it may be planted earlier than the less hardy varieties, but its value is dependent upon beauty, productiveness and freedom from disease. For the fall crop, it and Tait's Extra Early are by far the best of all wax beans. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Currie's Rust Proof (*Thoroughbred*).—Once the standard Black Wax, but so inferior to Tait's Extra Early or Tait's Celestial that it may be regarded as now out of date. As many growers are ignorant of this fact, however, and continue to order the Currie's, we are obliged to keep it on the list for the present. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 85 cts.

California Wax (*Thoroughbred*).—This is a selection from the Currie's Rust Proof, and, while still used, does not compare with Tait's Extra Early or Tait's Celestial. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Golden Eye (*Thoroughbred*).—Since the introduction of Tait's Early Wax with its handsome pods and hardness, few of this formerly by much used variety are now used. The pods are smooth, straight and nearly rust proof, but rather undersized. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 30 cts.; 4 qts., \$1.00.

BEANS WITH GREEN PODS.

Extra Early Black Valentine (*Thoroughbred*).—The Black Valentine continues to demonstrate that in hardness, productiveness, and earliness, it is really quite out of the class of all the extra early green varieties heretofore in use. There can be no doubt that, after lying for days in ground too cold to encourage or even permit germination, and wet enough to rot almost any other kind of bean, the Black Valentine will, at the first change for the better, begin a healthy growth. Were this hardy nature its sole valuable characteristic, every Southern trucker would still be deeply interested, since gardeners in this section are often obliged to plant beans before the ground is warm, but it is also amazingly prolific and very much earlier than any other green bean. For family use it is less desirable than the Giant Stringless, Stringless Green Pod, Full Measure, or Bountiful, and our readers should not allow themselves to be misled by flattering descriptions which they are sure to meet in those catalogues which invariably ascribe only fine qualities to every new vegetable. See full page illustration. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Price for larger quantities on application.

King of the Earlies.—This name has been given by certain seedsmen to the Extra Early Black Valentine, a description of which is given in the preceding paragraph.

Stringless Green Pod—Burpee's (*Thoroughbred*).—The pods of this bean are unusually fleshy, and it is several days earlier than the Red Valentine. While a favorite in certain sections, it has never won much favor in the neighborhood of Norfolk, owing to the popularity of the Black Valentine. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Price for larger quantities on application.

Tait's Thoroughbred Red Valentine.—For forty years our famous strain of the Valentine has been one of the great trucking beans of the South, and it is still a favorite along the entire coast, although some of the new extra early varieties have supplanted it to a considerable degree. The fleshy pods are set in great profusion, and the bearing period is remarkably long, but for table use it is obviously less desirable than the stringless varieties. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 85 cts. Price for larger quantities on application.

Giant Stringless Green Pod (*Thoroughbred*).—This is undoubtedly the best bean for the home garden. The plants grow strong and erect, producing long pods free from "string," very brittle and of superior quality. Were it not for its peculiar slowness in germinating when planted very early in the spring, it would be a leading variety for market. As it is, many growers find it profitable. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Price for larger quantities on application.

Mammoth Stringless Valentine.—See Giant Stringless Green Pod above.

Full Measure (*Thoroughbred*).—A stringless variety with merit, and for summer planting will be found a splendid sort for both private and market gardeners. The pods are large, very fleshy and remarkable for a crisp tenderness which lasts long after they are ready for the table. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Price for larger quantities on application.

Bountiful (*Thoroughbred*).—The largest and handsomest of all flat green podded beans. It is stringless, very early, tender and of delicious flavor. It bears an enormous crop, and for those who like flat beans it will be found an ideal variety. Especially good for very early planting in the home garden. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on large quantities.



Extra Early Black Valentine Bean.
(Still the earliest and most profitable green bean.)



Hudson Green Pod (*Thoroughbred*).—Now that so many of the standard green beans are as subject to disease as the wax, all gardeners will be interested in this bean, which seems to be free from rust and blight. This handsome bean has had ample opportunities to develop all its defects, and the only criticism we have to make is, that it is much later than many other good green beans. The pods are of unusual length, stringless when young, and hold wonderfully their brittleness and fresh look after being picked, but market gardeners must remember that it is quite late. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

Improved Extra Early Refugee (*Thoroughbred*).—Except for the fall crop, this Improved Refugee will be found much superior to the old "Thousand-to-one," as it is a fortnight earlier and of equally good quality. We do not recommend it for any purpose, however, as there are many better beans for spring use. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 85 cts.

Longfellow (*Thoroughbred*).—The Longfellow is marvelously productive, with pods nearly ideal in color and proportions, but it is unfortunately very liable to disease in bad weather. For this reason we would advise against very early planting of the Longfellow, and it should be put only in well-drained ground. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

Refugee, or 1,000 to 1 (*Thoroughbred*).—Entirely abandoned as a spring crop, the late Refugee is still very largely grown in the fall, being usually quite profitable when shipped after frost has destroyed the Northern beans. It is generally considered the most desirable variety for late use owing to its productiveness, and the fact that the pods retain their brittleness wonderfully in the fall, when the Valentine is apt to become hard and stringy. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

POLE OR RUNNING BEANS

Haricot a Rames. Stangen Bohnen. Faginolo-rampicanti. Habichullas enuridaderas

WITH GREEN PODS.

CULTURE.—Half pint is enough for one hundred feet in hills; for an acre, eight to twelve quarts. Plant from April to July, one and one-half inches deep, in rich, well-drained soil, in rows four feet apart with same distance between the hills. Where poles are used they should be firmly set and tied with a stout cord at the top to each other to prevent falling down during high winds. As a rule, gardeners now use wire netting instead of poles, often very hard to get. Put five or six beans around each pole, thinning to three, or in the case of netting, plant two beans every ten inches. Frequent cultivation and an occasional top-dressing with fertilizer will keep the vines in full bearing throughout the season, provided the pods are not allowed to mature.

Berger's Stringless Green Pod (*Thoroughbred*).—In flavor this will be found quite as good as the Kentucky Wonder, while it is earlier and practically stringless. It will also be found an immense improvement upon the "Hominy Bean," so generally planted in corn fields. The dry seed is of snowy whiteness and cooks to a melting tenderness. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

White Kentucky Wonder.—Identical with the Berger's Stringless described above.

Kentucky Wonder (*Thoroughbred*).—This has long been considered the best of all the running snaps, and is still holding its own against Berger's Stringless. The pod, stringless when young and of extraordinary length, has a tenderness quite its own and a delicious flavor, while the vine continues to bear until frost, if regularly picked. It must not be confounded with the Southern Prolific Bean, which is often sold as Kentucky Wonder, although much smaller and quite a fortnight later. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Old Homestead.—Identical with the Kentucky Wonder, described above.

Dutch Case Knife (*Thoroughbred*).—An old variety, very productive, and good as a snap or when shelled, but not to be compared with Kentucky Wonder or Berger's Stringless. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 85 cts.

Speckled Cranberry (*Thoroughbred*).—When green, this bean makes a very tender snap, and it is also excellent for shelling. Like all the old kinds, however, this has had to give way to the newer and more desirable Berger's Stringless. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 85 cts.

Lazy Wife's (*Thoroughbred*).—A white-seeded variety, which produces green pods of unusual length. It is very late in bearing, and, while of excellent quality, is in every respect inferior to the Kentucky Wonder and Berger's Stringless. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 85 cts.

Scarlet Runner (*Thoroughbred*).—A beautiful climber, used extensively for ornamental purposes, as it is of rapid growth, with handsome foliage and brilliant scarlet flowers. It will grow from twelve to fifteen feet high, and shows a constant succession of bloom during the summer and fall. As a table bean it is used both in the pod and when shelled, but it will be found rather coarse in flavor. Pkt., 5 and 10 cts.; pt., 25 cts.; qt., 40 cts.; 4 qts., \$1.25.



WITH WAX PODS.

Kentucky Wonder Wax (*Thoroughbred*).—An excellent variety, and one of the very best pole wax beans. The pods are long, very thick, meaty, deeply saddle-backed, entirely stringless, and bright yellow in color. The vine is thrifty and very prolific. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Golden Cluster (*Thoroughbred*).—Another good variety, bearing in clusters, richly flavored stringless pods, six to eight inches long, that are golden yellow. The seeds are white and can be used for dry shell beans in winter. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

LIMA BEANS.

(*Phaseolus Lunatus*.)

• Especial attention is called to the fact that our quotations are for quarts, pints and half-pints in dry measure; these contain much more than the liquid measure commonly sold in the trade.

See Parcel Post weights for Beans on page 15.

Be sure to add postage to the price of beans.


CULTURE.—One pint of Bush Limas will plant one hundred feet of drill. For an acre about three pecks of small and one and a half bushels of the large. Plant from May to July one and a half inches deep. The rows for the large should be three feet, with fifteen to eighteen inches between the plants, and for the small, two and a half feet with ten to twelve inches between the plants. We find that almost all dissatisfaction with the yield of Bush Lima is due to lack of cultivation, and too much emphasis cannot be laid upon the necessity for systematic stirring of the surface. If put in rich soil and properly cultivated, they will bear steadily throughout the summer. There is no reason why Lima Beans should not be started under protection in the same way as muskmelons, thus prolonging the bearing season a fortnight or more, and we are sure that all who can conveniently handle them thus will be delighted with the results.

LARGE BUSH LIMAS.

Fordhook (*Thoroughbred*).—This is the best Large Bush Lima, for both private and market gardeners. The plant is very sturdy, and, although remarkably bushy, holds itself stiffly erect throughout the season, carrying the enormous pods filled with bean of the popular potato type well clear of the ground. Under first-class cultivation, the bush will grow quite two and a half feet high, and often measures two feet across, the main stalk and lateral branches fairly covered with clusters of pods. As it blooms and forms edible beans nearly a week ahead of the Wonder Bush Lima, and is very much more productive, no one should now consider the older variety, good as it undoubtedly is. Pkt., 5 and 10 cts.; pt., 25 cts.; qt., 45 cts.; 4 qts., \$1.50. Write for prices on larger quantities.

Mammoth (*Thoroughbred*).—In quality this variety ranks with the very best. The beans are flat, of extra large size, and a trifle earlier than the Fordhook. It is a distinct improvement upon all previously selected strains of large Bush Limas, and is second in value only to the Fordhook; those who do not care for the Potato type of Limas will prefer it to the Fordhook. Pkt., 5 and 10 cts.; pt., 25 cts.; qt., 45 cts.; 4 qts., \$1.50. Write for prices on larger quantities.

Wonder (*Thoroughbred*).—For several years this was a great favorite, but it cannot compete with the "Mammoth," a bean far superior in every respect. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 30 cts.; 2 qts., 50 cts.; 4 qts., 90 cts.



Fordhook Bush Lima.



SMALL BUSH LIMAS.

Henderson's (Thoroughbred).—The earliest of the Bush Limas, but very small, requiring much labor in picking and shelling, and has nearly gone out of use since the introduction of the Prolific, described below. Pkt., 5 and 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 90 cts.

Prolific (Thoroughbred).—This is a really great improvement upon Henderson's Bush Lima, and is undoubtedly the best of the small Bush Limas. We wish to call especial attention to our strain as a desirable bean for market. Any one who continues to grow the old stock is making a serious mistake, since the Prolific not only has a larger pod, containing more and larger beans, but is much more productive, and matures but a few days later. The bush is of vigorous growth, but, while less compact than some other dwarf kinds, still has scarcely any tendency to make vine, and is literally full of pods from the beginning of the season until killed by frost. This and the Fordhook Bush Lima are the ones we recommend most strongly to those who grow Limas for home or market. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

LARGE POLE LIMAS.

CULTURE.—One pint of large or half a pint of small Pole Limas will plant one hundred feet of drill. For an acre, one peck of the small and three pecks of large. Plant from May to July one and a half inches deep. If poles are used for support, they should be set about four feet apart each way, and we recommend securing them at the top to each other by a strong cord in order to prevent damage by high winds. If it is not convenient to get poles, wire netting or strong fish twine make an excellent support, and many gardeners now use nothing else. Five or six beans are put to each pole, so as to ultimately leave three, or if put beside netting two beans every ten inches. Keep the ground well cultivated, and if the vines are too rank, it is often a good plan to check their growth by pinching the ends, the strength of the vine then going to make fresh pods.

Especial attention is called to the fact that our quotations are for quarts, pints and half-pints in dry measure; these contain much more than the liquid measures commonly sold in the trade.

See Parcel Post Weights for Beans on Page 15.

Be sure to add postage to the price of beans.

Leviathan (Thoroughbred).—According to the general opinion of market gardeners, this is one of the greatest improvements ever made in Pole Limas, since it is more than a week earlier than the ordinary kinds. Pods of the Leviathan are usually almost straight and often contain five fully developed beans, not much inferior in size to Ideal and Ford's Mammoth. In the Northern States it will enable many to grow Large Limas for the first time, while Southern growers will get into market with this bean nearly ten days earlier than heretofore. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Ideal (Thoroughbred).—While not so early as the Leviathan, this Large Lima is superior to it in size, and outranks for the main crop all others of its class, except Ford's Mammoth, which many gardeners consider fully as good. The pods are from five to eight inches long and borne in clusters so that gathering is very easily done, and the vine is unusually healthy. The bean corresponds to the pod in size, being extraordinarily thick as well as long and wide, and no Lima is more richly flavored. Now that such beans as this, and Ford's Mammoth, are to be had, it is obviously not worth while to continue the use of the old strain of Large Lima. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Giant-Podded (Thoroughbred).—Where size is of first consideration, this new variety will be sure to please. The beans are larger and thicker than any excepting those of the "Potato" type, and of good quality. The vines are vigorous, continuing to bear until frost. Pkt., 10 cts.; pt., 30 cts.; qt., 50 cts.; 4 qts., \$1.75.

Ford's Mammoth (Thoroughbred).—The pods of this comparatively new strain of Large Lima well deserve the name of "Mammoth," being seven or more inches in length, and usually packed with beans of delicious flavor. While not so early as the Leviathan, it ranks second to none in either yield or length of bearing season. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

King of the Garden (Thoroughbred).—An improved Large Lima which has a large pod and is quite productive. The pods are borne in clusters and contain five or six beans each,



the beans also being larger than those of the old variety. We consider it a good sort, although less desirable than Ideal and Ford's Mammoth. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

Large White (*Thoroughbred*).—(*Carpenteria* strain). The highest type of the standard old Large Pole Lima, and still popular in spite of the newer and better selections. Many years will pass before it is dropped from cultivation. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

Challenger (*Thoroughbred*).—The original Potato Lima, and a splendid bean for the home garden. Earlier in maturing than the larger varieties, the beans are of medium size and delicious flavor. The vines are vigorous, and bear until frost. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

SMALL POLE LIMAS.

The Butter Bean of the South.

Tait's Thoroughbred Eureka.—This is a selection from the Small Pole Lima, and while having all the characteristics of the latter, the beans are fully a fourth larger. Pkt., 10 cts.; pt., 30 cts.; qt., 50 cts.; 4 qts., \$1.75. Write for prices on larger quantities.


Small Sieva or Sewee (*Thoroughbred*).—Previous to the introduction of the Prolific Bush and Tait's Eureka, the Sieva or Sewee was more largely grown than any other kind in the South. It is extraordinarily productive, yielding abundantly until frost, and for this reason is still a special favorite with market gardeners. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

ENGLISH BROAD BEANS.

CULTURE.—Unlike our Limas, which they somewhat resemble, the English Beans are so hardy that in ordinary seasons late February is not too early for planting; they must be given time to make their growth before our hot season. The cultivation is the same as that for pole beans.

Mazagan (*Thoroughbred*).—The earliest of its class, and therefore best for planting in places where the season is short. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

Broad Windsor (*Thoroughbred*).—Few natives of the old country can ever be persuaded that this famous old bean is in any way inferior to the finest Limas, and we find our English born customers continue to demand it for the family garden. Gathered while very young and thoroughly cooked, they are really very good, and we can recommend them for all sections where short seasons with cool nights make Lima beans uncertain. Pkt., 5 and 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.



Ideal Pole Lima.


Especial attention is called to the fact that our quotations are for quarts, pints and half-pints in dry measure; these contain much more than the liquid measure commonly sold in the trade.

See Parcel Post weights for Beans on page 15.

Be sure to add postage to the price of Beans.

BEET

(Beta Vulgaris.)

Betterave. Salatruben. Barbabietola. Remolacha.**Crosby Improved Egyptian Beets.**

CULTURE.—Two ounces are sufficient for one hundred feet of drill, four to ten pounds being allowed to the acre. To obtain very early beets, the Egyptian, Crosby's Egyptian, Detroit and Eclipse should be sown in hot-beds in December, transplanting being done in the open ground as early as the season will permit; in rows eighteen inches apart, or on beds four feet wide with eight to twelve inches between the rows, with the plants three to six inches apart. Outdoor sowings are made from the middle of February until August, an interval of two weeks between sowings making the proper succession. The cultivation should be constant, and only well-rotted manure used. When sown in cold frames they are usually planted in eight-inch rows with three inches between the plants. Beets grown for sugar making must not be stirred after the roots are formed, as the strength which should go into the sugar is liable to be directed into new and useless fiber.

Extra Early Egyptian (Thoroughbred).—This old standard dark red flat variety was for many years the favorite beet for early market use, but newer and better kinds have now supplanted it except for growing under glass. Its small tops and extreme earliness make it very desirable for this purpose. It is tender when young, but soon becomes woody, and is therefore not desirable for family use. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid. Write for prices on larger quantities.

Crosby's Egyptian (Thoroughbred).—This is really more like the Eclipse than the Egyptian in appearance, as it is quite roundish and much lighter in color than the well-known stock from which it was selected. The tops resemble those of the old Egyptian, being few in number and very small, and it is recognized as one of the two best varieties for Southern shippers, its only serious competitor being the Detroit. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 35 cts.; lb., \$1.25. Prepaid. Write for prices on larger quantities.

Eclipse (Thoroughbred).—One of the handsomest of the extra early beets and a favorite everywhere. It is globe-shaped, of a fine blood-red color, and a very rapid grower, with small tops, the flavor being perhaps the most delicate of extra early beets. The Eclipse has long been regarded one of the safest beets for a market gardener's first crop, but we prefer Detroit or Crosby's Egyptian for this purpose. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid. Write for prices on larger quantities.

Detroit (Thoroughbred).—None of the globe-shaped beets for the main crop are as dark in color as this, and it is also remarkable for uniformity in size and shape. The skin is very smooth, the flesh crisp, tender and sweet, and extremely tenacious of its brilliant color, and for this reason is preferred by canners. Although Northern and Western gardeners use it largely, it is not yet appreciated in the South, and we urge all our beet growers to give it the



consideration it merits and must eventually receive. A splendid kind for the home garden. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 35 cts.; lb., \$1.25. Postpaid. Write for prices on larger quantities.

Model (Thoroughbred).—A rather handsome early globe-shaped variety of average size, with small bronzed foliage. The flesh is purplish crimson, fine grained and seldom becomes woody. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Crimson Globe (Thoroughbred).—Nearly identical with the "Model" described above.

Lentz (Thoroughbred).—This American selection is much liked by many truckers, but it cannot bear comparison with the Detroit and Eclipse, both of which are earlier, handsomer, and less liable to run to seed. It has a very small top, and the color is a fine, rich red. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Edmond's (Thoroughbred).—A market gardener's strain of very uniform shape, round, and with a single small tap root. The flesh is sweet and tender, and the skin is blood red, with an interior of purplish red, shading to a lighter color around the circumference. This beet may be planted very closely, as it has a small top, and we can recommend it especially to those who want a long-keeping variety. For the home garden this is a very desirable kind for late use. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Dewing's (Thoroughbred).—For late planting this is a desirable blood turnip sort. It grows a strong top, keeps well, and is unsurpassed for winter trenching. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Improved Long Smooth (Thoroughbred).—An improved stock of the old long beet, large, well colored, and highly prized by all for its keeping qualities, but late in maturing. It is very uniform in size, tapering symmetrically. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 80 cts. Postpaid.

SWISS CHARD OR SPINACH BEET.

(Culture same as that for Beets.)

This variety of Beet is not grown for its roots, the valuable part of the plant being its leaf, the mid-rib of which is cooked in the same way as asparagus, and the rest is used as Spinach, and is quite as good. Its tenderness and delicacy of flavor are dependent to a considerable degree upon the cultivation, and especial care must be given in keeping down weeds. It should be much better known, as it is a very wholesome vegetable, more productive than Spinach, and far more easily grown in warm climates.

Lucullus (Thoroughbred).—This mammoth variety we consider the best; the plant grows about two feet high, with large sized leaves and stalks as thick and nearly as broad as those of Rhubarb. Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 35 cts.; lb., \$1.25. Postpaid.

Large White Ribbed (Thoroughbred).—Not so large as the "Lucullus" but a desirable sort. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.



Lucullus Swiss Chard.

SUGAR BEETS.

As a rule, American, and especially Southern farmers, are curiously indifferent to the great value of root crops for stock feeding, and we have always found it hard to arouse interest in the subject. For the expense and trouble involved, no crop gives better returns, the yield per acre being enormous, and one could scarcely exaggerate the food value of mangelwurzel, sugar beets, carrots and rutabagas. We feel that no words are too strong to urge greater attention to their production.

White Sugar (Thoroughbred).—Available for table use when young, but when grown, fit only for stock and sugar-making. Being very rich in nutritive elements as well as a heavy yielder, this is a most valuable field beet for cattle feeding, and we recommend it strongly to all who have use for such crops. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

Vilmorin's Improved White Sugar (Thoroughbred).—Now that the cultivation of beets for sugar manufacture is receiving so much attention in the United States, we think it well to call attention of those who are contemplating experiments in that direction to the necessity of using only the most suitable sort of sugar beet. Some kinds have nearly twice as much sugar as others, and it is this point which, other things being equal, should receive first considera-



tion. In this famous stock the percentage of sugar, when the beets are grown on suitable soil, will average fifteen to eighteen per cent., and where it fails to produce a profitable crop no further experiments need be made. It is not so large as some other varieties, but can easily be relied upon to yield, with good cultivation, over ten tons to the acre. Under the best conditions, this amount would be largely exceeded. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

MANGEL WURZELS.

(*Stock Beets.*)

CULTURE.—Six to eight pounds of seeds are allowed per acre. Field beets are handled in much the same way as the garden varieties, except that the drills must be at least two feet apart and the plants are thinned to about ten inches in the row. Cultivation must be constant and thorough to keep down the weeds until the plants are well developed.

Golden Giant (*Thoroughbred*).—Larger than the "Golden Tankard," the roots of this sort are smooth, even in shape and have small tops. The roots grow half out of the ground, the flesh is white, firm and sweet. This is one of the best keeping and heaviest yielding varieties. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for price on larger quantities.

Golden Tankard (*Thoroughbred*).—A smooth yellow skin variety cylindrical in shape, narrowing rather abruptly at the top and bottom. It grows largely out of the ground and can be easily harvested. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

Mammoth Long Red (*Thoroughbred*).—An improved strain of the Long Red which grows very large and well out of the ground. It has long, straight roots of a medium red color, and does best on light soils. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

Yellow Globe (*Thoroughbred*).—A large and very productive variety. It keeps well, and is the best mangel for soils which are rather shallow. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

Giant White (*Thoroughbred*).—An oval shaped, half-sugar variety of large size. The roots grow largely above ground, are quite sweet, highly nutritive and yield immense crops. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

Giant Rose (*Thoroughbred*).—This kind differs from the "Giant White" described above, only in the color of the skin. Oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.

BORAGE.

(*Borago Officinalis.*)

CULTURE.—One ounce is enough for one hundred feet of drill, one and half pounds for an acre. Borage is tender only while young, and sowings should therefore be made at intervals of two or three weeks, the first sowing being made in beds the middle of March, covering the seeds half an inch. When the plants are of good size transplant into rows eighteen inches apart, leaving ten to twelve inches between the plants.

This is a great favorite with the Germans, who use it both as a salad and for "greens." Few American gardeners know it as yet, but there is no reason why it should not be added to the list of useful vegetables; it has also considerable value as a pasturage for bees. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

BROCCOLI.

(*Brassica Oleracea Botrytis.*)

Chow Brocoli. Spargelkohl. Brocoli. Brocoli.

CULTURE.—One ounce is enough for one hundred feet of drill, one quarter of a pound will produce enough plants to set an acre. For the main crop, sow in April in a well-pulverized bed or November in hotbed half an inch deep. When the plants are large enough transplant into rows of deep, rich soil, leaving thirty inches between the plants each way. Give water plentifully at all stages of their growth, as the plants are peculiarly dependent upon moisture.

Early White Cape (*Thoroughbred*).—In its general habit broccoli resembles cauliflower, to which, however, it is much inferior in flavor. This variety is hardy and vigorous, with large white heads, that are very compact. Pkt., 5 and 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.

Early Purple Cape (*Thoroughbred*).—The heads of this sort are purple and of fair size. While hardy and a fairly sure header, the grain is rather coarse. Pkt., 5 and 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.



BRUSSELS SPROUTS.

(Brassica Oleracea Bullata.)

Chou de Bruxelles. Rosenkohl. Cavolo di Bruxelles. Berza de Brusels.

CULTURE.—One ounce is sufficient for one hundred feet of drill, one quarter of a pound will produce sufficient plants to set an acre. Sow in April or September in beds one-half an inch deep and transplant when large enough to rows two and a half feet apart, allowing the same distance between plants in the row. Cultivate as for late cabbage. If the leaves at the top of the stalk crowd the little heads they should be removed. In very dry seasons keep the surface of the ground constantly stirred to retain moisture, unless watering is practicable.

We desire to call the special attention of our readers to this vegetable, which, although very highly esteemed in almost all parts of the world, has never been cultivated to any extent in the South. It will be found one of the most delicious products of the family garden, and should be more generally grown. The plant is remarkably hardy and the small, cabbage-like heads produced on the stalk are improved instead of injured by frost. When properly cooked, they melt in the mouth almost like butter.

Tait's Thoroughbred Long Island.—This fine selection has become the favorite owing to its hardiness and the perfection of the sprouts; these are remarkably compact and symmetrical, making a most attractive package when packed in quart baskets for market. Pkt., 10 cts.; oz., 35 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.

Hercules (Thoroughbred).—A semi-dwarf variety of robust growth, bearing round solid sprouts, that begin close to the ground. Not so early as Tait's Long Island. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

BURNET.

(Poterium Sanguisorba.)

CULTURE.—One ounce of Garden Burnet is sufficient for one hundred feet of drill, two to three pounds for an acre. No plant is more easily grown than this, as it really takes care of itself when once started. The seed should be sown early in spring, with the rows about eighteen inches apart; and six to ten inches between the plants; if desired the bed can be readily enlarged by division of the clumps.

The leaves of Burnet have a piquancy which makes them excellent for flavoring either salads or stews and soups. It is one of the plants in common use in Europe, and should, for the sake of variety, be much better known here.

Garden (Thoroughbred).—Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cents.; lb., \$1.00. Postpaid.



(Brassica Oleracea Capitata.)

Chou Pomme. Kopfkohl Kraut. Cavolo cappuccio. Col.repollo.

CULTURE.—One ounce is sufficient for one hundred feet of drill, eight ounces will give enough plants for an acre. For early spring cabbage, sow from the middle of September to the middle of October, and when the plants are large enough transplant in rows two and a half feet apart, leaving about fifteen inches between the plants, but many successful growers are now setting them as close as twelve inches. When a supply of plants has not been secured in the fall, sow in cold frames in December, or in a gentle hot-bed the last of February; give plenty of air at proper times in order to harden the plants and transplant in the open ground as soon as the weather permits. For a summer crop, sowings may be made in March until the middle of May. For winter cabbage sow Flat Dutch, Drumhead, and Savoy from middle of May to last of July, transplanting when large enough; late cabbage should be set three feet apart and not less than eighteen inches in the row. It is useless to attempt the cultivation of this crop without deep and thorough plowing or spading and an abundance of rich, well-decomposed manure or suitable substitutes. Frequent stirring of the soil is essential, especially when seasonable rains are lacking. Each time the ground is worked it should be drawn up a little more around the stem until the head begins to form, when one final, thorough cultivation should be given. Many successful gardeners grow cabbage without transplanting, sowing the seed thinly in drills or in hills, and afterwards thinning to the proper distance in the row, or to one plant in the hill.




Thoroughbred Selected Early Jersey Wakefield Cabbage.

The finest strain of this well-known yearly cabbage.



EXTRA EARLY.

Tait's Thoroughbred Pilot.—This remarkable cabbage is the earliest in cultivation; ready for market quite three weeks in advance of the Selected Wakefield, and is yearly becoming more popular throughout the South. The long conical shape of the head allows nearly thirty



Tait's Thoroughbred Pilot Cabbage.

5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

per cent. more plants to the acre than of any other cabbage, and it is therefore very economically grown. The flavor is so exceptionally delicate and mild that it is well adapted for family use, although brought out especially for truckers, and all who grow cabbage at all should have a portion of their crop in this kind. Although admittedly less hard than many of the later varieties, it is a not uncommon thing for the Pilot to sell for profitable prices when the Wakefield and similar cabbage fail to bring even the cost of shipment. Pkt., 5 and 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid. Write for prices on larger quantities.

Express (Thoroughbred).—A very early variety with conical shaped heads resembling very much the Extra Early Wakefield, but not quite so hard. We find little sale for it however where Tait's Pilot is known, which is earlier, larger and of better quality. Pkt.,

Extra Early Wakefield (Thoroughbred).—This cabbage must not be confused with the Selected or Early Wakefield, to which it is much inferior in point of size, although of the regular Wakefield type in shape and firmness of head. It is, however, nearly a week earlier, and for that reason, is grown to some extent by Southern shippers. We do not believe it offers nearly so many desirable points as Tait's Pilot, the latter being of better quality, earlier, larger and more productive. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

EARLY.

Selected Early Jersey Wakefield (Thoroughbred).—The Wakefield cabbage has been for many years the leading early sort in America. There are numerous stocks of this variety, but we believe that in our Thoroughbred Selected strain, we have the very best type. Larger and a full week earlier than any other strain of Early Wakefield, this splendid Long Island selection is undoubtedly one of the finest early cabbages in existence. The heads are extremely solid, conical in shape, and have few outside leaves. It is grown under our special supervision by a most careful and experienced farmer on Long Island, and is the kind preferred by truckers and market gardeners from Norfolk to Florida. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid. (See full page illustration.) Write for prices on larger quantities.

Large or Charleston Wakefield (Thoroughbred).—This fine selection from the Early Jersey Wakefield has been steadily growing in favor, especially in South Carolina, its popularity in the cabbage-growing district about Charleston being such that it is often called the Charleston Wakefield. It is about ten days later than Tait's Selected Early Wakefield, but on the other hand it is considerably larger. Possessing all the distinctively valuable qualities of Early Jersey Wakefield, it is free from the great defect of that famous cabbage, since it has no disposition to burst so soon as the head is formed, in rainy seasons, this point being of immense importance. We consider it and our Selected Early Jersey Wakefield the very best early cabbages—unless the Tait's May Queen be excepted—but truckers must remember that as a rule it is ten days later than Tait's Selected Early Jersey Wakefield, and sometimes the difference of a few days means the difference between profit and loss, so great are the variations in produce markets. Our seed is grown in Long Island under our personal supervision, and we confidently claim that no purer strain of Large Wakefield is to be had. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid. Write for prices on larger quantities.

Tait's Thoroughbred May Queen.—A little later than the Large Wakefield. This beautiful cabbage, the earliest of the flat-head varieties, may fairly be said to combine the best qualities of both the Succession and the Wakefield, while it is at the same time far more solid than either of them, not even the hardest winter cabbage excelling it in firmness. Per-

Thoroughbred




(Typical May Queen, grown by
Mr. S. W. Elliott, Hampton, Va.)

Tait's Thoroughbred May Queen Cabbage.
Only a shade later than the Large or Charleston Wakefield.



haps its most valuable quality, however, is its unique freedom from rot in wet seasons, a recommendation hardly to be over-estimated, as whole crops of Wakefield, Succession, etc., are frequently almost lost from this cause. In one other respect also it is unequalled, this being uniformity in time of heading, nearly every plant beginning to mature at the same time. It



Large or Charleston Wakefield Cabbage.

sometimes heads rather small in dry weather, but is always beautifully formed and far heavier than any other cabbage of its size. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid. (See full page illustration.) Write for prices on larger quantities.

Copenhagen Market (Thoroughbred).—A new, round-headed early cabbage, with heads of medium size, very solid, and of good quality. It is very like Tait's May Queen, but not so early. The plant is short stemmed and the leaves are light green and fold tightly. The seed we offer was grown for us by the originator and is well worth a trial. Pkt., 5 and 10 cts.; oz., 40 cts.; $\frac{1}{4}$ lb., \$1.25; lb., \$4.50.

SECOND EARLY.

Tait's Thoroughbred Early Summer.—A superior and quite different cabbage from the old "Henderson Summer." This variety of Early Dutch closely follows Tait's May Queen and is a splendid second early sort. The heads are not quite as large as those of the old "Early Summer," but are of excellent quality and are very slow in going to seed. It is an excellent variety for either home or market. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid. Write for prices on larger quantities.

All Head (Thoroughbred).—One of the many Long Island selections of Early Flat Dutch, and characterized by a compact, uniform head. A good sort for both family and market gardens, and deserves its popularity. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Solid South.—Under this name the "All Head" has been advertised to such an extent that we list it separately so that those ignorant of the real name may know we can supply it.

Tait's Thoroughbred Midsummer.—About ten days later than Tait's Early Summer. This distinct strain of Flat Dutch we consider one of the best second early varieties. The heads are solid, of unsurpassed beauty and are very uniform. A splendid cabbage for the season after which it is named, or for a later crop. Pkt., 5 and 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid. Write for prices on larger quantities.


Succession (Thoroughbred).—This is a really fine cabbage, very solid and uniform, but as it has a tendency to suffer extremely from all unfavorable weather, we prefer several others of this class. Now that Tait's Early Summer and Tait's Midsummer have entered the field, there would seem to be no longer any place for the Succession, and we find the demand decreasing steadily. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Tait's Thoroughbred Early Drumhead.—This is a fine second early, but inferior to our Midsummer, which is as early and a larger sort. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

All Seasons or Vandergaw (Thoroughbred).—A splendid strain of Flat Dutch originated by a Long Island market gardener and familiar in many places under the name of "All Seasons." It is a very sure header of large size and compact growth, does not burst easily, keeps well, and has won high praise from farmers in every section, both as a second early and for later crops. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Glory of Enkhuizen (Thoroughbred).—A fine variety which cannot fail to win a prominent place among second cabbages, as it has a large head of extraordinary solidity. The head is almost round and the inside leaves beautifully white. The seed we offer is grown for us on the Continent from the original stock. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

THOROUGHBRED SEEDS



Tait's Thoroughbred Indian Summer Cabbage.



LATE.

Tait's Thoroughbred Indian Summer.—We believe this to be the hardiest of all cabbages, not only resisting marvelously the extremes of heat and cold, or drought and moisture, but showing itself apparently immune to the various fungous diseases so destructive to cabbage in late years; it would be hard to over-estimate the value of this last characteristic, since each season most kinds of late cabbage have suffered greatly from "rot" and similar troubles. The stem is short, with a hard skin, and the dark, bluish leaves are noticeable for their thickness and firm texture. The head, which, although large, is not too large to pack well, is nearly flat, solid and of excellent quality. While the "Indian Summer" may be successfully used as a second early or for winter, it is especially recommended for the season after which it has been named, and for this purpose it is believed to be beyond competition. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid. (See full page illustration.) Write for prices on larger quantities.

Louisville Drumhead (Thoroughbred).—There is no cabbage of the Drumhead type which can be compared with this beautiful representative, its shape, color, firmness, and excellent table qualities giving it easily the very first place. While not as large as some of the coarse, inferior kinds, it is of fine size, very solid and uniform to a degree which is not excelled by any cabbage in cultivation. Heat and moderate drought have little effect upon it on account of the peculiarly short stem and low habit of growth, so that we particularly recommend it for sections where late cabbage are apt to be exposed to such conditions. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid. Write for prices on larger quantities.

Tait's Thoroughbred Victor Flat Dutch.—Our old standard Flat Dutch, the good qualities of which are too well known throughout the Southern States to need any comment. It has long been regarded as the most reliable cabbage for the fall, but the Louisville Drumhead is now preferred by many market gardeners, and we anticipate it will eventually be driven from cultivation by our new "Indian Summer" cabbage. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Surehead (Thoroughbred).—A very sure header; this is a desirable cabbage of the flat-Dutch type for both medium and late crops. It is noticeable for uniformity of size, firmness of head, and fine texture, being excelled in these qualities only by our May Queen, Indian Summer and the Succession. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.



Tait's Thoroughbred Grand Duke Cabbage.

symmetry and firmness of its head, but also its keeping and shipping qualities. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid. Write for prices on larger quantities.

Volga (Thoroughbred).—A medium sized main crop cabbage of Russian origin. The heads are round, quite thick through and not of the best quality. It is a good keeper and a pretty sure header. Pkt., 5 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50.

Green Glazed (Thoroughbred).—This name is derived from a peculiar glossy green, which distinguishes it from other cabbages. The quality is fair, and the glazed leaves are apparently able to resist the attack of both flea-bugs and worms. It does not, however, make a

Tait's Thoroughbred Grand Duke.—This is the showiest of winter cabbages, being peculiarly noticeable for the regularity of its enormous heads and its compact habit of growth. The head is thick, very flat and broad, tender and has remarkably few outer leaves. It is, however, less sure than our Indian Summer, or Louisville Drumhead, and, on the whole, decidedly less desirable for market. Pkt., 5 and 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Danish Ballhead or Hollander (Thoroughbred).—This peculiarly round and solid cabbage, with short stem, has long been one of the leading exports of Denmark, enormous quantities being annually taken by Great Britain and the Continent; in late years it has become familiar in this country also. It requires a strong deep soil and cool climate, to bring it to perfection, and we find it growing more and more popular, especially in the mountainous sections. It is a distinct type, rather under the medium size, and remarkable not only for the




good head, and should not be used for a main crop; though many growers find it very profitable as "greens." Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 70 cts.; lb., \$2.75. Postpaid.

SAVOY CABBAGE.

Chou de Milan. Wirsing.
Capolo di Milano. Col de Milano.

Perfection Drumhead Savoy (Thoroughbred).—Truckers will find in this Savoy the finest strain of that type, the heads being globular, very uniform and firm, with every leaf densely savoyed. It is of delicate flavor, almost like cauliflower, and is excellent for winter use. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.



Savoy Cabbage

RED CABBAGE.

Mammoth Red Rock (Thoroughbred).—The old stock of Red Dutch Cabbage is familiar to every one, but market gardeners will find this strain a great improvement over existing varieties. While not early, it is of the best quality, has few outside leaves, and is of the darkest red color. For several years there has been an active demand for red cabbages in Northern markets, and excellent prices have been obtained by Southern shippers. Pkt., 5 and 10 cts.; oz., 35 cts.; 2 ozs., 60 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Wonderful (Thoroughbred).—While not so large as Mammoth Red Rock this variety is earlier in maturing, producing a fine, solid head, richly colored and of good quality. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

CARDOON.

(*Cynara Cardunculus.*)

CULTURE.—One ounce is sufficient for one hundred feet of drill. Eight ounces will produce enough plants for an acre. Sow early in spring one quarter of an inch deep, in drills two and a half feet apart, and thin to eighteen inches between the plants. Blanching is best done by hilling like celery, although the stalks will blanch if stored in a dark cellar.

Large Solid (Thoroughbred).—The most desirable variety, as the leaves are almost free from spines; the stems, after being blanched like celery, are useful for stews, soups and salads. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Carrot.

(*Daucus Carota.*)

Carotte. Carrotten, Mohren. Carota. Zanahoria.

French Grown.

The French crop has been poor again this year. We can, however, supply American grown carrot seed of nearly all the varieties below at pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 80 cts. Postpaid.

CULTURE.—One ounce is sufficient for one hundred feet of drill; two to five pounds are allowed to the acre. Carrots ought to be sown in light fertile soil, which has been heavily manured for the previous crop, as fresh manure tends to encourage side roots and irregularity of shape. Sow in drills one inch deep and eighteen inches apart, leaving three or four inches between the plants, taking care to have the ground deeply worked. If very early carrots are wanted, the short varieties may be sown as early as the ground can be worked, the main crop being usually planted in April, leaving three or four inches between the plants. For a late crop sow during July and August, using the stump-rooted or half-long varieties. Carrot seed are very slow in germinating, and should be rolled in firmly to prevent evaporation of moisture while the seeds are sprouting. The same culture given to beets will suit carrots, especial care being taken to keep weeds from getting a start.

Early Scarlet Horn (Thoroughbred).—The earliest good variety and the best for forcing. It never grows to much size, and is recommended only for forcing under glass or cotton. The root is thick, dented on the surface, and very sweet. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.75. Postpaid.

Chantenay (*Thoroughbred*).—One of the handsomest of all Carrots is this fine stump-rooted variety, universally esteemed by market gardeners; somewhat like the Oxheart, but smaller in diameter, it grows about six inches long and is of the best quality. Splendid for the home garden. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.75. Postpaid.

Rubicon.—In our tests we can see no decided difference between this much advertised carrot and the Chantenay, described above.

Half-Long Danvers (*Thoroughbred*).—Although only half-long, this orange carrot will produce as great a weight per acre as any other sort, and it is therefore useful for stock as well as for the table. The flesh is closely grained, with little core, and the shape so smoothly cylindrical that it makes a particularly attractive root and is well liked by market gardeners. Owing to the shape of the root the crop is, of course, much more easily gathered than the long sorts, a point worth considering when a large acreage is concerned. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.75. Postpaid.

Half-Long Carentan (*Thoroughbred*).—The skin of this red, coreless carrot is remarkably smooth and the shape perfect. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.


Oxheart or Guerande (*Thoroughbred*).—The Guerande strain of the stump-rooted carrot is intermediate between the Half-Long and the French Horn, and is entirely distinct in its characteristics. It is a thick oval in shape, having a diameter of from three or four inches at the neck, and is rich orange in color. On hard, stiff soil carrots of the stump-rooted class do much better than larger growing varieties, and are more easily dug when mature. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.75. Postpaid.

St. Valery (*Thoroughbred*).—Gardeners who like the Danvers Carrot are sure to be pleased with this, as it has the same fine quality and is of more attractive shape. It is about two-thirds the length of the Long Orange and is much more symmetrical, tapering sharply to a point. We have no finer carrot. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.75. Postpaid.

Long Orange (*Thoroughbred*).—The standard carrot for main crop, and available for table use as well as stock feeding. It grows to a large size, and when well cultivated in deep light soil will usually average ten or twelve inches in length, with proportionate diameter. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Large White Belgian (*Thoroughbred*).—A very productive variety, which is grown exclusively for stock. Its large roots grow one-third out of the ground, the part covered being pure white. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.


Orange Belgian (*Thoroughbred*).—Like the white, used for cattle-feeding, although mild and good for the table when young. Both this and the White Belgian are earnestly recommended to dairymen and other stock-raisers, who will invariably find good results from their use. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



Danvers. St. Valery. Nantes. Oxheart. Chantenay. Scarlet Horn.
Types of Carrots.

THOROUGHbred SEEDS

*Copyrighted by
J. J. Thoroughbred*



Thoroughbred Extra Early Erfurt Cauliflower.



CAULIFLOWER.

*(Brassica Oleracea Botrytis.)**Chou-fleur. Blumenkohl. Cavolfiore. Coliflor.*

CULTURE.—One ounce is sufficient for one hundred feet of drill; four ounces will produce enough plants to set an acre. Sow out of doors the last of September in a carefully-prepared bed one quarter of an inch deep, rolling or treading the surface if the weather be dry, and transplant into cold frames for protection during the winter; or in a gentle hot-bed in November, transplanted into cold frames, and set in the field early in April, in rows two and a half feet apart allowing eighteen inches between the plants. While in the frames the plants must be kept free from slugs, and if they appear, the soil and plants should receive a light sprinkling of lime. For a late crop, sow from the fifteenth of April to the first of July, transplanting in the same way as winter cabbage, and giving, if possible, rich, moist bottom land. The beds must be well weeded, and too much attention cannot be given to watering in dry seasons, as the leaves will droop and the plant suffer seriously if this is neglected. The heads are blanched by drawing the leaves together and tying closely with raffia or strips of other soft material. They must always be cut before the "curd" begins to split and open into branches.

Extra Early Snowball (Thoroughbred).—Like our Thoroughbred Erfurt, this strain is equally celebrated for purity. We recommend both selections unreservedly, but find that in different sections preference is often shown for one or the other, owing to the effects of various soils and climates. The Snowball is characterized by symmetry of head, beautiful color and shortness of stem, while it is perhaps a little earlier than any other kind. Half pkt., 25 cts.; pkt., 50 cts.; oz., \$3.00; 2 ozs., \$5.00; $\frac{1}{4}$ lb., \$9.00; lb., \$35.00. Postpaid.

Extra Early Erfurt (Thoroughbred).—Our strain of this cauliflower is the finest that it is possible to produce, and must not be classed with the numerous common stocks of Erfurt. The superiority which we claim for it is particularly shown in its extra earliness and certainty of heading, but it possesses also every quality desirable for either market or family use. For an extra early variety, the heads are quite large, although on account of a very compact habit of growth the plants may be set very closely together, 12,000 being a fair number to the acre. This characteristic renders it especially valuable for forcing under sash, and persons who grow it in this way can get nothing better. The stalk is so short that it is very slightly exposed, and the upright growth of the outside leaves affords a great protection to the heart. As is well known, the Southern climate rarely produces cauliflower so showy as that grown in colder sections, but in favorable seasons we have seen specimens grown from our strain of this seed in this section the equal of any produced on Long Island. With proper cultivation and reasonably moist weather very few plants will fail to produce well-shaped heads of snowy whiteness, and we invite a trial of it by all Southern truckers and amateur gardeners. Half pkt., 25 cts.; pkt., 50 cts.; oz., \$3.00; 2 ozs., \$5.00; $\frac{1}{4}$ lb., \$9.00; lb., \$35.00. Postpaid. (See full page illustration.)

Large Algiers (Thoroughbred).—Market gardeners in the South have had especial success with this excellent late cauliflower, its vigorous habit of growth naturally helping it through unfavorable weather. The leaves, which have a bluish tint, are very large, and shelter admirably the handsome, solid head. Pkt., 10 cts.; oz., 75 cts.; 2 ozs., \$1.25; $\frac{1}{4}$ lb., \$2.00; lb., \$8.00. Postpaid.

Dry Weather (Thoroughbred).—In locations where other varieties fail to make good heads for lack of moisture, this sort will be found very desirable. To produce fine heads of cauliflower, however, it is very necessary to have rich soil and thorough cultivation, but this variety will make the growing of this delicious vegetable possible, in districts where heretofore it has been impossible. Half pkt., 25 cts.; pkt., 50 cts.; oz., \$3.00; $\frac{1}{4}$ lb., \$9.00; lb., \$35.00. Postpaid.



Celeriac.

CELERIAC.

*Celeri-rave, Knoll-Sellerie, Sedano-rapa, Apio-nabo.**(Turnip Rooted Celery.)*

CULTURE.—One ounce is sufficient for one hundred feet of drill, four ounces will produce enough plants to set an acre. This is a species of celery grown for its roots, which are really delicious when properly prepared, and also useful for flavoring soups, stews, etc. This vegetable has been quite neglected by Southern gardeners, but we can assure our readers it needs only an introduction to win universal favor. Cultivation is the same as for celery, except that no trenching or hilling is required. The size and quality of the roots depend upon the cultivation, and the ground should be frequently worked until the roots are full grown.

Giant Prague (Thoroughbred).—This is the best and one of the largest varieties. Pkt., 5 and 10 cts.; oz., 25c.; $\frac{1}{4}$ lb., 65c.; lb., \$2.50. Postpaid.




(*Apium Graveolens*.)

Celeri. Sellerie. Sedano. Apio.

CULTURE.—One ounce is sufficient for one hundred feet of drill; four ounces will produce enough plants to set an acre. The cultivation of celery in a hot climate is attended with some difficulty, but while Southern celery is rarely so large as that grown in colder sections, it is not surpassed by any in firmness of grain and delicacy of flavor. Sow from April to July not more than one-eighth of an inch deep in a moist place, lightly rolling or pressing the surface firmly after sowing to facilitate germination. If the seed bed is very finely pulverized, the seeds may be simply scattered over the surface and then pressed into the soil with the hand or back of spade, the whole bed then covered with old bags until the seed germinate. Our celery seed will never fail to grow when handled in that way. When the plants are four or five inches high, transplant into trenches four feet apart, leaving six to nine inches between them. To have stocky plants it is advisable to shear off the tops of the plants in the bed once or twice before setting out. For the long stalk varieties, dig the trenches a foot deep and put four or five inches of thoroughly rotten manure on the bottom, covering that again with three inches of good soil. For the Dwarf and Half-Dwarf kinds the trenches may be only nine inches deep, and a little closer together. As the plants grow, draw the earth up gradually to keep the leaf stalks together and water freely in dry weather. Finish hilling up in the fall, to blanch for use, but always avoid working the ground when it or the plants are wet. In many places the blanching is now done by means of boards laid against the rows.

Golden Self-Blanching (*Thoroughbred*).—Finest French grown.—Like the well-known White Plume Celery, this variety does not require as much labor as is necessary for the blanching of ordinary kinds, and it is very beautiful when matured, the heart being large, solid and of a rich golden color of the finest quality. We have an exceedingly fine strain, and solicit a trial of it from all who make a specialty of celery growing, as we believe they will find it superior to any other. Pkt., 10c.; oz., \$1.00; 2 ozs., \$1.75; $\frac{1}{4}$ lb., \$3.50; lb., \$14.00. Postpaid. Write for prices on larger quantities.

Golden Self-Blanching (*Thoroughbred*).—Finest American grown. Pkt., 10 cts.; oz., 50 cts.; 2 ozs., 90 cts.; $\frac{1}{4}$ lb., \$1.75; lb., \$7.00. Postpaid.



Golden Self-Blanching Celery.



Giant Pascal (*Thoroughbred*).—A green-leaved selection from the Golden Self-Blanching, which is especially adapted to Southern cultivation. The stalks are very large and thick, and yet rarely have any of the bitterness so often found in extra large kinds, as it blanches easily and quickly to a golden yellow, and is exceedingly attractive in appearance, as well as a good keeper. It is very valuable to market gardeners, and we do not hesitate to offer the Pascal and Golden Self-Blanching as the two finest varieties for Southern use. Pkt., 5 and 10c., oz., 30c.; 2 ozs., 50c.; $\frac{1}{4}$ lb., 75c.; lb., \$3.00. Postpaid.

Winter Queen (*Thoroughbred*).—One of the most desirable of the half-dwarf varieties for winter use, that blanches to a beautiful creamy white. The stalks are stout and heavy, with nearly double the amount of heart of any other variety, and the flavor is sweet, nutty and delicious. A good keeper that presents an attractive appearance when bunched. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

White Plume (*Thoroughbred*).—Those who use celery before freezing weather will find the White Plume very satisfactory, as it may be blanchd without the usual hilling process, the inner stalks and leaves being naturally white; all that is necessary is to gather the stalks together and tie them loosely with anything which will not cut. Its appearance is handsome and the flavor excellent, very few of the stalks being hollow, but it must not be relied upon for winter use. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Pink Plume (*Thoroughbred*).—This novelty resembles the White Plume in every respect except in color and its superior keeping qualities. It is very attractive, and we think it will become popular in family gardens on account of its decorative value. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Soup or Flavoring Celery.—(Old Seed)—As most housekeepers know, celery seeds are extremely useful for flavoring soups, pickles, salads, etc. Old seeds are as good for these purposes as new ones, and may be had very cheaply. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

CHERVIL.

(*Scandix Cerefolium*.)

Cerfeuil. Kërbel. Cerfoglio. Perifollo.

CULTURE.—One ounce is sufficient for one hundred feet of drill, three to five pounds for an acre. Sow from April to June in shallow drills, and cultivate in general as advised for parsley. It may be transplanted if desired.

Curled (*Thoroughbred*).—The leaves of the Curled Chervil are adapted to most of the uses made of parsley; such as flavoring soups and stews or garnishing dishes. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

CHICORY.

(*Chicorium*.)

Chicoree Sauvage. Chicorienwurz. Cicoria Selvatica. Achicoria.



Witloof Chicory.

2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

CULTURE.—One ounce is sufficient for one hundred feet of drill, one and a half to five pounds for an acre. Sow from April to July in any light, rich loam, in drills eighteen inches apart, and when the plants are large enough thin to six inches in the row. Witloof or French Endive is cultivated in the same way as ordinary Endive until the stalks are tall enough to be handled like celery. It blanches readily, and is a most delicious salad, very salable in all the great markets. For forcing, the roots should be lifted in the fall, cutting off the leaves, and storing in earth or some cool place until ready to force. In forcing, the parsnip-shaped roots should be placed upright three inches apart in trenches 18 inches deep, and about the same distance apart, leaving the top of the roots 9 inches below the level of the trench. If a very quick growth is desired, fill up the trench and ten inches above with fresh manure.

Witloof (*Thoroughbred*).—In France and Germany this is a standard vegetable, and, when properly grown, is certainly one of the most delicious of all salads; in recent years a considerable quantity has been produced in some of our eastern market gardens, finding ready sale in the large cities under the name of French Endive. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

Large Rooted (*Thoroughbred*).—The roots of this variety when dried, roasted and ground are utilized as a substitute for coffee, and are often mixed with it to produce a certain peculiar flavor. Pkt., 5 cts.; oz., 15 cts.;



CHIVES.

(*Allium Schoenoprasum.*)

One ounce is sufficient for one hundred feet of drill. In the old-time complete gardens, a little space was always left to chives, and there are still many people who are aware that nothing else imparts so delicate an onion flavor. Chives are perennial onion-like plants perfectly hardy, and especially valuable in the market because they are ready for use early in the spring. Only the leaves are used, these being cut as freely as desired, since fresh ones appear quickly after every cutting. Every three or four years the bed may be taken up and the roots divided before resetting. Pkt., 10 cts.; oz., 50 cts.; 2 oz., 90 cts.; $\frac{1}{4}$ lb., \$1.50; lb., \$6.00. Postpaid.

CHIVE ROOTS.

The roots save time and are less trouble than planting the seed. We can furnish the roots in clumps from about the first of March. Single clumps, 25 cts.; \$2.50 per dozen. Postpaid.

COLLARDS.


(*Brassica Oleracea Vars.*)

Chou cabu. Blatterbohl. Collards. Cabu.

CULTURE.—One ounce is sufficient for one hundred feet of drill, eight ounces will produce enough plants to set an acre. Sow from March to July as directed for cabbage, either in beds to be transplanted when large enough, or in rows where the plants are to stand. Three feet each way ought to be given the plants, as the foliage is very abundant.

Southern Short Stem (*Thoroughbred*).—The collard is of great value along the South Atlantic Coast, as it will live, flourish, and yield a bountiful return with even the most careless cultivation, and in places where it would be almost impossible to raise cabbage heads. Though quite coarse in flavor until touched by frost, it then becomes peculiarly sweet and tender, and there are few gardens in the Carolinas and Georgia which do not allow generous space for the Collard. In this section, local markets absorb immense quantities of Collards, and the crop is usually quite profitable. We are glad to be able to offer the genuine Southern Short Stem, which is a great improvement upon the old type of green collard. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Write for prices on larger quantities.

White Cabbage (*Thoroughbred*).—This popular Collard forms a sort of head, and is therefore more attractive in appearance as well as of finer quality than the old Southern Collard in general use. We recommend it strongly to all who are fond of "greens," but advise its use in connection with the Southern Short Stem, the latter being better to carry through the winter. Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid. Write for prices on larger quantities.



Southern Short Stem Collards.



(*Zea Mays.*)

Maïs. Maïs. Maïs. Maïs.

Prices F. O. B. Norfolk, and subject to change without notice.

Parcel Post rates, see page 5. Corn weights by Parcel Post. Pt., 1 lb., 1 qt., 2 lbs., 4 qts., 8 lbs., pk., 15 lbs.

Especial attention is called to the fact that our quotations are for quarts, pints and half-pints in dry measure; these contain much more than the liquid measures commonly sold in the trade.

Be sure to add postage to the price of corn.

N. B.—Seed corn being liable to heat when left in bulk, we strongly advise that it be spread or kept well ventilated until wanted for planting.

CULTURE.—One-half pint of corn is sufficient for a row of one hundred feet, six to ten quarts being allowed to the acre. Plant from April to July, one inch deep in rows three feet



apart, leaving eighteen inches between the plants. The small extra early varieties may be planted as close as two feet if the ground has been heavily fertilized. If many side shoots appear, break them off and keep the soil well cultivated around the stalks. As sugar corns are very sensitive to cold and damp weather, they should never be planted until the ground has become thoroughly warm. In shipping green corn, care must be exercised to avoid using too large a package, as it heats very easily. Ventilated baskets or crates holding a bushel make the best package.

EXTRA EARLY.

(Sweet Corns.)

Extra Early Adams (Thoroughbred).—A well known stock, which is largely grown by Southern shippers because it is the earliest corn in cultivation. The ears, although very small and of indifferent quality, can usually be cut about six weeks after the date of planting unless the weather is very cold, and thus bring very high prices before better corn is to be had. A crop of this corn cannot be made upon land which is not strong, and it is customary with the Virginia and Carolina growers to plant it in their richest soil and use guano liberally in addition. As it cannot compete with larger corns, it must be forced for the first market. Pkt., 5 cts.; pt., 10 cts.; qt., 15 cts.; 4 qts., 40 cts.; pk., 65 cts. Write for prices on larger quantities.

Melrose (Thoroughbred).—One of the best extra earlies, it has a fair sized ear of good quality and showy enough for market. Pkt., 5 or 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

EXTRA EARLY.

(All Sugar Corns.)

Golden Bantam (Thoroughbred).—We think this new yellow sugar corn will become a general favorite when it has been more widely introduced, for it has much to recommend it, especially for home use. The ear is not large, but in quality it is the equal of any, and we would call particular attention to its sweetness even when past the milky stage; up to the time the grains become actually hard, it retains its delicious flavor—a peculiarity which makes it very desirable for Southern sections where the hot sun soon ripens corn. Pkt., 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00. Write for prices on larger quantities.

Peep-O'Day (Thoroughbred).—This we believe to be the earliest of the white sugar corns, and though small like all extra early varieties is of splendid quality. The stalks grow from three to four and one-half feet high, bearing ears five to six inches long which have from eight to twelve rows. Pkt., 5 or 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Premo (Thoroughbred).—Being practically as hardy as the E. E. Adams, of better quality and with much larger ears, this should prove valuable to our Southern customers who grow corn for shipment. Pkt., 5 or 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

EARLY.

(Sweet Corns.)

Tait's Thoroughbred Norfolk Market.—Our wonderful and now famous Norfolk Market Corn has practically driven Adam's Early and all other early corns out of cultivation, and may be said to have revolutionized the growing of early corn, since one is now perfectly safe in handling that crop, whereas it was formerly one of the most speculative. If unsalable in the green state, the old kinds were worthless, but the Tait's Norfolk Market is valuable when matured. Unlike the early varieties which have heretofore been considered standard, it is really handsome corn, and valuable aside from its availability for "roasting ears," the ears attaining an average length of over eight inches, with about sixteen rows to the ear. As will be seen from our photograph, the rows are beautifully regular, and the cob is covered to the very tip. When in a green state the grains are very plump and milky, with far better taste than is possessed by either the Extra Early Adams or Adam's Early, and by many people it is even preferred to the sugar varieties. Letters received from points all over the country show that it is popular in all markets, for consumers soon discover that its quality accords fully with its prepossessing appearance. We believe this corn supplies one of the proverbial "long-felt wants," there having been no shipping corn up to the time of its introduction which really filled the gap between the little extra early varieties and the later sorts. Tait's Norfolk Market Corn is sold in sealed packages and bags, and none should be accepted without our well-known seal. The necessity of this warning will be evident when we say that Blount's Prolific, Trucker's Favorite and various other inferior kinds are being sold as Tait's Norfolk Market by some of our competitors. Pkt., 5 cts.; pt., 10 cts.; qt., 20 cts.; 2 qts., 30 cts.; 4 qts., 50 cts.; pk., 75 cts. (See full page illustration.) Write for prices on larger quantities.

Tait's Thoroughbred Early.—A shade later than Tait's Norfolk Market, this beautiful new white corn is longer, larger and more productive, and has promptly established its extraordinary value not only for "roasting ears," but for field use; is a vigorous, rapid grower, averaging eight feet in good soil, and so far has shown no sign whatever of any kind of blight, being evidently of a very robust constitution. The ears usually have about fourteen rows, sometimes running as high as eighteen, and the grain will be found much thicker and heavier than that of most

TAIT'S THOROUGHbred
EARLY NORFOLK MARKET
CORN



THOROUGHbred SEEDS

PHOTO BY GEO. TAIT & SONS.

Introduced by us in 1897. Now the Standard Early Market Corn Throughout the South



varieties. For use as a market green corn, it will undoubtedly prove profitable on account of its showy attractiveness, but we cannot claim for it the unique beauty of our Norfolk Market, whose dainty, pearly grain gives it a position all its own. It often happens that some disaster to the regular corn crop necessitates replanting with some very early kind, and for such purpose we are sure this new White Dent is far superior to any ever in cultivation, as its fine ears will mature perfectly in less than ninety days, while a large proportion of the stalks produce two ears. Pkt., 5 cts.; pt., 10 cts.; qt., 20 cts.; 2 qts, 30 cts.; 4 qts., 50 cts.; pk., 75 cts. Write for prices on larger quantities.

Adam's Early (Thoroughbred).—Ten days later than the Extra Early Adams, but somewhat larger, and the leading early corn up to the introduction of Tait's Norfolk Market. Pks., 5 cts.; pt., 10 cts.; qt., 15 cts.; 4 qts., 40 cts.; pk., 65 cts.

Delicious Cream (Thoroughbred).—This variety, while having a tempting name, will be found much inferior to Tait's Norfolk Market. Pkt., 5 or 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Truckers Favorite (Thoroughbred).—A selection from the Early White Dent, which has been practically driven out of use since the introduction of Tait's Early, which is larger as well as earlier. Pkt., 5 cts.; pt., 10 cts.; qt., 15 cts.; 4 qts., 40 cts.; pk., 65 cts.

White Flint (Thoroughbred).—A variety, which, except for hominy, is little used since the introduction of Tait's Norfolk Market and Tait's Early. Pt., 10 cts.; qt., 20 cts.; 2 qts., 30 cts.; 4 qts., 40 cts.; pk., 65 cts.

EARLY.

(All Sugar Corns.)

Metropolitan (Thoroughbred).—Under proper cultivation, the ears of this early are upwards of eight inches in length and have not less than ten rows, the grains being unusually deep. The cob is white, and the ear tapers so little that the well-rounded point is nearly as thick as the bottom. The flavor is as good as any except perhaps the Country Gentleman, it remains a long time in the milky state, and is excellent for sowing at intervals through the season as well as for early "roasting ears." Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Cosmopolitan (Thoroughbred).—Everyone has been much pleased with this variety, which is very similar to Metropolitan. It has a really good ear, eight or nine inches long, and in table quality ranks with the choicest. The grain is, of course, not so deep as that of later varieties, but the cob is usually completely covered to the very tip, and the rows lie very closely together. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Kendall's Giant (Thoroughbred).—Next to the Metropolitan and Cosmopolitan, we prefer this to any of its class, as its quality is excellent and the ears are seldom shorter than seven inches; our sales of this corn have increased steadily since its introduction, showing that it must have merit. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Howling Mob (Thoroughbred).—This new variety is but a few days later than the Extra Earlies, and is of good quality. The stalk grows about five feet high, and usually will produce two medium-sized ears, with ten or twelve rows of pearly white grains. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Golden Cream (Thoroughbred).—An early yellow variety, came from a cross between the Golden Bantam and the Country Gentleman, and is sometimes called "Yellow Country Gentleman," having the irregular grains of the latter. The flavor is delicious, and in sweetness and tenderness resembles both parents. The stalks grow about four and one-half feet high, bearing two or more ears about five inches in length. Those who like Golden Bantam will be pleased with Golden Cream. Pkt., 10 cts.; pt., 15 cts.; qt., 30 cts.; 4 qts., \$1.00

SECOND EARLY.

(All Sugar Corns.)

White Evergreen (Thoroughbred).—The universal reputation of Stowell's Evergreen Sugar Corn will ensure a welcome for this greatly-improved strain, the cob and grain of which are both pure and white; all the sweetness and tenderness characteristic of the old stock have been retained, and the ears are remarkable not only for their size, but for uniformity as well, few under-sized ears being produced. Fine as it will, of course, be for home gardens and general market purposes, it would seem to be the very ideal for canning, and we anticipate a special value for that purpose. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts. Write for prices on larger quantities.

Stowell's Evergreen (Thoroughbred).—For the main crop this was long considered the most valuable variety of sugar corn, as it remains green for a long time, and is usually more exempt from worms in the ear than most sorts in the South. The grain is deep and exceptionally well flavoured, but the introduction of White Evergreen has put it in second place. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts. Write for prices on larger quantities.

None-Such (Thoroughbred).—In appearance this is unlike any other sugar corn, both stalks and foliage being tinted with a peculiar shade of pink. It is of extra strong growth, a heavy yielder and perfectly true to its type. The ear is above the medium size, has twelve

THOROUGHbred SEEDS



Triumph.

Golden Bantam.

Black Mexican.

Egyptian.

Mammoth.

Golden Cream.

None Such.

Kendall's Giant.

Types of Sugar-Corns.



to fourteen rows to the cob, and is of fine quality. Market and family gardeners will find it very desirable. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Triumph (Thoroughbred).—A sugar variety which has long, white ears of sweet and delicate flavor; being midway between the second-early and the late corns, and remarkably productive, it is one of the best kinds to raise for general crop. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Squantum or Potter's Excelsior (Thoroughbred).—This standard old variety still ranks high among intermediate sugar corns, and in some respects is really unsurpassed in its class. The ear is long, the cob filled to its utmost capacity—unlike most of the larger kinds of sugar corn—and the quality is excellent. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Sweet Orange (Thoroughbred).—Those who like yellow sugar corn will find this second early variety quite as good as either Golden Bantam or Golden Cream. It produces a heavy stalk, generally bearing two ears, and the grains remain soft longer than most kinds. The husk is heavy, affording protection from worms and "smut." Pkt., 10 cts.; pt., 20 cts.; qt., 30 cts.; 4 qts., \$1.00.

LATE.

(All Sugar Corns.)

Country Gentleman (Thoroughbred).—All who have grown the Country Gentleman Corn in this section agree in pronouncing it one of the very best for the South, and almost all gardens use it for the late crop of table corn. It is of particularly fine flavor, very milky and tender and has an unusually small cob. The ears average eight inches or more in length, and a stalk will sometimes produce as many as four full-sized ears. We note that any gardener who once tries the Country Gentleman is sure to come to us for it again the following season, but it must not be planted for early use, being of slow growth. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts. Write for prices on larger quantities.

Late Mammoth (Thoroughbred).—The largest sugar corn which we have, and strongly recommended on account of size, quality and productiveness. It is very late, but will out-sell any other kind as soon as it makes its appearance in the market. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Egyptian (Thoroughbred).—This late variety is very desirable in every respect, being large, remarkably uniform, and deliciously flavored. On account of its size and productiveness it is popular with those who grow for the canners. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Black Mexican (Thoroughbred).—The ears of this corn are black when the grains are matured, and they should, therefore, be cut when young to avoid a dark, unattractive appearance when served on the table. It is very sweet, and has won great favor in this part of the country, being preferred by many gardeners to any other sort, although it is perhaps less desirable on the whole than Country Gentleman. Pkt., 10 cts.; pt., 15 cts.; qt., 25 cts.; 4 qts., 75 cts.

Especial attention is called to the fact that our quotations are for quarts, pints and half-pints in dry measure; these contain much more than the liquid measures commonly sold in the trade.

Be sure to add postage to the price of corn.

N. B.—Seed corn being liable to heat when left in bulk, we strongly advise that it be spread or kept well ventilated until wanted for planting.

POP CORN.

(*Zea Everta.*)

Quotations per 1,000 pounds, or ton, will be gladly furnished on application. All quotations are F. O. B. Norfolk, and subject to change without notice.

Parcel Post rate same as for Sweet Corn, Page 39.

White Rice (Thoroughbred).—This variety is regarded as the best pop-corn for commercial use, as it yields more than any other, and is all that could be desired for popping. The fodder makes good green food, and it is sometimes planted exclusively for that purpose. Lb., 10 cts.; 10 lb., 80 cts.; 25 lbs., \$1.50.

Ruby (Thoroughbred).—There is little, if any, difference between this and the ordinary White Rice except as to color, which is a beautiful red, and even this distinction disappears after popping. Lb., 10 cts.; 10 lbs., 80 cts.; 25 lbs., \$1.50.



Queen's Golden (Thoroughbred).—Bright yellow in its natural state, this pops to snowy white and is of the best quality. The ears are very large for pop-corn and are really quite decorative. Lb., 15 cts.; 10 lbs., \$1.00; 25 lbs., \$1.50.

Silver Lace (Thoroughbred).—This is excellent for popping, having smooth, pure-white grains, and is also valuable for fodder, as each kernel usually makes several stalks with abundant foliage. Lb., 10 cts.; 10 lbs., 80 cts.; 25 lbs., \$1.50.

White Pearl (Thoroughbred).—This beautiful round grain, from which the name of Pearl is derived, makes this a much more easily shelled variety, and for small growers it will be found excellent. Lb., 10 cts.; 10 lbs., 80 cts.; 25 lbs., \$1.50.



Corn Salad.

FIELD CORN.

We grow many kinds of Field Corn, all being very carefully bred. They are listed and described under the head of Field Seeds, and we particularly invite attention to that section of the catalogue. (See Index).

CORN SALAD OR FETTICUS.

(*Valerianella Olitoria*.)

Mache. Feldsalat. Valeriana. Canonigos.

CULTURE.—Two ounces are sufficient for one hundred feet of drill, three to five pounds will sow an acre. If wanted for winter and early spring salad, the seed should be sown in drills half an inch deep in September, or it may be sown in April, giving in general the same treatment as spinach. If sown early in the spring it will be ready to cut in about two months, but it is much better flavored in cold weather. Manure the ground well before sowing, and keep down the weeds and grass.

Large Seeded (Thoroughbred).—A quick-growing salad, which should be in every garden. In the South it is perfectly hardy, growing vigorously during any except freezing weather, and we cannot understand why it has not become more popular. Properly served with a well-made dressing, it is far superior in flavor to the salads in general use. Of the several varieties this has the largest and thickest leaves, and is generally preferred. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

GARDEN CRESS.

(*Lepidium Sativum*.)

Cresson Alenois. Garten-Kresse. Agretto. Berro.

CULTURE.—One ounce will sow one hundred feet of drill, one and a half pounds will sow an acre. As curled cress soon runs to seed and then becomes useless, it is well to sow at intervals of ten or twelve days from March to October one-quarter of an inch deep in drills eighteen inches apart, allowing six to nine inches between the plants. To secure the best germination of the seed press the earth over them firmly with spade or light roller.

Curled or Pepper Grass (Thoroughbred).—This is the best variety, and is much liked as a component of salads on account of its characteristic flavor. It may also be effectively used for garnishing meats, etc. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

Upland Cress (Thoroughbred).—A hardy perennial which thrives on almost any soil. It makes its appearance in the early spring and grows rapidly. Pkt., 5 and 10 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

WATER CRESS.

Cress de Fontaine. Brunnen-Kresse. Nasturzio Aquatico. Berro.

One ounce will produce about three thousand plants. It does best sown in the early spring in shallow water, beside a running stream, but may be readily grown in any moist soil or in a damp hotbed if not allowed to be too warm. Water Cress will often grow luxuriantly in an ordinary ditch, provided the soil never becomes dry and baked.

Water Cress (Thoroughbred).—This delicious piquant salad is universally esteemed, and has become a very important market crop in the neighborhood of large cities. It would be more commonly grown but for a general impression that it succeeds only in a brook. Pkt., 10 cts.; oz., 40 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.



(Cucumis Sativus.)

Concombre. Gurken. Cetriolo. Pepino.

CULTURE.—One ounce is sufficient for one hundred feet of drill, or fifty hills; two to four pounds are required for an acre in hills, or from ten to fifteen pounds if sown in drills. Cucumbers may be sown from April until August, but for the main crop the seed should be sown in the open ground as soon as danger of frost is past. While the usual way of sowing is to put the seed in hills, four by six feet, the method employed around Norfolk is to drill the seed three quarters of an inch deep in rows six feet apart, between garden peas, which acts as a protector for the young plants. When planted in hills, about a dozen seed are put to a hill, and thinned to three or four plants in the hill. When drilled, two or more sowings are made, and thinned to one plant every twelve inches apart. The young plants are often attacked by insects, and should not be thinned out until they are large enough to be safe. The cucumbers should be gathered as fast as they are produced, whether they are wanted or not, as the vines will otherwise cease to bear. For pickling, plant the kinds recommended for pickling about the first of July. As cucumbers are very liable to a certain disease known as Cucumber Blight, the vines should be kept sprayed with Bordeaux mixture from the time they begin to run.

Tait's Thoroughbred Model Forcing.—In symmetry, productiveness, and uniformity of size, this famous strain of forcing cucumber is easily superior to every other in cultivation, and we believe it is also the least affected by extremes of heat and cold. The vine is of extraordinary hardiness, resisting disease and unfavorable weather, and we wish to call especial attention to its recuperative power, vines apparently dead from drought and burning suns reviving after conditions improve and then setting a fine crop of salable fruit; this is one of the most valuable characteristics any cucumber could have, but to that good quality the Model adds another equally important: it is apparently absolutely free from sunburn, being, as we believe, the only one of which this may be said. The fruit is fairly long, averaging nine inches, and its beautiful proportions—well shown in our photograph—originally suggested its name of "The Model Cucumber." Experienced growers will know how to appreciate its habit of setting the first cucumbers so closely around the hill that they are often really piled together. Under proper cultivation, the yield is far beyond that of any other variety, in proof of which we may mention that more than a half-barrel basket of selected fruit has often been picked from a single vine. The color is a luxuriant green, so permanent that the fruit must be very ripe, indeed, to show any yellow, and it is always well set with spines. Our readers are cautioned against buying Model Cucumber in unsealed packages, as many seedsmen are trading upon its reputation, and heavy losses have been sustained by truckers who supposed they were getting our Thoroughbred strain. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Per 100 lbs. on application. Postpaid. (See frontispiece.)

Model (Bud Fruit Seed).—For greenhouse use, we offer this seed, which has been saved from only perfect Model cucumbers of the first setting. Nothing finer for hotbeds or greenhouses can be had at any price, and we believe it will surpass in productiveness every other strain in cultivation. Pkt., 15 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.


Tait's Thoroughbred Ideal Forcing.—This selection from the well-known Forcing Arlington White Spine is distinguished from the older stock by a richer, darker green and superiority as to earliness, not even our splendid Model Forcing being of more rapid growth. On good soil it is so very deep in color as to appear almost black, and since the color of a cucumber is such a factor in its market value, there are many who would esteem it ideal for this point alone, aside from its remarkable earliness. The shape is good, very little fruit showing any tendency to neck, and no cucumber could be more firm. After thorough field tests, we offer it as the best-colored and earliest cucumber ever originated, and all gardeners who put these qualities first will find in it their ideal. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid. Per 100 lbs. on application.

Tait's Thoroughbred Climax Forcing.—But for its being a little shy in bearing, this splendid strain of White Spine is all that could be desired in a cucumber. Very early, of good size and darkest green color, but not productive as either our Model or Ideal. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Perfected Arlington (Thoroughbred).—This is a forcing strain of the well-known Arlington White Spine, developed by long selection, and while a good cucumber cannot compare with either our Model or Ideal. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Per 100 lbs. on application.

Challenge (Thoroughbred).—The attention of cucumber growers is called to this quite distinct early variety. It is fully two inches longer than the typical white spine, and the color

Tait's Thoroughbred Extra Early Ideal Forcing Cucumber.






is good, holding without yellowing until maturity, when the green quickly changes to white. Being very brittle and of excellent flavor, it ranks with the best table varieties, and has a peculiar advantage in its tiny, sparsely set seeds, no other cucumbers being so nearly solid flesh. The principal defect is a lack of symmetry, and it cannot compete with our Model, Ideal or Climax. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 lbs. on application.

Davis Perfect.—Identical with Challenge, described above.

Cool and Crisp (Thoroughbred).—This agreeably suggestive name has been given to a cucumber which is of great value in the family garden, as it is extra early, well colored, a continuous bearer, and equally good for slicing and pickling. The fruit is rather slender in proportion to its length, and in the market would be discriminated against for this reason, but it is unusually crisp, and few cucumbers are so prolific. Although not handsome enough to merit recommendation as a market variety, it will be found excellent for the use mentioned. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Cumberland (Thoroughbred).—This new pickling cucumber is now considered superior to all of the older varieties grown for that purpose, as it is of really ideal shape and quality. It is an unusually prolific vine, and the fruit is distinguished by innumerable tiny spines set almost as closely as hairs could be. The color is excellent, and in brittleness the flesh surpasses most of the standard pickling cucumbers. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Ever-Bearing (Thoroughbred).—Next to the Cumberland—and by many ranked equal to it—the best cucumber for pickling is this new variety, which has been very appropriately called Ever-Bearing. It is amazingly prolific, as the vine retains its vigor throughout the season, bearing steadily so long as the fruit is picked. While extra early, it cannot be recommended for any purpose except pickling, the size being too small for competition with such splendid cucumbers as Model, Ideal, and Perfected Arlington. For pickling, however, the short, thick fruit, only four inches long when mature, is just what is wanted, and its deep green color is an additional recommendation. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



Japanese Climbing Cucumber.

London Long Green (Thoroughbred).—An improvement upon the old Long Green, very superior in shape, length and color. It is firm-fleshed and crisp with few seeds, and makes good pickles. While fairly early, it is not much used in the South as a table cucumber, our fine forcing varieties being preferable in every way. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Japanese Climbing (Thoroughbred).—Many family gardens are necessarily so small that space cannot be spared for vegetables which run over the ground, and gardeners who have been cut off from growing cucumbers for this reason will welcome this introduction from Japan. It is entirely distinct from all other kinds, being a vigorous climber, with such abundant foliage that it may be used for planting on trellises as a screen. The fruit is cylindrical in shape, nine or ten inches long, and of first-class quality, being good for table use as well as for pickling. Any fence or trellis with proper exposure will answer for support, and we are not surprised the climbing cucumber has become very popular, especially since the bearing season is from early summer until frost. Many persons

imagine this to be a curiosity rather than a useful variety, but a trial will convince them how little we over-rate it. Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 35 cts.; lb., \$1.25. Postpaid.

West India Gherkin (Thoroughbred).—This well-known variety, which is not really a cucumber at all, is useless except for pickles; for this purpose, however, it is a general favorite, and everyone is familiar with its oblong, spiny fruit. Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 35 cts.; lb., \$1.25. Postpaid.

ENGLISH FORCING CUCUMBERS.

CULTURE.—These varieties are grown only under glass, usually in houses arranged for forcing vegetables. Plant in November or December, putting four or five seeds in a three-



inch pot filled with soil as rich and loamy as can be had. Use only the stronger plants, and set them about three feet apart in the benches, training to wires overhead. Unless bees have access to the blossoms, artificial fertilization will be necessary. A packet contains about a dozen seeds.

Telegraph (Thoroughbred).—A famous old variety, which is generally preferred by experienced growers on account of its great length, perfect shape, and productiveness. Pkt., 25 cts. Postpaid.

Duke of Edinburgh (Thoroughbred).—A smooth, symmetrical cucumber, much liked by the English. It is very large and well colored. Pkt., 25 cts. Postpaid.

DANDELION.

(*Taraxicum Dens-Leonis.*)

Pissenlit. Lowenzahn. Dente di Leone. Diente de Leon.

CULTURE.—One ounce is sufficient for one hundred feet of drill, four to six pounds for an acre. Although many persons in the South will be rather incredulous, the cultivated dandelion is one of the most wholesome and agreeable of salads. While the flavor may seem odd at first, the taste for it is readily acquired, and in some parts of the country its market value is as high as that of any other similar plant. It is perennial, and can be cut very early in the spring, as the leaves are among the first to appear. Sow in July or August one-half inch deep, making the drills about eighteen inches apart, leaving nine to twelve inches between the plants. Cultivate well throughout the growing season, and do not attempt to cut at all until the following spring. If the leaves are blanched by being shaded with boards, etc., they will be much less bitter than if used in the natural state.

Tait's Thoroughbred Cabbaging.—This greatly improved dandelion is now the favorite with French gardeners, and there is no reason why it should not prove a profitable crop here, as the Eastern markets are taking more dandelion every season. The thick, fleshy leaves form a head somewhat like that of the cabbage collard, and are of specially good flavor, blanching almost naturally. Pkt., 15 cts.; oz., 75 cts.; 2 ozs., \$1.50; $\frac{1}{4}$ lb., \$2.25; lb., \$9.00. Postpaid.

Giant Erect (Thoroughbred).—A fine, vigorous dandelion, which we think will prove valuable for shipping to Northern markets, but the leaves are slightly tinged with brown. Pkt., 5 cts.; oz., 75 cts.; 2 ozs., \$1.50; $\frac{1}{4}$ lb., \$2.25; lb., \$9.00. Postpaid.

French Garden (Thoroughbred).—This is the common dandelion, and has practically gone out of use since the introduction of the varieties described above. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.


EGG PLANT.

(*Solanum Melongena.*)

Aubergine. Eierpflanze. Petronciano. Berengena.

CULTURE.—One ounce is sufficient for one hundred feet of drill, six ounces will usually produce enough plants to set an acre. As the seeds are not of vigorous germination and require much greater heat than is necessary or desirable for other plants, they should be carefully sown in a specially prepared hotbed. Sow one-quarter of an inch deep in February or early March and keep the sash on until the plants appear, after which air must be given on warm days, close attention being given them during the earlier stages, as the young plant is exceedingly delicate. When two or three inches high prick them out into small pots to induce stockiness, and, if possible, transplant again into a larger size, since with every transfer the plant gains strength. Our Norfolk growers use a basket about six inches square, without a bottom, made by folding a slot that comes for that purpose, so as to be easily removed when the plants are set in the field. While very cheap, these give admirable results. Do not risk setting out the plants in the open ground too early, as a single cold night will sometimes seriously check the growth and probably cause the first blossoms to drop. When the weather has turned permanently warm, set them in the field in rows four feet wide, leaving three feet between the plants. The ground must be very heavily manured and earth kept well drawn up around the stems; nothing is so attractive to the potato bug, and care must be taken while the plants are small to keep them picked off daily. Where only a few plants are wanted for family use and there is no hotbed convenient, the seed may be sown in a window box, provided the room is kept at a uniform heat. Outdoor sowings should not be made before the middle of May.

Black Beauty (Thoroughbred).—The only real competitor of our Purple Perfection Egg Plant is this fine New Jersey strain, now popular along the entire coast, and especially valued on account of its earliness. The color is so deep a purple that the name of Black Beauty is quite justified, and the fruit does not turn gray until really unfit for food. Few vegetables being less attractive to the eye than dull, misshapen egg plants, the gardener who grows this crop for market cannot be too careful in buying the seed. Pkt., 10 cts.; oz., 35 cts.; 2 ozs., 60 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00.



THOROUGHbred SEEDS

Photo by GEO. TAIT & SONS, Inc.

Thoroughbred Black Beauty Egg Plant.

Specimen grown by Mr. Henry C.
Cooper, Norfolk, Va.



Tait's Thoroughbred Purple Perfection.—This superb strain, until the introduction of Black Beauty, was regarded by Southern market gardeners as the finest type of New York Purple, and where earliness is not of prime importance, it is still without an equal. The fruit is a regular oval, very smooth and rarely showing any tinge of yellow or red, the skin having almost the lustre of satin and retaining this beautiful gloss long after cutting. No other variety compares with it as to productiveness, but the Black Beauty can usually be cut four or five days earlier, and for this reason many gardeners prefer the latter, first cuttings bringing high prices. Pkt., 10 cts.; oz., 35 cts.; 2 ozs., 60 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.


Florida High Bush (Thoroughbred).—About the same color as Tait's Perfection, but not so early as it or the Black Beauty, this variety is liked by market gardeners in the extreme South, especially Florida. It is very hardy, productive, and stands shipping well. Pkt., 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.

ENDIVE.

(*Chicorium Endivia*.)

Chicoree Endive. Endivien. Indivia. Endivia.

CULTURE.—One ounce is sufficient for one hundred feet of drill, four pounds will drill an acre, or one pound will produce enough plants to set out an acre. This plant is by no means appreciated in America, being altogether unknown in many sections. It is a delicious salad, especially when served with lettuce, and universally regarded as very wholesome. Nothing is prettier than Endive for garnishing, and we urge all our readers to introduce it in their gardens. Sow from April to September, one-quarter of an inch deep in eighteen-inch rows, thinning the plants when about two inches high to nine inches in the row. Cultivation about the same as for lettuce, except that the green sorts have to be blanched. When the leaves have grown to about eight inches, gather them in the hand and tie together with soft twine or raffia, allowing two or three weeks for the blanching to be completed. As the leaves decay soon afterward, it is well in family gardens to tie up a few plants at intervals, but never except when the leaves are perfectly dry.



Green Curled Endive.

Green Curled (Thoroughbred).—The standard variety for fall and winter crop, with finely cut leaves. Pkt., 5 and 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

White Curled (Thoroughbred).—Persons unwilling to take the trouble to blanch Green Endive will find this variety naturally so white that little blanching is required, but not so mossy in appearance as the Green. Pkt., 5 and 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

FINOCCHIO.

(*Florence Fennel*.)

A delicious vegetable which should be more largely grown in this country. It is extensively used in Italy as a salad, and also may be served boiled. Sow in April in shallow drills eighteen inches apart and when plants are large enough thin to eight inches in the row. When the enlargement of leaf stalk, at base of stem, is about the size of a hen's egg it should be earthened up so as to cover half of it, and in about ten days cutting may be commenced and continued as the plants increase in growth. The flavor is somewhat like celery, but it has a sweet taste and delicate odor. Pkt., 5 and 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00.

GARLIC.

(*Allium Sativum*.)

Ajo. Knoblauch. Aglio.

Many people prefer garlic to any other flavoring for soups, stews, etc., and it has often been remarked that people who use it freely are usually very healthy. Garlic is propagated from small bulbs, which multiply by division, and these should be put in the ground in March or April, being set four to six inches apart in the row, with the rows eighteen inches apart. One pound will set a row thirty feet long. The most suitable soil is a rich loam, and the cultivation and care of the crop are about the same as those given onions. They will keep for a long time if stored in a well-ventilated room. Lb., 50 cts. Postpaid.



GHERKIN.

(See Cucumber.)

HORSERADISH.

*(Cochlearia Armoracea.)**Rabano. Picante. Meerettig. Rafano.*

One of the crops which has been almost totally neglected on Southern farms is horseradish, and yet it can be made very profitable by proper cultivation, many gardeners finding they can do as well, and often much better, with it than with the standard vegetables. It seems that there is always a good market for well-grown roots, and most persons would be astonished to know how many thousands of tons of horseradish are annually required to satisfy the demand. Soil for horseradish should by all means be deep, and the richer it is the larger and more salable will be the roots. The cuttings should be placed in rows not less than two and a half feet apart, three inches deep, allowing from nine to twelve inches between the plants in the row. It will be noted that the cuttings have one end cut at an angle, and care must be taken to see that this slanting end is put down. When the ground is well warmed, the cuttings shoot up luxuriant leaves and the crop is then cultivated much as corn would be. 10,000 cuttings are sufficient for an acre, and we advise planting in either March or April, although May is not too late. Nothing is more easily grown, and many gardeners will find it convenient to put the cuttings between cabbage or some other winter crop, the horseradish making little growth until spring is well advanced. The roots are plowed out like potatoes in the fall, trimmed neatly, and can usually be satisfactorily sold at once; if desired, they may be held through the winter, and it should be noted the root continues to grow in diameter long after the tops have died down.

Maliner Kren (Thoroughbred).—The remarkable Bohemian horseradish which, in a few years has revolutionized this crop in the United States. The root is enormous, almost pure white and it is peculiarly fine in flavor, being free from all rankness. Our cuttings are from the original stock imported by the Department of Agriculture, and have been grown for us by an expert. Early in the season—until perhaps the first of April—we will undertake to supply them in any quantity, but later on will hardly have any except for retail. Dozen, 25 cts., 100, \$1.25; postpaid. Special quotations for lots of 1,000, 10,000 and upwards.

*(Brassica Rapa Acephala.)**Chou Frise. Blatterkohl. Cavolo Verde. Brenion Col.*

CULTURE.—One ounce of either Green Curled or Plain Kale or two ounces of Scotch is sufficient for one hundred feet of drill. For an acre, one and one-half pounds of either Green Curled or Plain, and from three to seven pounds of the Scotch. Scotch Kale being particularly subject to the attacks of insects, both before and after coming up, it is necessary to sow it very thickly. Scotch Kale should be sown from the first to the last of August, and the Green Curled from the middle of August until the first of October. Plain Kale is sown nearly all the year around, either in drills or broadcast, and should be sown at intervals of ten days in order to always have it tender. Sow half an inch deep in rows two and a half feet apart, allowing from six to ten inches between the plants, and cultivate as cabbage. Kale, being a very strong feeder, heavy manuring is necessary to make a good crop, and whenever the leaves show a tendency to turn yellow, a liberal top-dressing of guano should be given at once.

Tait's Thoroughbred Dwarf Green Curled Scotch.—A yellowish green kale, which is grown extensively in the South for shipping during the winter, and of which we have the finest strain in existence—a statement not likely to be challenged by even our competitors. As it is never very tender, it is less desirable for family use than Tait's Favorite, but is much prettier, and, as a rule, more profitable for market. It is exceedingly dwarf, averaging little more than a foot in height and spreading widely, this habit of growth giving such protection to the stalk that cold weather rarely affects the plant. The leaves are intricately and most beautifully curled, and being hard and stiff, carry perfectly when packed. Scotch Kale is one of those plants which, having been bred up from an inferior and totally different type, are ever seeking to reassume the original characteristics; only growers who, like ourselves, are willing to exercise constant and extraordinary care in the selection of seed stock, can prevent it from deteriorating into a smooth-leaved kale, purplish in color, and three feet in height; such stock not only suffers practical destruction in freezing weather, but has no market value even if uninjured by cold. Note in the cultural directions what is said with regard to the sowing of Scotch Kale seed. Oz., 5 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Write for prices on larger quantities.




Tait's Thoroughbred Dwarf Blue Scotch.—The leaves of this Kale, as may be implied from the name, are of a dark, bluish-green color, which, to some, is more attractive than the yellowish green of our Dwarf Green variety. The leaves will also stand for a longer time in the spring before turning yellow, but it will not yield nearly as much per acre. Those, however, who plant Scotch Kale largely should have a portion of their acreage in this sort. Oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00, postpaid. Per 100 lbs. on application.

Tait's Thoroughbred Favorite Green Curled.—

When we introduced this now celebrated selection of Siberian Kale, it at once demonstrated its superiority to all strains then in cultivation, and was promptly adopted by all the best growers. It is hardy, very productive, and especially valuable on account of the rapidity of its growth in the spring. When the regular Siberian Kale is

at a standstill, after severely cold weather, the Favorite will rapidly recover and be ready for cutting before the other has been able to make new leaves. The shape and curling of the leaf give it the appearance of an immense feather, and, like the Scotch, it retains its stiffness a long time after being cut. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid. Write for prices on larger quantities.



Tait's Thoroughbred Dwarf Green-Curled Scotch Kale.

Tait's Thoroughbred Norfolk Plain or Spring Sprouts.—Gardeners who are unacquainted with this most useful of salads sometimes called Plain Kale or Hanover, have a pleasant surprise in store, for it is rapidly coming into universal cultivation in the South. While young, it is very sweet and far more tender than any kind of kale, and the growth is so rapid that leaves may be cut in three weeks from seeding. It is a good plan to sow a row every fortnight, and thus have it always in the best condition. If a little mustard is added, the flavor will be improved not a little. Although usually sown in the spring, it may be sown in the fall, as it endures cold perfectly, and can be cut at any time during the winter. It has no value for shipping, but a good demand for it can be created in almost any local market. Oz., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 25 cts. Postpaid. Per 100 lbs. on application.

Pe-Tsai (Thoroughbred).—The so-called "Chinese Cabbage." In growth it resembles our Cos Lettuce somewhat, and is a very popular vegetable with the Chinese, being used both raw and boiled. It does best as a fall crop. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50, postpaid.

KOHL-RABI.

(Or Turnip-rooted Cabbage)

(*Brassica Caula Rapa.*)

Chou-Rave. Kohlrabi. Cavola Rapa. Colinabo.

CULTURE.—One ounce is sufficient for one hundred feet of drill. For an acre one and a half pounds. Sow half an inch deep from March to July, at intervals of four weeks, as the bulbs are best when gathered young and tender, which is usually when they are two or three inches in diameter. The rows are usually made eighteen inches apart, and the plants are thinned from six to ten inches, the thinnings being transplanted if wanted. Work well to keep down weeds, but avoid throwing any earth in the crown.

Early White Vienna (Thoroughbred).—The best variety of this useful vegetable, the edible part of which is the enlarged globe-shaped stem. When gathered at the proper time, they are tender and palatable, being regarded by many people as nearly the equal of cauliflower in flavor. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.



LEEK.


(Allium Porrum)

Poireau. Poerro Lauch. Porro. Puerro.

CULTURE.—One ounce is sufficient for one hundred feet of drill. Sow in February and March in drills half an inch deep and nine inches apart, selecting light but rich soil. Thin to one inch and cultivate until the plants are six inches high. They are then ready for transplanting, and should be removed from the seed-bed carefully, the leaves being trimmed to half their length. Have the rows eighteen inches apart, and set the plants with a dibble from four to six inches, allowing the earth to come almost to the leaves. Keep the soil well loosened, earthing up gradually as the leeks increase in size, so as to secure thorough blanching of the bottoms.

Mammoth Carentan (Thoroughbred).—This will be found a very superior variety for market gardening, as the broad, thick stems are quite twice the size of the Flag, while its mild and agreeable flavor will commend it to many who are not fond of the ordinary leek. There is a rapidly growing demand for leeks now, and gardeners will find the crop very profitable in most places. Pkg., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

American Flag (Thoroughbred).—An excellent, hardy leek with long stems that are white when properly blanched. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.



Mammoth Carentan Leek.



(Lactuca Sativa.)

Laitue. Lattich-Kopfsalat. Lattuga. Lechuga.

CULTURE.—One ounce is sufficient for one hundred feet of drill; eight ounces will produce enough plants to set out an acre. To raise the best of lettuce, rich soil with plenty of humus is needed, and we particularly recommend that it be planted after clover, whenever possible. Norfolk truckers treat the head varieties in the same way as cabbage, sowing the seed the last week of September in beds one-eighth of an inch deep, and setting the plants in the open field during November. White lettuce may be set in rows eighteen inches apart, it is generally set in beds four feet wide with four rows to the beds, leaving nine inches between the plants. Shelter from the wind is of such immense advantage that if no natural wind breaks are available it pays handsomely to provide artificial ones made from cornstalks or cheap lumber. For the family garden, seed may be sown as late as October in a warm sheltered bed protecting

it during severe weather with a covering of straw, or it may be transplanted into cold frames to head during the winter. For a succession, sow in beds from the last of March to the middle of May, covering the seed thinly as directed, but taking care to firm the surface. For several years lettuce has been in great demand during November and December, and large quantities are now grown for that market, the seeds being drilled from the middle of July to the middle of August in ten-inch rows on beds four feet wide at the rate of five pounds to the acre, and thinned to nine inches when large enough.

Tait's Thoroughbred Giant White Forcing.—This beautiful selection from the Big Boston has become the leading kind for shipment, several years of extensive testing having proved it perfectly adapted to field culture, as well as superior to all others for use under cottons and glass. It is of good size, very firm and symmetrical, of the finest quality, and has a great advantage over all other varieties in the exquisite whiteness of its head; the brownish color which generally mars the beauty of the Big Boston after maturity is entirely absent, and so round and white is it that it might well have been named "Snowball." Those who have seen it either in the South or at Norfolk are enthusiastic as to its value, and we hope to see all lettuce-growers taking it into account for the coming crop, especially those who make a specialty of the Big Boston. We believe they will make a mistake if they fail to do so, as it has far outsold all others in the principal lettuce markets of the North. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid. (See full page illustration.)



Big Boston (*Thoroughbred*).—This is now a favorite along the entire Southern seacoast, being used on a large scale both in the open ground and under protection. When first introduced, it was for some time grown almost exclusively in either greenhouses or cold frames, but many now sow it in the spring for an early summer crop, and it was decidedly the most popular for fall use around Norfolk up to the introduction of our Giant White Forcing. The Big Boston has broad, comparatively smooth but very stiff leaves surrounding a solid head of perfect form, and specimens measuring upwards of ten inches are quite common. The head is beautifully blanched and in crisp tenderness is all which could be desired. After maturity the leaves often take on touches of brown, which mar its appearance, and this defect will eventually compel it to retire from cultivation in favor of the Giant White Forcing. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

May King (*Thoroughbred*).—Whether for forcing or field culture, this early and exceedingly handsome lettuce will be found most satisfactory. The round head is a rich yellow, very solid, tender and of delicious flavor, making a most attractive appearance in its setting of light green leaves, that have just a faint tint of brown. A splendid kind for the home garden. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

Wayahead (*Thoroughbred*).—A variety much like the May King, but a little earlier and with tightly folded heads, somewhat larger. The outer leaves are a light green, while the head is a rich yellow. Pkt., 5 and 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid.

Tennisball, Black Seed (*Thoroughbred*).—An old favorite with market gardeners, and sold possibly under more than a dozen different names. The outer leaves are light green, while the heads are well blanched, firm, mature early and are of excellent quality. It is good for either spring, summer or autumn, and in the vicinity of Norfolk, will stand wintering over out-doors as well as any other sort. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.


All the Year Round.—Identical with the Tennisball described above.

All Heart.—Identical with Tennisball described above.

Tait's Thoroughbred Midsummer.—Few crops are more profitable than summer lettuce, but the heat makes success extremely difficult in the South; and, indeed, many gardeners have come to regard the crop as one useless to attempt. Almost innumerable kinds of lettuce have been tried, but the majority have proved altogether unable to stand the sun, and very few have made even ten per cent. of heads. In this strain we offer a lettuce which has given far better results than any sort ever grown in this section, and which, we believe, will enable many gardeners to produce excellent heads whenever the season is moderate. It is unusually handsome, of the largest size, and more solid than most of the best cabbage lettuce, while in quality it is all that could be desired. The outer leaves are a dull dark green splashed with brown, the heart being creamy yellow. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50.

Grand Rapids (*Thoroughbred*).—This variety has become a favorite everywhere, especially in the West, but must not be used where a head lettuce is wanted.

Of rather poor quality when grown out of doors under glass it becomes tender and sweet. The leaves are light green, free from any brownish markings and are merely bunched together. The edges being daintily fringed, it is very decorative for garnishing, and is largely used for that purpose. Although principally used for forcing under protection, it makes a capital out-door lettuce for both spring and fall. Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.



Grand Rapids Lettuce

Early Curled Simpson (*Thoroughbred*).—An improved Silesia, which

is highly esteemed by Northern gardeners, but grown in the vicinity of Norfolk only for family use. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.



California Cream Butter (*Thoroughbred*).—One of the sorts which are slow in running to seed, and, therefore, adapted to summer use. The head is of medium size, compact, and almost perfectly round; the outer leaves are a rich glossy green, splashed with brown markings. Although often called the "Royal Summer," it is hardy enough for winter use in the South. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

New York (*Thoroughbred*).—A popular summer variety of large size and fine quality that is slow in running to seed, good for either private or market garden. The outer leaves are a dull dark green seldom spotted or brownish in any part, while the head is well blanched and firm. The quality is very good though lacking in buttery flavor. Except in color this sort is much like the Hanson. Pkt., 10 cts.; oz., 20 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00.

Wonderful.—Identical with the New York described above.

Improved Hanson (*Thoroughbred*).—We have found this a fine summer lettuce of large size and the best flavor, slow in running to seed. It has a flat, cabbage-shaped head, with pure white inside leaves. The outer leaves are light green, seldom brownish in any part, and curled on the edges. This is an old favorite for the family garden. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

Deacon (*Thoroughbred*).—An excellent summer variety with medium sized flattened heads, fairly firm and slow in running to seed. The outer leaves are smooth and light green in color, free from any brownish markings, and the head blanches to a rich yellow, and is crisp, buttery and well flavored. Pkt., 5 and 10 cts.; oz. 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

COS OR ROMAINE LETTUCE.

Trianon Cos (*Thoroughbred*).—In the South too little attention has been given to Cos Lettuce, but we find that the gardeners are learning to appreciate their tenderness and delicious flavor. The Trianon is one of the earliest sorts and makes an excellent well blanched head if the leaves are tied together. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

White Paris Cos (*Thoroughbred*).—This variety forms a large light-green plant with the head well folded and nearly white, quite firm, but not so early as the Trianon. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

MANGEL-WURZEL.

(See Beet.)

MARTYNIA.

CULTURE.—One ounce is sufficient for a row of one hundred feet in hills. If wanted early, the seed should be sown in a hot bed and the seedlings transplanted into the open ground as soon as the weather becomes warm. The least troublesome culture, however, is to sow in April or May half an inch deep in hills three feet apart, thinning to a single plant in each hill.

Proboscidea (*Thoroughbred*).—The pods of Martynia are universally liked for pickles, having a very agreeable piquancy. They should be gathered while small and tender, and pickled as soon as possible after being picked. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.



Trianon Cos Lettuce

MINT ROOTS.

For the convenience of our customers, many of whom tell us they have great difficulty in getting mint for the kitchen garden, we have added to our list this most useful plant. Once planted, it increases with great rapidity, and a dozen or two plants are sufficient to start a bed for the family of ordinary size. Growing mint from seeds will be found much less satisfactory than the use of the roots. 75 cts. per dozen. Postpaid.




(Cucumis Melo.)

Melon-Muscade. Melone. Popone. Muscate.

CULTURE.—One ounce is sufficient for a row of a hundred feet planted in hills; three pounds will plant an acre twice, more or less replanting being usually necessary. The melon delights in warm, rich soil with perfect drainage, and they can never be grown to perfection under unfavorable conditions. Very good melons, however, can be grown on almost any land if the trouble is taken to dig holes two feet square, filling them with a rich compost of wood-mould and cow-pen manure. Plant half an inch deep from April to June in rows six feet apart, leaving not less than four feet between the hills, putting about ten seeds to the hill. As insects are often very destructive, it is best not to thin at all until the plants are well started. When they are large enough to be safe, thin to two in a hill, and keep the ground mellow and free from weeds. Those who make a specialty of muskmelons will find it advantageous to start the seed under protection of glass, so as to have the plants ready to run by the time seeds could be usually planted in the open ground. For this purpose our Norfolk growers use baskets made after the fashion of a strawberry quart, without a bottom, from a strip that is manufactured for that purpose. Transplanting from these boxes never checks the plants in the least, as none of the roots are disturbed. Spraying is absolutely necessary now, neglect of this meaning either total loss of the crop or inferior quality in what fruit is made.


GREEN-FLESHED MELONS.

Knight (Thoroughbred).—At Norfolk, as well as in its native soil of Maryland, this has for a good many years broken all records for green-fleshed muskmelons, selling without regard to the general market conditions. In quality it quite outclasses most other green-fleshed

**Netted Rock Muskmelon**

kinds, and it seems that none of the fruit ever lack sweetness, the best ones having a taste indescribably delicious, and a remarkable aroma. If what is written of this melon appears extravagant, the reader should remember that descriptions throughout this catalogue aim to really describe, faults being mentioned as freely as good qualities, and unqualified praise is given the Knight Muskmelon for the simple reason that up to this time we have never heard anything else concerning it. Every ounce of seed we offer was grown in Anne Arundel County,

THOROUGHbred SEEDS



Our Thoroughbred Strain of the Famous "Knight" Muskmelon.

The Earliest and Best Green Fleshed Muskmelon.

W. J. Burroughs & Co.



Md., and our readers may congratulate themselves upon the opportunity to get the genuine stock. Pkt., 5 and 10 cts.; oz., 15 cts.; 2 ozs., 25 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid. Per 100 lbs. on application. (See full page illustration.)

Tait's Thoroughbred New Arundel.—This melon seems to possess all of the hitherto unequalled quality of the Knight, and at the same time the vines show tendency to blight decidedly less. In size it is a little smaller than the average Knight, and about a week later, which makes it especially desirable to follow that variety. For those markets which prefer melons not quite so large as the Knight, but have been accepting it because no smaller kind could bear comparison as to flavor, this sort will be found ideal—one of the best melons for the home garden. Pkt., 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

Tait's Thoroughbred Jenny Lind.—The Jenny Lind's "fineness" of flavor—quite distinct from the agreeable sweet taste of the average good melon—its convenient size, extra earliness, and the fact that a hundred may usually be cut without one proving really poor, have enabled it to hold its own a surprisingly long time against the larger muskmelons. It needs no detailed description, as there are few people unfamiliar with its shallow but intricate netting and sweet green flesh. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Rocky Ford (Thoroughbred).—At maturity this widely grown melon is not a great deal larger than an extra fine orange, the rind light green in color and prettily netted, the flesh being about the same as the Jenny Lind in appearance. It is very sweet, but not equal in quality to Tait's Ideal, the Knight, or Tait's New Arundel. As is often the case with vegetables, the name means nothing at all, and "Rocky Fords" are to be had which have little in common with our Thoroughbred strain of this melon. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.


Netted Rock (Thoroughbred).—Listed under numerous names, this oval-shaped melon has undoubtedly the thickest flesh of any of the Rocky Ford type, and the netting on the outside is so heavy that no ribs are shown. Although a full week later than our Thoroughbred Knight, it is a good variety to follow that famous melon, having the same splendid qualities and delicious flavor. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Green Montreal (Thoroughbred).—A Canadian introduction which is apparently best suited to the climate of the Province of Quebec, although used in many other sections. The fruit is round, somewhat flattened at the ends and covered with a dense netting, the quality of the flesh being first-class. More juicy than a watermelon, and marvelously aromatic, it is also one of the largest and most showy melons in cultivation, specimens having been grown to weigh over fifteen pounds. We do not recommend it for use in the South, as we have never known any growers to succeed with it on any scale, but many private gardeners will wish to buy it. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

SALMON-FLESHED MELONS.

Tait's Thoroughbred Ideal.—Whether Tait's Ideal is really what so many have pronounced it—"the finest muskmelon in the world"—is perhaps one of those questions of taste concerning which argument is useless, but it certainly combines an extraordinary number of valuable characteristics. The Ideal is very early, of the size now demanded by the restaurants, attractive as to the exterior, deep-fleshed, richly colored, crystalline in grain, more exquisitely aromatic than any other sort, and absolutely unique in flavor. In productiveness it is probably unequalled, for we have actually cut from one vine twenty-four well-formed melons, nearly all of first-class quality, and groups of three or four perfect specimens lying so closely around the hill as to touch each other may be frequently seen in any well-cultivated field of Ideals. The color of the skin is nearly that of the Osage, but the resemblance goes no further, as the Ideal is of altogether different shape and size, and is covered with an elaborate, well-defined mass of net-work. The flesh is so deeply colored as to look quite red, and the taste of a representative specimen is simply incomparable. In proportion to its size, it is easily the heaviest of all muskmelons, owing to the thickness and firmness of the flesh, qualities which enable it to endure much handling and long shipment. An irregular percentage of the melons show green flesh, the quality of which is identical with the salmon-fleshed fruit, but we have been unable as yet to absolutely fix the type. What the Knight is to green-fleshed muskmelons, the Ideal is to the salmon-colored type. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid. Per 100 lbs. on application.

Emerald Gem (Thoroughbred).—The finest stock of Emerald Gem in existence, having been improved into a really distinct melon, and one which is especially esteemed by Southern shippers who cater to the Boston market; no other variety sells so well in that city, and we have some truckers who prefer to grow it exclusively. It is extra early, of medium size, round,



Tait's Thoroughbred Ideal Muskmelon

with a slight flattening at both ends, and has only moderate ribbing. The skin is deep emerald green, and is usually comparatively smooth, although occasionally more or less netted. The flesh varies in color according to the maturity of the fruit, being a rich salmon when ready for the table, and remarkable for thickness and crystalline texture; in quality it ranks close to Tait's Ideal, and few melons surpass it in productiveness. A peculiarity which growers will note is that the fruit when mature is detached by a light touch of the hand or foot. Pkt., 10 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid. Per 100 lbs. on application.

Osage (Thoroughbred).—The shape of this melon is nearly that of a cocoanut, and the size is rather above the medium. It has a dark-green skin of peculiar netting, with wide, smooth seams, and when cut the firm, aromatic salmon-yellow flesh shows very attractively, but it cannot compete with Tait's Ideal, Emerald Gem, or Fordhook. No muskmelon is so difficult to keep pure, and our readers are cautioned against using any of the cheap Western seed commonly offered, as they often show a score of different types. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

Miller's Cream.—Identical with Osage. See description above.

Banana (Thoroughbred)—The fruit of this variety is nearly two feet long when well grown, and the light-yellow skin is entirely without netting or ribs. The orange flesh, while sometimes finely flavored, is generally of indifferent quality, and we cannot understand why it is still a profitable crop in many places, Norfolk being an excellent market for it every season. Postpaid.



Banana Melon

Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50.

Hybrid Casaba (Thoroughbred).—This is the best of this sort of melon. They grow on an average from eight to ten inches in diameter, and are rich and luscious. The skin is green until the melons begin to ripen when they turn a light yellow. The flesh, however, is white and quite thick. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50.




(Cucurbita Citrullus.)

Melon d'Eau. Wasser-Melone. Melone d'Aqua. Zandia.

CULTURE.—One ounce is sufficient for a row of a hundred feet in hills, two to three pounds will plant an acre in hills. A rich but light and well-drained soil is needed to produce the best results. Plant the seeds half an inch deep from April to June in hills not less than eight feet apart each way. Avoid planting until the warm weather has become settled, as the vine will never thrive if checked by cold, and it really pays to use the seed more lavishly than indicated above. Watermelon seeds have so many enemies that defective stands are almost the rule rather than the exception, and sometimes the delay from replanting means failure of crop; no matter how many seeds are put in the hill, they should each be pushed in separately in order to guard against a bird or other destroyer making a clean sweep of the pocket. After the first plowing, cultivation must be shallow and the crop "laid by" as soon as the ground is well covered.

Tom Watson (Thoroughbred).—As a rule, the Watson is much above the average size, a large percentage running upwards of thirty pounds, and many weighing in the neighborhood of fifty, the specimen used for the accompanying full-page illustration being thoroughly typical as to general appearance, except that the camera usually makes a watermelon look much darker than it actually is. The Watson is not a solid dark green like the Kleckley Sweet, but shows the fine veining very distinctly under its general color. Of all those which have reached this market, we have seen none with the least "neck," and a specially attractive characteristic is the high, permanent gloss; the fruit always looks as if it had just left the vine, this fresh appearance doubtless accounting in large measure for its immediate popularity. In quality, it ranks with the best of the new melons, and there can be no question that it represents the climax in watermelons up to date. When cut it is readily distinguished by the brownish red seeds and deeply colored juice. No melon in cultivation is more uniform in size, shape and coloring, scarcely any being under desirable size. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 lbs. on application. (See full page illustration.)

Excel (Thoroughbred).—This new melon, a cross on the Halbert Honey, should be given a trial by all melon growers as it promises to become a leading sort, especially as a market melon. It is a large, oblong, dark green melon with a thin but exceedingly tough rind, free from core or hard centers. It will produce more large marketable melons under like conditions than any other long sort, not excepting the Tom Watson, and its carrying and keeping qualities are unsurpassed. The seed are of two colors, both of which are often found in the same melon. The flesh is deep red, very sweet, crisp and tender. Pkt., 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid. (See full page illustration.) Write for prices on larger quantities.



Kleckley Sweet Watermelon

Kleckley Sweet (Thoroughbred).—Known also as Monte Cristo, this melon for local markets or the family garden will be found most desirable, as it is one of the sweetest varieties in cultivation. It is long, with a dark-green rind, and remarkable for the brilliancy as


Thoroughbred Excel Watermelon

Photo of Melon grown by J. G. Elbertine,
Nansemond Co., Va.





well as the tenderness of the red flesh. When cut, a ripe melon will usually crack ahead of the knife like thin glass—a sign which all who are familiar with watermelons will recognize as the surest indication of delicate, crystalline flesh. With proper cultivation, it may be grown to weigh as much as fifty pounds, and as it is really of as fine quality as the Florida Favorite, we can recommend it in the strongest terms except for shipping; no watermelon with such a brittle rind should ever be subjected to the jars and rough handling of railroads. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 lbs. on application.



Florida Favorite Watermelon

Florida Favorite (*Thoroughbred*).—There are few watermelons equal to this in sweetness and tenderness, but it is quite small, and does not carry well in long shipments on account of brittleness of rind. The shape is oblong and the color of the rind dark green with light green stripes. The flesh is really melting, having less fibre than any other except perhaps Kleckley Sweet. Notwithstanding the introduction of so many fine, large melons, we find the Florida Favorite still holding its own for all local markets, so great is its reputation for uniformly good quality. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid. Per 100 lbs. on application.

Halbert Honey (*Thoroughbred*).—For sections where the summers are short, this fine melon appears to be ideal, as it is a remarkably rapid grower, rivalling the Dark Icing in earliness. It is a little smaller than the Kleckley Sweet—to which it bears a close resemblance—but is almost of equal quality and attractiveness, having a smooth, dark green rind of extraordinary brittleness. It is, of course, best adapted to home use and local markets, and is recommended principally to those who find their seasons too short for the safe maturing of the later varieties. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per hundred pounds on application.

Sugar Stick (*Thoroughbred*).—This melon is a cross between the Florida Favorite and Sweet-heart. The rind is a greyish green color, with narrow darker green lines, giving it a mottled effect, and is thin, yet tough. The flesh is a deep red, with solid heart, crisp and sugary. The melons often measure twenty-four inches, and the average weight is thirty pounds. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 90 cts.

Angel's Kiss (*Thoroughbred*).—A name given by a large grower of melons to a mottled silver-grey melon, with bright red flesh and delicious flavor. The melon grows from 18 to 20 inches in length and average weight about thirty pounds. It is oblong in shape, with a tough rind, and is very early. This and Sugar Stick are about the best melons with light-colored rind. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 90 cts.

Wonderful Sugar (*Thoroughbred*).—A handsome oblong melon introduced from the West Indies and universally pronounced a great acquisition for home use or local markets. In shape and markings it is not unlike the Georgia Rattlesnake, though totally different in other respects. The remarkable sweetness quite justifies the high-sounding name under which it was brought out. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

THOROUGHbred SEEDS



Thoroughbred Tom Watson Watermelon.



Georgia Rattlesnake (Thoroughbred).—This melon, known also as the Striped Gypsy, is an oblong variety with decided stripes of light and dark green. The rind is tough and rather thick while the flesh is bright red and of splendid quality. It attains a large size, is a particularly handsome melon and can be shipped perhaps as far as any other kind. A splendid variety for late use. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid. Per 100 pounds on application.

New Favorite (Thoroughbred).—The New Favorite has the oblong shape and deliciously tender flesh of the Florida Favorite, but is larger as well as more prolific, and a great improvement in every way except in sweetness. The shape, marking of rind, and color of seed are about the same in the two melons, but the New Favorite has a thicker rind and many less seed. With an ordinary favorable season, the melons will average about twenty-five pounds, but have been grown to weigh fifty pounds. The flesh is the brightest red, very crisp and sweet, and it bears shipment very well. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Alabama Sweet (Thoroughbred).—With a single exception, we have had nothing but good reports from all sources as to this new variety. The rind is dark green, the shape long and symmetrical, while the flesh is so devoid of stringiness or pulp that it literally melts in one's mouth. As a shipping variety it is hardly as profitable as the more showy Tom Watson. The vine is a persistent bearer throughout the season, and we think it should prove especially good for the late crop. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Long Dixie (Thoroughbred).—A dark green oblong melon with lighter green stripes and thin rind. The flesh is bright scarlet, and were it less irregular in shape and quality it would be one of our best shipping melons. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Success (Thoroughbred).—In Florida, where it originated several years ago, the Success has fairly earned its name, being regarded by experts as the best of the blocky melons. It is a cross of the Triumph and Sweetheart, and the color of the rind is a compromise between dark green and finely veined pale green, and we doubt if any other kind has a more tempting exterior. It is early, prolific and a good shipper. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.



Georgia Rattlesnake Watermelon

Triumph (Thoroughbred).—This and Shaker Blue are possibly the largest watermelons in existence, frequently weighing ninety pounds and averaging more than any other sorts. The color, which is a solid dark green, and its mammoth size, make it very attractive externally, and it carries perfectly in shipment; but its pinkish flesh is of rather poor quality, often filled with hard white or yellowish streaks. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Shaker Blue (Thoroughbred).—The rind of this melon is dark green, striped with band of lighter green, but when ready for market, has the appearance of being a solid dark bluish green color. The flesh is bright red, crisp and well flavored. It grows equally as large as the Triumph, and is of better quality. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



Citron (Thoroughbred) (Red Seeded).—


This is an improvement on the old preserving citron, being much more productive and of finer texture, with white flesh, which has all the firmness of an apple. It is round and smooth, the skin being striped and marked with light green rind. The red seed have long been known to possess very valuable medicinal qualities, giving great relief in certain affections of the kidneys. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

MUSHROOM SPAWN.

(*Agaricus Campestris*).

Champignon. Champignonbrut.

Fungo-Pratajolo. Seta.



Mushrooms.

CULTURE.—Five pounds of spawn will plant a row of a hundred feet. It is a mistaken idea which many people have that the growing of mushrooms is too difficult for an amateur to attempt. As a matter of fact, they can be raised in cellars, under the benches of greenhouses, or in any shed where a temperature of from fifty to sixty degrees can be maintained through the winter, and, if successful, the results certainly compensate for what trouble is incurred. While experience is really the only teacher in handling the mushroom—which is most eccentric in its habits—it will be worth while to note the following suggestions, and it may be added that the novice frequently gets the very best results: The beds should be made up about two months before the mushrooms are wanted, as it takes about that time for them to begin bearing. For their preparation procure fresh horse manure, free from litter and straw, and incorporate with it an equal bulk of loam from some old pasture; put it in a heap under cover and turn daily until the extreme heat is out. The beds may be of any size desired, but the proportions recommended by the best growers are about four feet wide, ten inches deep, and any convenient length. Put the compost of loam and manure in layers, treading or packing each firmly with the back of the spade. Place a thermometer with the bulb well buried in the bed when completed so as to readily tell the temperature from day to day. Leave until the heat has subsided to about eighty degrees, and then make holes nine inches apart each way and two inches deep to receive pieces of spawn two inches square. Refill the holes and allow eight or ten days for the spawn to diffuse itself through the entire bed; then cover with two inches of fresh soil and over this spread a layer of straw or litter four inches deep. The bed must never be allowed to become really dry, and examinations should be frequently made to see that it is thoroughly moist. If the surface becomes dry, wet it gently and as evenly as possible with water heated to about ninety degrees, using no more than is necessary. Darkness is, of course, desirable, and for this reason cellars will usually be found better than greenhouses. Mushrooms may also be grown out doors during the summer months or under open sheds, but must be used as soon as gathered, as they become infested with maggots shortly after opening.

American (Thoroughbred).—Made by a new and very original scientific method, this has been giving better results than any of the old-fashioned natural spawn, and we think it must eventually displace all imported stock. 30 cts. per lb., postpaid; per 100 lbs., on application.

English (Thoroughbred).—As the French is said by many experienced growers to be very liable to rot unless the conditions are precisely right, we are now offering only the finest English and American Spawn, the latter being generally regarded as most satisfactory. There is a great deal of spawn sold at fancy prices, but we can assure our customers that no stock better than ours is imported. 25 cts. per lb., postpaid; per 100 lbs., on application.

MUSTARD.

(*Sinapis*.)

Moutarde.

Senf.

Mostaza.

CULTURE.—One ounce is sufficient for one hundred feet of drill; one and a half pounds will plant an acre. Sow February to October one quarter of an inch deep, broadcast, or in drills eighteen inches apart, thinning to from six to eight inches. By successive sowings every



fortnight, beginning early in March, the salad may be had at its best until summer. A little mustard mixed with other kinds of "greens" lends a flavor which most people find very agreeable.

Ostrich Plume (*Thoroughbred*).—We wish to call especial attention to this very beautiful variety, as it promises to become the standard mustard. No other kind is nearly so attractive, and it is also the most productive, making an extraordinary amount of foliage. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

Giant Southern Curled (*Thoroughbred*).—A favorite in the South, growing very large with a beautiful curled leaf. It is tender and of especially good flavor. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

Chinese Broad-leaved (*Thoroughbred*).—When cooked like spinach, the broad leaves of this variety have an agreeable flavor, and are much liked by all who care for this kind of "greens." They are often a foot or more in length, and have crimping much like that of a Savoy cabbage. It is ready for use within five or six weeks from the time of sowing, and is very economical, since it loses little bulk in boiling. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

White London (*Thoroughbred*).—The seeds of the white mustard are used for pickling and other domestic purposes, while the plant itself makes early greens of fair quality. Oz., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 40 cts. Postpaid.

Black or Brown (*Thoroughbred*).—The seed of this variety form the mustard of commerce, and it is sometimes used for salad, although not really desirable for this purpose. Oz., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 40 cts. Postpaid.



Chinese Broad-leaved Mustard.

NASTURTIUM.

Capucine. Kapuciner-Kresse. Nasturzio. Capuchina.

See Index.

OKRA.

(*Hibiscus Esculentus*).

Gomband. Ocher. Ocro. Quimbomb.

CULTURE.—One ounce is sufficient for one hundred feet of drill; six to eight pounds will plant an acre. The seed of okra will not germinate when the ground is cold and wet, and it should not, therefore, be planted too early in the season. Sow from May to July one inch deep in rows four feet apart for the tall or two and a half feet for the dwarf, thinning to one plant every three feet between the tall kind or half that distance between the dwarf. Cultivate frequently and keep the earth worked up to the stem. The pods are much esteemed in the South for the agreeable richness they impart to soups and sauces, and should be gathered while young and tender. Okra may be preserved for winter use, by putting the pods down in pickle like cucumbers, or by slicing them in narrow rings and drying like peaches. Those who will take the trouble to dry them in this way will find that nothing of tenderness or flavor is lost, cooking bringing back even the color and characteristic "ropiness." Those who are very fond of okra will find it worth while to start the seed in pots or boxes under protection, as the crop may thus be easily advanced three or four weeks.



Dwarf Green Prolific Okra.

Perkins' Mammoth (*Thoroughbred*).—Of the green okras, this is easily the most valuable, as the prettily-shaped pods average more than four inches in length and when full grown, have scarcely a trace of the woody fibre characteristic of ordinary varieties. It is a strong grower, often over eight feet in height, and no okra rivals it in yield, the bush being literally covered with pods from a few inches above the ground. The color is an intense green, so dark that dried slices, after cooking, look perfectly fresh. Canners buy it in preference to all others, and it will be found best for all local markets which do not demand white okras. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



Dwarf Green Prolific (*Thoroughbred*).—This variety grows to a height of only two and a half to three feet, and begins to bear when very small. It is easily the best of dwarf okras, but not comparable to Perkins' Mammoth or Kleckley's Favorite. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Density.—Identical with the Dwarf Green Prolific described above.

Kleckley's Favorite (*Thoroughbred*).—As a rule, white-podded okras are not so popular as the green, their remarkable tenderness and delicacy of flavor being unknown to the general public. But we must continue to call attention to their superiority for family use. This selection is a marked improvement upon the White Velvet, being longer of pod, better shaped, and more productive. The plant grows about the same height as Perkin's Mammoth, and the pods are perfectly smooth. When served on the table, it is so much more attractive than any of the green kinds can possibly be that we wonder there has been so much delay in securing its universal use. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



(*Allium Cepa.*)

Ognon. Zwiebel. Cipollo. Cebolla.

CULTURE.—One ounce is sufficient for one hundred feet of drill; four to six pounds are sown to the acre in drill; forty to fifty pounds to the acre for sets. Onions require a strong, rich and friable soil, which has been well manured for a previous crop, and cultivation must be thorough. The seed may be sown in February, March and April, in beds four feet wide, with the rows ten inches apart, the drills drawn shallow, as the best onions grow on the surface. Sow very thickly, covering the seed about a quarter of an inch, and pressing the earth down with the back of a spade or a roller. When well up, thin from four to six inches in the row and keep the beds well stirred until the young onions are started, after which it is well to hand-weed. In this latitude, a good crop can generally be obtained by sowing in September or October in the way described, as they will grow until very cold weather and resume their growth in the spring. On account of the heat of our climate, large and perfect onions of the American varieties can rarely be grown from seed the first season, unless started in hot-beds, and the general practice is to raise the White and Yellow from "sets" planted in the fall and spring. Sets are obtained by sowing very thickly in drills one foot apart early in the spring, harvesting the crop when the tops have died, and storing them, thinly spread, in some dry, airy place. Tait's Norfolk Queen sets are usually set out in September or October, but other kinds are best kept out of the ground until February, although we find more and more tendency to plant both Silverskin and Yellow Danvers in the fall. In transplanting have the shallow drills ten inches apart and put the sets four to six inches apart. Both soot and salt may be advantageously applied to onion beds, and as is generally known, successive crops can be grown indefinitely upon the same ground. The so-called "new onion-culture" has found little favor in the South, although the Northern and Western States now consider it invaluable. Under this system, the seed is sown quite thickly under glass in January or February, the drills being only two inches apart. The young plants are kept in active growth and transplanted to the open ground as soon as the season permits.

Tait's Thoroughbred Norfolk Queen.—This beautiful white onion we consider more generally desirable for Southern growers than any other in our list, especially for market gardeners who make a specialty of "green onions." It has been many years since we first introduced it, and although during this time an almost innumerable number of new varieties have been introduced, some of them of great value, none have ever proven themselves able to take its place. Our Norfolk Queen is not only of the most agreeable flavor and attractive appearance, but is extra early and large, perfectly matured bulbs being obtained from the seed in about four months. It is flattened in shape, but quite thick and beautifully symmetrical, the skin silvery white, the flesh snowy and of such tender sweetness that the raw onion may be eaten like an apple. The truckers of Tidewater Virginia find it very profitable to bunch the young onions as soon as they are large enough to be marketable, and sell them thus, green with the tops. It does not keep very well, and no attempt should be made to hold the crop very long after maturity, but the demand for them is generally so active that there is little object in doing so. The cheapest method of growing them is to begin with the seed, but many prefer to gain time by the use of sets, which, planted in September or October, produce green onions for winter or full-grown onions in April. We can supply the seed in any quantities throughout the year, and usually have our own growing sets ready for delivery by the middle of September. In the vicinity of Norfolk this crop is considered more remunerative than almost any other, and we can assure all Southern truckers that it will be to their interest to make a trial of it. Our Norfolk Queen must not be classed with the Barletta or Queen of the North, a small white pickling onion. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.


Southport White Globe.—Although a week or ten days later than the Silverskin in maturing, this almost perfect onion has so many points of superiority that any comparison of the two is quite out of the question. Nearly spherical, pure white, solid as wood and fine of grain, it is one of the handsomest onions in cultivation, and for the main crop without a rival among the various white varieties. The quality being fully on a par with its appearance, every market has learned to appreciate and seek it, and it always brings the highest market price. All stocks of the White Globe are by no means the same, and this description would hardly fit the bulbs which are produced by Western seed, the sole recommendation of which is cheapness. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.



Southport White Globe

Southport Yellow Globe (Thoroughbred).—Although a little later than the Globe Danvers, this is distinctly superior, being a real Globe onion. The skin is a pale yellow, several shades lighter in color than the Danvers, and in size, as well as in form, it has a decided advantage. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Southport Red Globe (Thoroughbred).—Onions of globular form are rapidly supplanting the flat varieties, and this selection from the Red Globe has made the Extra Early Flat Red an unprofitable crop for market. The bulb has a rich, purplish red color, is almost as round as a ball, and keeps very well. Although so much handsomer than the Extra Early Flat Red, it is still fully as early and of equally good table quality. We commend it strongly to those who prefer red onions, believing they will find it more desirable than any other kind. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.




Southport Yellow Globe

Prizetaker (Thoroughbred).—The remarkable size of this onion, averaging twelve or more inches in circumference, attracted much attention when it was introduced some years ago, and consumers were not slow to find that its qualities in general were in proportion to its bulk. It is now one of the most popular varieties throughout the country, being a globe-shaped onion of rich straw color, very uniform in shape and size and phenomenally productive, specimens having been grown to weigh as much as four pounds. Some of our onion growers around Norfolk are extremely enthusiastic in their praise of the Prizetaker, and say they find it very profitable. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Spanish King.—Identical with Prizetaker described above.

THOROUGHbred SEEDS

Photo. By
Geo. Tail & Sons.



Tail's Thoroughbred Norfolk Queen Onion.
The Most Profitable White Onion for Bunching Green.

Specimens grown by Messrs. Y. Old & Bro.,
Portsmouth, Va.



Yellow Globe Danvers (*Thoroughbred*).—This has long been a standard variety for all uses, its uniformity of shape, bright color, and fine quality making it popular everywhere; it ranks very high in productiveness, 500 bushels and upwards per acre being a not uncommon yield, but it is less handsome than the Southport Yellow Globe, and for market purposes not so desirable, as it is not so perfect a globe. Although one of the earliest yellow onions, the Danvers is a perfect keeper, and may be stored for a long time before marketing if desired. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid.

Silver King (*Thoroughbred*).—The Mammoth White Garganus is the proper name of this handsome Italian variety—one of the largest onions in cultivation, often twenty inches in circumference and as much as four pounds in weight. Being a rapid grower, it produces marketable bulbs the first season. It is flattened in shape, but very thick and symmetrical, the skin silvery white, and the flesh peculiarly tender. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Crystal Wax (*Thoroughbred*).—In the great onion growing districts of Texas, this has been for several years the favorite variety, and it has been very profitable wherever introduced. Its beauty, size and extraordinary quality entitle it to the consideration of all Southern gardeners, and we hope to bring it into more general use. It is of handsome flat shape, with juicy flesh and a skin like polished silver. Pkt., 10 cts.; oz., 35 cts.; 2 ozs., 60 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Giant Rocca (*Thoroughbred*).—After having been practically dropped from cultivation for several years the Rocca is coming into popularity again, and we are having considerable demand for the seed. It is a magnificent, large, globular-shaped onion of light red color and very rapid growth. The seed generally produce full-grown onions within seven months from the time of sowing, and the bulbs are marketable at nearly all stages of their growth. The flesh is tender and mild-flavored, but it is well to remember that none of the Italian onions are good keepers. The Rocca, if held in the field after maturity and exposed to hot suns, followed by excessive rains, is liable to a rot which begins in the crown and rapidly spreads through the entire onion. For this reason we advise an early marketing of the crop whenever there is a demand which at all justifies it. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid.

Large Red Wethersfield (*Thoroughbred*).—Dark red in color, flat, but very thick, this old onion is of unusually large size and keeps well. It has been found to suffer little from our hot summers, and owing to this peculiarity, can be relied upon to invariably produce matured bulbs from seed the first season, if sown as early as the middle of March. The flavor is exceptionally strong, and in table quality it does not compare with onions like Tait's Queen, Prizetaker or Crystal Wax. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.75. Postpaid.

Extra Early Pearl (*Thoroughbred*).—An extra early white onion, rather small, and practically out of use in the South, since the introduction of Tait's Norfolk Queen, described above. Pkt., 5 and 10 cts.; oz. 20 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid.

Tait's Thoroughbred Opal.—The keeping qualities of this onion are simply marvelous. We have seen a specimen in perfect condition which had been out from the ground for more than a year. In shape and general appearance it is not unlike the Yellow Danvers, being a slightly flattened globe of a pure yellow color. Bulletins of the Texas and North Carolina Experiment Stations commend it so highly that we have had a demand for it from every part of the United States. Pkt., 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.



(Prices of Onion Sets are subject to change without notice, and are invariably cash "F. O. B. Norfolk.")

Quotations per bushel and per 100 bushels furnished on application, but we beg to call attention to the fact that we deliver measured bushels that usually weigh 40 to 45 lbs., instead of the so-called bushel of 32 lbs., which in reality is less than three pecks.

Parcel Post Rates, see Page 5. Onion Sets weigh by Parcel Post, Pint 1 lb.; 1 quart, 2 lbs.; 2 quarts, 3 lbs.; 4 quarts, 6 lbs.; peck, 12 lbs.

Be sure to add postage to the price of onion sets.

CULTURE.—Two quarts of onion sets of average size will plant about one hundred feet of drill, for an acre six to ten bushels in beds or from three to five bushels in eighteen-inch rows. Plant the Silverskin, Yellow Danvers or Red Globe from February to May or in the fall in



rows ten inches apart, allowing four to six inches between the bulbs, and as the best onions are those which grow on top of the soil, it is advisable to draw the drills very shallow. Sometimes, especially when planted in the autumn, the set will throw up a seed stalk, which must be promptly pinched out, or there will be no development of the bulb. For the successful cultivation of this crop, rich soil and heavy fertilizing are absolutely necessary, and the beds must be kept clean. As the sets of our Norfolk Queen and Pearl deteriorate shortly after being taken from the ground, they must be planted from the middle of September to November, no stock of them being carried after that time. They grow rapidly, and, if set out the middle of September, the larger ones will be ready for use as green onions by Christmas.

We wish to state that our Onion Sets are all Jersey or Pennsylvania grown, from the very best seed, and should not be put in the same class with Western grown sets, which are always on the market at low prices; these being usually of impure stock, rarely produce good bulbs in our climate, often seeding to such an extent as to entirely ruin the crop. Inexperienced persons are naturally misled by the appearance of such sets, thinking that handsome, well-formed bulbs will be sure to prove satisfactory, whereas such is by no means the case.

Tait's Thoroughbred Norfolk Queen.—The most beautiful as it is the best flavored of all white onions. No other compares with it for use when green, and it is the very earliest to mature. The full-grown onion softens quickly, however, and no one need attempt to keep them very long. In order to secure these in quantity, it is always advisable to give us the order by the middle of September, our entire crop being often sold almost immediately upon arrival. As our Norfolk Queen sets are grown in the East from seed worth three dollars per pound, competition as to price with Western onion sets is obviously out of the question, but one bushel of our sets will often produce more salable onions than three bushels of the cheap stock. Pt., 15 cts.; qt., 25 cts.; 2 qts., 40 cts. Price per bushel on application.

White Globe (Thoroughbred).—The well-known Silverskin Onion, a general favorite for the family garden and valuable for local markets; it is apt to become discolored from bruises when shipped. Pt., 15 cts.; qt., 25 cts.; 2 qts., 40 cts. Price per bushel on application.

Yellow Globe (Thoroughbred).—In general usefulness the Yellow Danvers is probably the very best for spring setting, as it ripens quite early in the summer, is of large size, and may be stored for a long time without injury. It keeps much better than the Silverskin, and is of finer quality than the Red Globe. Pt., 15 cts.; qt., 25 cts.; 2 qts., 40 cts. Price per bushel on application.

Red Globe (Thoroughbred).—Although much less desirable than the Yellow Globe Danvers, this old variety is still used to some extent here and there on account of its extraordinary keeping qualities. The flavor is extremely strong. Pt., 15 cts.; qt., 25 cts.; 2 qts., 40 cts. Price per bushel on application.

White Pearl (Thoroughbred).—Sets of this onion are sometimes sold under the name of Queen, described above. It should, however, be noted that the Pearl, usually sold, has nothing whatever in common with our Thoroughbred Norfolk White Queen. Pt., 10 cts.; qt., 20 cts.; 2 qts., 35 cts. Price per bushel on application.

Potato (Thoroughbred).—Formerly grown in every Southern garden, this yellow multiplying onion is still used, but is being supplanted by the Yellow Danvers. Pt., 10 cts.; qt. 20 cts.; 2 qts., 30 cts.; Price per bushel on application.

PARSLEY.

(*Apium Petroselinum*)

Persil. Petersilie. Prezzemolo. Perejil.

CULTURE.—One ounce is sufficient for one hundred feet of drill; three pounds will sow an acre in drills eighteen inches apart, or five pounds in drills ten inches apart on beds that usually have four or seven rows. Parsley seed is very slow in germinating, often requiring a month, and should be sown from February to August, in rich, mellow soil, one-quarter of an inch deep, the surface being then made very firm. If the ground be covered with old bags after sowing, moisture is thus retained until the seeds have sprouted, while the effect of heavy rains is also prevented. With this precaution there is never any difficulty in securing a stand of parsley even during the heat of summer. Keep the weeds down by frequent hoeing, and when the plants get strong thin from six to nine inches apart. During intensely cold weather, it is well to give the bed some slight protection of hay, grass or burlaps, to avoid damage by freezing. Market gardeners will find it profitable to sow Parsley in cold frames in August to winter over for early spring gathering.


Tait's Thoroughbred Curled Scotch.—For market we believe that this variety will be found the best. The color is very dark green and the leaves are most beautifully curled. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00.

Moss Curled (Thoroughbred).—The most densely curled of all, being very like some luxuriant moss. It makes a beautiful border plant, aside from its usefulness on the table. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Double Curled (Thoroughbred).—Equally as good as the plain for seasoning, and more suitable for garnishing, as the leaves are a darker green and are prettily curled. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



Fern Leaved (*Thoroughbred*).—The foliage of this variety is as delicately divided as a fine fern, and it is one of the prettiest of garnishing plants. The flavor is the same as that of



Tait's Thoroughbred Curled Scotch Parsley.

the ordinary kinds, but it is hardly productive enough to be desirable for market. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Plain (*Thoroughbred*).—A strong, hardy plant, which is excellent for seasoning, but not so pretty for garnishing as are the curled varieties. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

PARSNIP.

(*Pastinaca Sativa*)

Panias. Pastinake.

Pastinaca. Chirivia.

CULTURE.—One ounce is enough for one hundred feet of drill; four to six pounds will sow

an acre. Sow very thickly from March to August a quarter of an inch deep in drills eighteen inches apart in deep, rich, sandy loam, which has been well manured for a previous crop. When the plants are two or three inches high, thin out from four to six inches apart and cultivate frequently to keep down weeds. The roots, which are excellent for stock as well as for the table, are much improved in flavor by being left in the ground during the winter. As the seed does not germinate well in hot weather, sowing should be done as early as possible.

Improved Hollow Crown (*Thoroughbred*).—This standard variety is still the favorite for general cultivation. Every one is familiar with its long, smooth root, easily distinguished from other kinds by the depression at the top. The flesh is very sweet, particularly after frost has touched them, and the yield per acre is greater than can be had from any shorter parsnip. Pkg., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Magum Bonum.—Practically the same as the Hollow Crown described above.

Abbott's Sugar.—Identical with Hollow Crown, described above.

Guernsey (*Thoroughbred*).—This fine strain of parsnip, while not so long as the Hollow Crown, is thicker at the top, and is preferred by many on account of the ease with which the crop can be gathered. It is not quite so productive as the larger variety, although not inferior in quality, and unless one has a deep, rich, sandy loam is the best to sow. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Student.—Practically the same as Guernsey described above.



(*Pisum Sativum*.)

Pois. Erbsen. Pisello. Chicaroso-Guisante.

Prices of all Peas are subject to change without notice and are "F. O. B. Norfolk."

Especial attention is called to the fact that our quotations are for quarts, pints and half pints in dry measure; these contain much more than the liquid measures commonly sold in the trade.

Parcel Post Rates, see Page 5. Peas weigh by Parcel Post, 1 pt., 2 lbs.; 1 qt., 3 lbs.; 2 qts., 5 lbs.; 4 qts., 8 lbs.; pk., 16 lbs.

Be sure to add postage to the price of peas

CULTURE.—One quart is sufficient for about one hundred feet of drill; peas are planted in drills at the rate of one to two bushels to the acre. Dry and moderately rich loam is best adapted to early peas, while heavy soil is preferable for the late sorts. As fresh, rank manure is apt to




PHOTO. BY
GEO. TAIT & SONS.

THOROUGHbred SEEDS

Thoroughbred Extra Early Gradus Pea.

Specimens grown by
Messrs. Y. Old & Bro., Portsmouth, Va.



induce too heavy a growth of vine, manuring for the spring crop should be done in the previous autumn, or if deferred until the time of planting, only thoroughly decomposed manure should be used. The early varieties are usually planted from the middle of January to the middle of March, all wrinkled peas being so liable to rot if put in cold, wet ground that they should not be planted before the latter part of February. Dwarf varieties may be drilled in rows eighteen inches apart, but more space must be given to the kinds which make more vine, truckers usually allowing two and a half feet for the ordinary extra earlies. In the family garden, a good plan is to plant in double rows six inches apart, with three feet between the double rows. The late varieties do best when in rows far apart and with low-growing crops planted between. Commence cultivating when the peas are two inches high, and when the tendrils appear, stick with brush and draw the earth up on each side to help in supporting the vine. Considerable profits are usually realized from a fall crop of peas planted between the middle of August and the middle of September, and shipped in October or November, there being usually an active demand for them about that time. For this purpose the Despot, Maximus and Nonpareil are by far the best, as all these stocks resist heat and drought wonderfully. As the reputation of our peas is taken advantage of by unscrupulous merchants to sell inferior stocks, our friends should be careful to see that any peas offered as Tait's have our seal upon them.

EXTRA EARLY.

Tait's Thoroughbred Nonpareil.—The earliest and purest smooth pea in the world, much less showy than the Gradus or Laxton, but hardier than either. It is a single-picking pea amazingly uniform in ripening, an enormous yielder and more beautifully colored than any other; the clear, waxen green of the pod being so permanent that the Nonpareil may be held without injury for several days in case of temporarily depressed markets or a scarcity of pickers. The same advantage will, of course, appear when shipments are long in transit, and also makes the Nonpareil one of the two best peas for fall planting. Fine as the Nonpareil is, we do not, of course, claim that it is in the same class with Laxton and Gradus, these larger-podded varieties being well worth the difference in cost, since they are so easily picked and bring higher prices in market. Height, 2 feet. Pt., 15 cts.; qt., 30 cts.; 2 qts., 50 cts.; 4 qts., 75 cts. Per bushel on application.

Alaska (Thoroughbred).—There are a great many stocks of this pea, originally called "Laxton's Earliest of All," and the name means less than in the case of any other sort, some strains being fine selections, while others sold as Alaska are frequently worthless. When pure, it is one of the best extra earlies, and our famous Nonpareil was originally bred from it. Height, 2 feet. Pt., 15 cts.; qt., 25 cts.; 2 qts., 40 cts.; 4 qts., 65 cts. Per bushel on application.


Pilot (Thoroughbred).—Earlier and hardier than the Gradus, and with pods nearly as large, we think that this new smooth-seeded extra early should be given a trial by all those who grow peas for market. On account of its hardiness it can be planted two weeks before the Gradus, and the quality is nearly as good. The vines are vigorous and bear throughout the length of the stem a large proportion of the pods in pairs. Height, three feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Gradus (Thoroughbred).—Although as early as the standard extra early trucking peas, this superb variety is quite twice their size, and is characterized by a sweetness unsurpassed by the finest of the wrinkled sugar peas. This statement naturally will suggest to many readers that, in praising the Gradus, we have gone beyond reasonable bounds, but a practical trial will prove there has been no exaggeration whatever. None of the old sugar peas can bear comparison with it, and we trust that such of our customers as are still unacquainted with it will not again lose the opportunity to use the finest pea of which we have knowledge. Our first idea was that its use would be limited to private or the smaller market gardens, but it has grown steadily in popularity among large shippers, and, even at high prices, has been in great demand. Not only does it invariably bring the highest price in all markets, but there is never any difficulty in getting hands to pick these immense peas, no matter how unwilling they may be to go into fields of the ordinary extra earlies. Since many growers have seen fine pea crops repeatedly go to waste not for want of a good market, but for want of pickers, the advantage thus gained is plainly of the greatest importance. Few things are altogether perfect, and it must be admitted that the Gradus is open to criticism on account of its delicate nature, the vine being less sturdy and robust than most extra earlies. Reasonably late plantings will usually offset this weakness, but those who fail with it are advised to use the Laxton—a large-podded pea almost as early and of the same quality but stronger. Our stock of Gradus is very carefully grown in Canada under our personal supervision, and our great acreage enables us to sell it at a lower price than most seedsmen can quote on inferior peas. Height, 3 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application. (See full page illustration.)

Prosperity.—Identical with the Gradus described above.



Thomas Laxton (*Thoroughbred*).—Gaining ground rapidly every year since its introduction, the Laxton is now thoroughly established as one of the two best peas for market gardeners, the Gradus being its only real competitor. Each has its own advocates, but, in our judgment, the Laxton is for two reasons likely to push the other more and more out of use on all large farms; the seeds can be produced more cheaply, for one thing, and there can be no question that it has a stronger constitution and therefore suffers less in bad weather. Unlike most wrinkled peas, it germinates vigorously, and the vine, which makes a growth of about three feet, matures the crop with great uniformity. The pods, although shorter than those of the Gradus owing to their bluntness, really contain more peas as a rule, and their dark green color adds materially to the market value; the peas themselves are very large and possess the luscious sweetness of the true sugar peas. In earliness it follows the Gradus very closely, being rarely more than two or three days later in picking, while in cold, wet springs it will often grow more rapidly. After extensive experiments, we strongly recommend it for general use, especially to those who have not been successful with the Gradus, but who are reluctant to return to the smaller varieties of peas. Height, 3 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.



Thomas Laxton.

Ameer (*Thoroughbred*).—This exceedingly handsome pea, sometimes called Long Podded Alaska and Claudit has a hardy vine of extraordinary productiveness, and the pod always excites great admiration when first seen, its plump symmetry giving it a beauty which almost challenges the superior length and breadth of the Laxton. This may be observed in our full-page illustration, which also shows how uniformly the peas mature, although it cannot suggest either the vivid green color or the smoothness of the pods. While not quite so early as the Gradus or Laxton, its extreme hardiness allows early planting which sometimes enables it to be picked at the same time as those varieties. Height, 3 feet. Pt., 15 cts.; qt., 25 cts.; 2 qts., 50 cts.; 4 qts., 75 cts. Per bushel on application. (See full page illustration.)


Tait's Thoroughbred Despot.—This famous old strain cannot, of course, compete as to size and quality with either the Gradus or the Thomas Laxton, but some pea-growers will use nothing else, having found it always dependable. The vine is a strong grower, but without the least tendency to "run," and perhaps no other variety will endure dry weather as well and yet keep true to the dwarf type in rainy season. Good for either spring or fall sowing. Height, 2½ feet. Pt., 15 cts.; qt., 30 cts.; 2 qts., 50 cts.; 4 qts., 75 cts. Per bushel on application.

First and Best (*Thoroughbred*).—Of the same type as the Rural New Yorker and a favorite with many truckers who are not acquainted with our Nonpareil, Despot and Ameer. Height, 2½ feet. Pt., 15 cts.; qt., 30 cts.; 2 qts., 50 cts.; 4 qts., 75 cts. Per bushel on application.



Laxtonian (*Thoroughbred*).—Similar to Blue Bantam, this is one of the earliest and best of the dwarf wrinkled sorts. The dark green-leaved vines are vigorous and well covered with pods filled with peas of splendid flavor, much larger than those of other dwarf kinds. Height, $1\frac{1}{2}$ feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Little Marvel.—A few days earlier than American Wonder and with larger pods. This variety is an improvement on American Wonder and Nott's Excelsior, but in habit very similar.



Little Marvel Peas.

Remarkably prolific. Height, 15 inches. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Sutton's Excelsior (*Thoroughbred*).—An English selection from the American Wonder, that we have found better than that variety, or Nott's Excelsior, having a more vigorous vine and bearing more and larger pods. Height, 1 foot. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Nott's Excelsior (*Thoroughbred*).—Once the most popular extra early dwarf wrinkled pea; but now less desirable than Sutton's Excelsior, or Laxtonian. Height, 1 foot. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

American Wonder (*Thoroughbred*).—A famous little pea never growing more than twelve inches high, literally covered with well-filled pods of moderate size. Resembles the Little Marvel, but is inferior to it. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Price per bushel on application.

INTERMEDIATE.

Dwarf Defiance (*Thoroughbred*).—This pea, sometimes called Potlatch or Big Dinner, is a splendid early sort. The vines are vigorous with dark green foliage, producing an enormous crop of well-filled pods containing eight or nine well flavored peas. Height, $1\frac{1}{2}$ feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.00. Per bushel on application.

Premium Gem (*Thoroughbred*).—Like the American Wonder, this once popular dwarf early pea has had to give way—not because of any fault in it, but through the remarkable improvements which have been made in this vegetable. Dwarf Defiance of this type is a much more desirable sort.

Height, $1\frac{1}{2}$ feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Price per bushel on application.

Senator.—Another good variety, with large slightly curved pods, always well filled. Peas medium sized and of splendid quality. This pea is a most excellent one for the home garden on account of its being unusually prolific and its good quality. Height, 3 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Price per bushel on application.

LATE.

Tait's Thoroughbred Longfellow.—Gardeners who have experienced difficulty in growing the large-podded kinds of peas will do well to try this, as it is unquestionably of a peculiarly healthy constitution, resembling in this respect the standard smooth varieties. While too late for competition with the extra earlies, such as Gradus and Thomas Laxton, it stands first in every other desirable quality and will become the favorite for the medium crop so soon as its merit is learned. The pods are extremely long, straight and well formed, of the deepest green, and filled with large peas of delicious flavor. Height, $3\frac{1}{2}$ feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Quite Content (*Thoroughbred*).—This superb pea, resembling Alderman is possibly the largest podded pea in existence. The immense pods are literally crammed with peas of delicious flavor, and it bears comparison with anything in cultivation. We are sure no one will ever be



disappointed with its productiveness. Height, 3 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Alderman (*Thoroughbred*).—For main crop, this variety, very similar to the Duke of Albany, will be found a most excellent sort. The vines are vigorous and the pods are of the largest size. The quality is unsurpassed and the rich color of both pods and peas is retained for several days. Height, 4½ feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.


Duke of Albany (*Thoroughbred*).—Honors would be about even between this and Alderman were the Duke of Albany more uniform in ripening, and even with this defect it cannot fail to become everywhere a great favorite, especially in private gardens, where a long season is by no means a disadvantage. The pods are large, and the peas very rich in flavor and of really melting tenderness. Height, 4 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Tait's Thoroughbred Magnum Bonum.—We have many customers who do not care to even try the newer kinds of peas, so firmly is this old stock rooted in their estimation, and indeed one can hardly wonder that this is the case. The Magnum Bonum has a vigorous vine which produces immense pods and will, if supported by brush or trellis, continue longer in bearing than any other variety; the pods are really packed with large peas, and to the very end of the season the rich flavor is maintained. Height, 4 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Telephone (*Thoroughbred*).—One of the best tall varieties, with very large pods. A popular kind for the home garden. Height, 4 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Yorkshire Hero (*Thoroughbred*).—An excellent wrinkled pea for following the second earlies, being large, prolific, and well flavored. The pods are very broad, and the peas have an advantage over most sorts in that they remain tender a longer time than any others, never becoming really hard. For an ideal succession of peas we would recommend Nonpareil, Gradus, Longfellow and Yorkshire Hero. Height, 3 feet. Pt., 20 cts.; qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10. Per bushel on application.

Champion of England (*Thoroughbred*).—This famous old variety was the first wrinkled pea, and for many years had no rival as a sweet pea for family use. It is



Tait's Thoroughbred Longfellow Peas.



still largely grown, although finer sorts have been originated, and can be relied upon to produce a very heavy crop. Height, $4\frac{1}{2}$ feet. Pt., 20 cts., qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.10 cts. Per bushel on application,

White Sugar Marrowfat (*Thoroughbred*).—We have never been able to understand how this pea has been so overlooked by the seed trade that practically only the truckers around Norfolk and Baltimore know of its existence. The Marrowfat in its name will doubtless prejudice many against it, as it naturally suggests the coarse old types of Marrowfat, but it has really little in common with either the Royal or the Black Eye. Early, hardy and tremendously productive, it is also exceptionally good in flavor, being almost equal in quality to the wrinkled kinds. For canning there is nothing better, and those who supply local markets will find its beautiful pods very attractive to the buyers. Height, 3 feet. Pt., 15 cts.; qt., 25 cts.; 2 qts., 40 cts.; 4 qts., 75 cts. Per bushel on application.

"CABBAGE PEAS."


(Edible Pods.)

Giant Sugar (*Thoroughbred*).—The most vigorous and the largest podded of the sugar peas, but rather inferior to the Melting Sugar in quality. The pods are extraordinarily broad and thick, and the vine is very productive. Height, $4\frac{1}{2}$ feet. Pt., 30 cts.; qt., 50 cts.; 2 qts., 90 cts.; 4 qts., \$1.75. Per bushel on application.

Melting Sugar (*Thoroughbred*).—An improved variety, which grows four or five feet high and produces an immense quantity of large, broad pods of light color. It is very sweet and as tender as a young snap bean. Gardeners who have continued to grow the old "Cabbage Pea" are recommended to try the Melting Sugar, and we think they will admit the propriety of its attractive name. Height, 4 feet. Pt., 25 cts.; qt., 40 cts.; 2 qts., 75 cts.; 4 qts., \$1.25. Per bushel on application.

FIELD PEAS.

Canada Field.—See index under "Miscellaneous Field Seeds."



Neapolitan Pepper

PEPPER.


(*Capsicum*.)

Piment. Pfeffer. Peperone. Pimiento.

CULTURE.—One ounce is sufficient for one hundred feet of drill; six ounces will produce enough plants to set an acre. Sow one-eighth of an inch deep in warm, mellow soil in May or June in rows two and a half feet, and when the plants are large enough, thin so as to leave eighteen inches between them. Cultivate frequently to keep down weeds, and keeping the earth worked up against the plant to assist the stem in carrying its weight of pods. If the seeds are sown indoors, so as to get the plants started early, arrangements must be made to have a uniform, high temperature. Market gardeners usually sow in hot-beds in February, transplanting into boxes or pots so as to have stocky plants ready for setting out doors when danger of frost is past.

Neapolitan (*Thoroughbred*).—All market gardeners should plant a portion of their crop in this variety which is a full week earlier than any other of the Bull Nose type, and in flavor is not surpassed by any sweet pepper. It is very attractive in appearance, but much smaller in diameter than Ruby King and from three to four inches long, the color a vivid scarlet. The bush is very strong and amazingly productive. Pkt. 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Ruby King (*Thoroughbred*).—We consider this splendid large early pepper the best of the Bull Nose Type, and the most profitable for market gardeners to plant for the main crop. The color is a little lighter than that of the old Bull Nose, and the flavor much milder. It may be eaten



Ruby King Pepper

Large Bell, or Bull Nose (*Thoroughbred*).—The favorite pepper for pickling or for use as mangoes, but rather hot for any other purpose. Although very much smaller than the Crimson Giant and Chinese Giant, and, in our opinion, less desirable for market, it is still preferred by some gardeners on account of its extraordinary productiveness. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 35 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid.

Sweet Golden Dawn (*Thoroughbred*).—Very much like the Bell in shape and general appearance, but of a soft yellow color and much less "fiery" in flavor, even the seeds being rather sweet. The bush is extraordinarily productive, and previous to the introduction of the Neapolitan, it was the earliest large pepper. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Sweet Spanish (*Thoroughbred*).—This is one of the mildest kinds, and is used both for salad and in pickles. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40c.; $\frac{1}{4}$ lb., 65c.; lb., \$2.50. Postpaid.

raw, prepared as tomatoes and cucumbers, or made into salads. Extremely productive. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Ruby Giant (*Thoroughbred*).—As the name suggests this variety is a cross between the Chinese Giant and Ruby King and is considered by some growers to be an improvement on the latter sort. The peppers are broader at the point than Ruby King and larger, and the flesh thick, mild and sweet. Pkt., 5 and 10 cts.; oz., 35 cts.; 2 ozs., 60 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50.

Ohio Crimson (*Thoroughbred*).—This variety sometimes called Crimson Giant, while a very large early pepper is less desirable for market gardeners we think than either the Ruby King or Ruby Giant described above. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; 4 lbs., \$2.50. Postpaid.

Chinese Giant (*Thoroughbred*).—This is the largest pepper in cultivation, but rather late and is a shy bearer. It is most brilliantly colored, like the Ruby King, but in shape, is thicker and not so long. The thick flesh is so mild and sweet that it makes an excellent salad. While the bush rarely grows more than thirty inches high, it is remarkably strong of stem and branches widely like a dwarf tree. Pkt., 10 cts.; oz., 35 cts.; 2 ozs., 60 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.



Ruby Giant Pepper




Long Cayenne (*Thoroughbred*).—A well-known narrow, bright red pepper, which is generally dried and used in that condition for various culinary purposes. It is always in demand and may be brought to market either green or dried. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Small Chili (*Thoroughbred*).—The variety from which pepper sauce is made. The pod is red and exceedingly pungent. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.




Red Cherry Pepper.



Chinese Giant Pepper.

Red Cherry (*Thoroughbred*).—Named from its close resemblance to the cherry. It is used either as the Cayenne or as pickles. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.



Prices of potatoes are subject to change without notice, and are invariably cash "F. O. B. Norfolk."

In comparing prices, it must not be forgotten that our potatoes are not only better stock than can often be bought from ordinary dealers, but that we deliver them in strong double-headed barrels instead of sacks, the weight guaranteed full 165 lbs.

Parcel Post Rates, Page 5. Potatoes weight by Parcel Post, 1 qt., 4 lbs.; 2 qts., 7 lbs.; 4 qts., 10 lbs.; pk., 18 lbs.

Be sure to add postage to the price of potatoes.


Our potatoes are grown by the best Aroostook County farmers, carefully inspected throughout the season, stored in Maine under ideal conditions, and delivered in double-headed barrels containing full 165 lbs. Such stock cannot be sold for the same price as inferior seed picked up at random and packed in sacks, but we offer them at a very small profit, and better figures




cannot be obtained from any responsible dealer. We believe it will be to the interest of all potato growers to place their orders with a firm which for nearly fifty years has been devoted exclusively to the production of Thoroughbred Seeds, and has created for Norfolk the reputation of having the highest standard for seeds in the United States.

CULTURE.—Four quarts, when the potatoes are properly cut, will plant a row of a hundred feet, although by cutting to smaller pieces they can be made to go much further; four barrels are usually allowed to the acre, but potatoes with few eyes, like the Irish Cobbler, often require five. For early potatoes very early planting is necessary, truckers in Tidewater Virginia beginning with the first suitable weather in February, and heavy manuring is absolutely essential. Where possible, it is a great advantage to plant after clover, peas or similar humus-supplying crops. Furrows five or six inches deep should be made three feet apart, and unless potato fertilizer has been broadcasted, it should be drilled in the furrows at the rate of 40 lbs. to the hundred yards, mixing it thoroughly with the soil. An excellent practice is to harrow in 20 lbs. of low-grade fertilizer three or four weeks in advance, finishing with 20 lbs. of high-grade at planting time. Drop the pieces about twelve to eighteen inches and cover three or four inches. If planted early in February they should be covered with two furrows. Late in March, when the sprouts have started but are still under the ground, the rows should be dragged to remove the excess of covering and put the surface in good condition. After the dirt has been turned away from each side of the rows, little need be done except to work it back again by successive cultivations, and to guard against blight and the potato bug. Paris green, either in solution or mixed with plaster, is used to kill the latter, and all really careful farmers now spray regularly with Bordeaux Mixture in order to ward off the former; by adding a little Paris green to the Mixture, one operation will protect against both pests.

Beauty (Thoroughbred).—Earlier than the Cobbler, and of better quality, this new stock is destined to take the first place among potatoes grown for extra early shipment, and we urge all Southern truckers to plant a few acres of it each season. Unlike the Irish Cobbler, which never was and can never be made wholly pure, the Beauty is a distinct type with no mixture of blood, and so has almost absolute uniformity in shape and ripening. In general it looks very like the Cobbler at its best, but the eye and skin are pink, the flesh is of snowy whiteness, and the table quality far outranks that of the Cobbler, being fully equal to the best late potatoes. The Beauty has been tested for five years, and we are now entirely satisfied as to its marked superiority as compared with the extra early varieties in use at present, except when planted on light, sandy soil. Its one objection is the color of the skin which will usually make a difference in the



Beauty Potato



Irish Cobbler Potato

returns of twenty-five cents per barrel if not marketed before the Cobbler, but usually it is ten days earlier than that variety. 4 qts., 50 cts.; pk., 75 cts.; bush., \$2.00; bbl., \$4.75.

Quick Lunch.—Identical with the Beauty.

Perfection.—Identical with Beauty.

Irish Cobbler (Thoroughbred).—Up to the introduction of the new Beauty, no extra early potato ever gave as good results in the South as the Cobbler, now more largely planted in this section than all other kinds combined. Our strain of this potato is really unique, and its purity produces a sensation among farmers who have been accustomed to Cobblers which show from ten to thirty per cent. of white blossoms. One year after we began growing potatoes, we



were receiving single orders for more Irish Cobblers than we had expected to sell in an entire year, and many of the best truckers in the South would not now consider any other source of supply. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

White Bliss (*Thoroughbred*).—Under the name of Pride of the South, this handsome potato has won much favor in the South. It is practically the same as Red Bliss except as to color, and is equally productive. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Bliss Triumph or Red Bliss (*Thoroughbred*).—Although less used than formerly, this old extra early is still a favorite in certain sections, especially eastern North Carolina. It is a sure and heavy cropper. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Clark's No. 1 (*Thoroughbred*).—Like the well known Houlton Early Rose in general characteristics, but not much used since the introduction of the Irish Cobbler. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Dewdrop (*Thoroughbred*).—No potato could be more symmetrical or uniform, and we find it popular wherever known. The tubers are bunched closely at the base of the plant, practically all being of marketable size, and the quality is first-rate. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

White Rose.—Identical with the Dewdrop.


Ensign Bagley.—Identical with the Dewdrop.

Sunlight.—Identical with the Dewdrop, but as usually sold, very inferior to our stock of that potato.

Houlton Early Rose (*Thoroughbred*).—(True.)—No description is needed of this, as it is merely the best type of the familiar Early Rose. Our seed is grown from the genuine Aroostook stock. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Norther.—A selection from the Houlton Rose, and hardly to be distinguished from it in appearance or quality. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Crown Jewel (*Thoroughbred*).—Still largely used by many growers, but not as profitable as some of the newer potatoes. It is very early, pure white with pinkish end, and an excellent keeper. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.



Green Mountain Potato.

Green Mountain (*Thoroughbred*).—For the main crop this large, oval-shaped potato is probably the most satisfactory, as it is of exceptionally good table quality and enormously productive, having few small tubers. Both skin and flesh are pure white, the skin very smooth, with eyes peculiarly shallow, and it is one of the best potatoes for keeping. In many localities this variety is better known under the name of "State of Maine." 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Carman.—Identical with Green Mountain.

State of Maine.—Identical with the Green Mountain.

Vermont Gold Coin.—Identical with Green Mountain.

Bovee (*Thoroughbred*).—Since the introduction of the Irish Cobbler, this has been steadily losing ground, and we find that of the best informed growers few will use it at all this season. It is a fine selection from the Hebron, of particularly good shape and remarkable uniformity, but very uncertain as to yield; if the conditions are in any way unfavorable, the tubers will form too small to be merchantable. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.

Hebron (*Thoroughbred*).—An excellent variety, whose quality and productiveness will probably keep it in use for some time yet, although we have better kinds. The flesh is pure white and the skin delicate rose. 4 qts., 30 cts.; pk., 50 cts.; bush., \$1.50; bbl., \$4.25.



PUMPKIN.

(*Cucurbita Pepo.*)

Potiron. Kurbiss. Zucca. Calabaza-Totanera.

CULTURE.—One ounce is sufficient for a row of a hundred feet in hills; for an acre in hills two to three pounds. Plant from May to July one inch deep in hills, eight feet apart each way, and cultivate frequently until the vines get a strong growth.


King of the Mammoths (*Thoroughbred*).—This is recommended to all who want to grow large pumpkins for exhibitions or their own gratification, as it attains an extraordinary size under the right conditions. Specimens have been grown weighing over a hundred pounds, and they average twice the size of any other kind. The skin is of a pale reddish orange color, the flesh bright yellow and very thick, and the quality excellent. Any one endeavoring to raise exhibition pumpkins should see that the vines have ample space for growth, and each vine should be limited to one pumpkin. Pkt., 5 and 10 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.



King of the Mammoths Pumpkin.

Jumbo.—Identical with the "King of the Mammoths." (See above.)

Connecticut Field (*Thoroughbred*).—The small early field variety, too well known to need description. It is orange colored, very productive, and grown principally for stock. Oz., 5 cts.; ozs., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 50 cts. Postpaid.




Large Cheese Pumpkin.

Large Cheese (*Thoroughbred*).—A large, flat pumpkin of extra fine quality, justly popular over the whole country. The color is a light reddish orange and the flesh is thick, fine of grain, and extremely sweet, and it is one of the best keepers. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 50 cts. Postpaid.

Cashaw (*Thoroughbred*).—One of the standard old varieties, popular in spite of all the new introductions. It is almost white, has a curved neck, hard skin, and very solid flesh. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Tennessee (*Thoroughbred*).—A bell-shaped pumpkin of medium size, with creamy white, slightly ribbed rind; the flesh is peculiarly fine grained, very thick and dry, and makes delicious pies, the flavor generally being considered superior to the best sweet potatoes. The vine is

productive, and the pumpkins keep until very late in the season. Pkt., 5 cts.; oz., 10 cts.; 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



(*Raphanus Sativus.*)

Radis. Radies. Ravanello. Rabanito.


CULTURE.—One ounce is sufficient for one hundred feet of drill; three to ten pounds will sow an acre in drills; broadcast, 15 pounds of long and 25 to 30 pounds of turnip are sown to the acre. The tenderness and sweetness of radishes are greatly dependent upon the rapidity of their



growth, and they should not be sown upon cold and heavy soils. Dig the ground deeply and make it very rich with thoroughly rotten manure, since fresh manure induces forking of the roots and spoils the flavor. Sow out of doors, half an inch deep, from February to October, broadcast, in drills eighteen inches apart, or on beds in ten inch drills, or in drills one foot apart, thinning as needed. The early varieties being very hardy, will endure great cold before being killed, but as they are rarely good after having their growth checked, the beds should be covered in cold weather with straw or cedar brush. A very slight protection will be sufficient, especially if they are sheltered by fences or woods. Most varieties become pithy as soon as they are grown, so that successive sowings should be made every two weeks. The winter varieties are sown from the middle of July to the last of September and used as needed. Grown under glass or cottons, the quality of all radishes is wonderfully improved, and under this cultivation they may be sown at any desired time during the winter.

EXTRA EARLY.

Tait's Thoroughbred Favorite Forcing.—The greatest value of this famous radish lies in its availability for forcing since it may be depended upon to reach marketable size in twenty or



Tait's Thoroughbred Favorite Forcing Radish

twenty-five days, but it is also largely used for field culture. It is perfect in both shape and color, the skin being a bright, transparent red, and the shape a compromise between the globe and the olive-shaped radishes—beautiful and wonderfully uniform. As a medium summer radish, it is all that could be desired, not even the Lady Finger surpassing it in crisp tenderness or delicacy of flavor, and it is an excellent all-around out-door variety. Under the most favorable conditions, it is possible to grow this radish in fifteen days, astonishing as this statement may appear, and nothing compares with it for sowing at intervals in the family garden. Never buy an unsealed package, as we know of at least one competing house which, trading upon the great reputation of Tait's Favorite, sells under that name a comparatively worthless radish. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Forcing Scarlet Globe (Thoroughbred).—One of the most desirable radishes for forcing under glass, and also good for field culture. It is very attractive in both

shape and color, being a bright, transparent red and very smooth skinned. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 50 cts. Postpaid.

Ne Plus Ultra.—A selected strain of the Forcing Scarlet Globe described above. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 50 cts. Postpaid.

EARLY.

Scarlet Turnip (Thoroughbred).—Finest French grown, formerly one of the leading kinds grown by our Southern truckers for shipment, but now nearly supplanted by Tait's Favorite and the White-Tipped Scarlet Turnip. It is extremely hardy, enduring severe cold after being well rooted, and is usually uniform in shape under all circumstances, our stock being grown from transplanted and selected roots. The color is a bright scarlet and the flesh of fair quality. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Per 100 lbs. on application.


Finest American Grown. This strain has a larger top than our French stock, and on that account is preferred by many large radish growers, but the roots are not so regular. Pkt., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 40 cts. Postpaid. Write for prices on larger quantities.



White Box (*Thoroughbred*).—The Philadelphia gardeners are partial to this radish, and it is grown to some extent for shipment to that market. It is a rapid grower, rather small in size, with brittle, sweet flesh and pure white skin. There is little demand for it in any place except the one mentioned, and we do not recommend it for market gardening unless used for retailing mixed with the Scarlet, a bunch of the two kinds being very attractive. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Per 100 lbs. on application.

Scarlet Olive-Shaped (*Thoroughbred*).—An early radish with a small top and fine olive-shaped root, but inferior in quality to Tait's Favorite, and not so desirable for market. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

White-Tipped Scarlet Turnip (*Thoroughbred*).—Finest French Grown, a very handsome radish, bright red with the exception of the tail, which is pure white; although it is thought by some growers to be a shade less hardy than the Scarlet Turnip, and to show more disfigurement on account of freezing weather, it is grown more largely than any other kind. We can supply this and all other kinds of market radishes in ton lots at special prices, and will be pleased to make quotations. Our seed is the finest French grown, saved from transplanted roots, and entirely out of the class of cheap American and English radish seed. As these low-priced seeds are never from transplanted roots, there is no certainty as to shape and color, and, as a rule, there is a great tendency to side roots and forks. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Write for prices on larger quantities.



White-Tipped Scarlet Turnip Radish.

Finest American Grown. This strain like that of our American grown Scarlet Turnip, has a larger top than our French stock, but the roots are not quite as regular. Pkt., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 40 cts. Postpaid. Per 100 lbs. on application.

White Olive-Shaped (*Thoroughbred*).—Like the Scarlet Olive-Shaped in general type, but snowy white in color. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

French Breakfast (*Thoroughbred*).—This is one of the olive-shaped varieties and a great favorite for family use. At the top it is rich scarlet, from which color it shades gradually to white at the tip. It should be eaten when of medium size, as it soon becomes pithy and unfit for the table, a good plan being to make sowings at intervals of five or six days. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

White Icicle (*Thoroughbred*).—For forcing under glass, this pure white long radish is very desirable, as it is of more rapid growth than any similar variety. The flavor is exceptionally good, and its brittle, delicately tapering root is well suggested by its name. We do not hesitate to pronounce it the finest white radish ever introduced, not excepting even the famous "Lady Finger." Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 50 cts. Postpaid.

Cincinnati Market (*Thoroughbred*).—This fine strain of Long Scarlet is often called the Glass Radish, on account of its extraordinary brittleness, and we are sure it will be liked by all who try it; it is somewhat larger than the ordinary long variety, is of better color, and, remaining a long time in condition for the table, is, of course, especially good for family gardens. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Long Scarlet Short Top (*Thoroughbred*).—This well known old variety is adapted to cultivation in the open field or in frames, but is less desirable for the latter than the Cincinnati Market. Our French strain of the Long Scarlet Short Top is of extraordinary purity, and cannot be classed with cheap American seed, which produces roots split and misshapen. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Per 100 lbs. on application.

INTERMEDIATE.

Long Chantier (*Thoroughbred*).—This handsome strain may be grown to a very large size before becoming pithy, and is good for local markets which like large radishes. It is entirely distinct in color, being brilliant scarlet at the top, shading to rose in the middle, and blending into pure white at the bottom. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Long White Naples (*Thoroughbred*).—An excellent white radish, long and slender, with crisp and mildly flavored flesh. It is grown almost exclusively for summer use, and will be abandoned when growers have become acquainted with the exquisite new "Icicle" radish. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.



Long White Vienna (*Thoroughbred*).—The beautiful "Lady-Finger" radish, formerly the finest outdoor long radish in cultivation, and still the general favorite, owing to the fact that few persons know anything about the new "Icicle." It is pure white, of pretty shape, and delicious flavor, but a week later than the White Strasburg. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 50 cts. Postpaid.

White Strasburg (*Thoroughbred*).—This radish grows to a large size and remains tender for a much longer time than most kinds. The flesh is pure white, nearly transparent, and very pungent. For market use it is undoubtedly the best of its class, and those of our truckers who ship early white radish to Northern markets now use it almost exclusively. It is also a good summer sort as it grows quickly, withstands hot weather. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Per 100 lbs. on application.

Giant White Stuttgart (*Thoroughbred*).—This radish is possibly the largest of the turnip-shaped sort. The flesh is solid, crisp and pungent, and is much prized by those who like radishes of high flavor. While largely used as a summer radish it may also be sown in July or August for fall use. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Golden Summer (*Thoroughbred*).—Oblong turnip-shaped, with heavy foliage, which enables it to withstand the heat of summer, although the skin is very thick and coarse in texture, the flesh is brittle and of good flavor. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

WINTER.

Celestial (*Thoroughbred*).—While the winter radishes have been exceedingly popular with our German and Hebrew citizens, few other people have cared to grow them, none of the old kinds being at all delicate in texture or flavor; many are almost fiery as pepper and apt to be woody after attaining full size. In the Celestial, however, we have a radish which is really excellent for all seasons, and particularly adapted to winter use. It is about the same shape and size as the well-known Long Black Spanish, but is much superior to it in every respect, being pure white, very smooth and thin skinned, juicy and wonderfully brittle. While pungent enough to satisfy most palates, it is at the same time quite sweet, and is peculiarly digestible. Market gardeners should lose no time in taking hold of it, for there is no other winter radish in its class. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

White Chinese.—Identical with Celestial described above.

Sakurajima (*Thoroughbred*).—Specimens of this variety often grow over eighteen inches long, with a diameter of four or five inches. The quality is not so fine as some of the smaller kinds, but it is nevertheless much liked, and will probably become a standard winter radish. As it is not a rapid grower, the seeds should be sown not later than August, July being the best time. Pkt., 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.25. Postpaid.

Japanese Giant.—Identical with Sakurajima described above.

Chinese Rose (*Thoroughbred*).—Excellent for winter use, being of firm grain and pungent flavor, but much less desirable than the Celestial. The root is conical in shape and the skin a bright rose color. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Russian White Winter (*Thoroughbred*).—This is one of the largest radishes, often having a length of twelve or more inches; the flesh is firm and keeps perfectly. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

California White Mammoth.—Identical with Russian White Winter described above.

Round Black Spanish (*Thoroughbred*).—A standard winter radish, which may be stored as successfully as any of the root crops. It is a favorite with the Germans, most of whom prefer radishes of strong rather than mild flavor. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

Long Black Spanish (*Thoroughbred*).—Formerly the most popular of the winter radishes, but now less used. The skin is black and the flesh hot and white. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

RHUBARB (PIE PLANT).

(*Rheum Hybridum*.)

Rhubarbe. Rhabarber. Rhabarbaro. Rubarbo.

CULTURE.—One ounce is sufficient for one hundred feet of drill. For an acre, eight to ten pounds. Sow from the middle of March to middle of May, in deep rich ground, in drills a foot apart and half-inch deep, and when well up thin to six inches apart. In the fall trench a piece of ground at least two spades deep, manuring abundantly, and set the plants out four feet apart each way, covering with leaves or coarse manure. It is best not to gather many of the



stalks the first season, and in our Southern country a shady situation is absolutely necessary to prevent the roots dying in August and September. Perhaps the most profitable plan for Southern growers is to buy the roots—as offered below—setting them out in November to March and cutting the entire yield the following late spring or early summer. This means the sacrifice of the roots, but as a good many are apt to die in any case from the heat, the loss is not so great as might appear at first glance: Rhubarb may be forced for early market, and large profits are realized by those who practice this method of cultivation. Entire clumps are taken from the open ground during the winter and set in cold frames or under the benches in hot houses, the yield being astonishing.

Myatt's Victoria (*Thoroughbred*).—Very large, and, although somewhat later than other varieties, the best for general use. It is hard to grow rhubarb successfully in Tidewater Virginia, and we think gardeners of that locality may as well omit it from their list of profitable vegetables. Roots will be found much better than seeds. Pkt., 5 and 10 cts.; oz., 20 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.25. Postpaid.

RHUBARB ROOTS.

We can furnish fine Rhubarb Roots in any quantities in either fall or spring, but as they are carried in stock only during March and April, orders at any other time of the year should be sent a few days before roots are needed. Per doz., 75 cts.; per 100, \$4.50, F. O. B. Norfolk; prepaid by mail or express, per doz., \$1.25. Extra size roots will be supplied at proportionately higher prices. Suggestions regarding cultivation will be found under the heading of "Rhubarb" above.

SALSIFY, OR VEGETABLE OYSTER.

Salsifi Blanc. Haferwurzel. Sassefrica. Salsifi blanco.

CULTURE.—Two ounces are sufficient for one hundred feet of drill, eight to ten pounds are allowed to the acre. Salsify delights in light, mellow soil which has been enriched for a previous crop, fresh manure having a tendency to induce side rootlets and forking. Sow from April to July thickly, in drills eighteen inches apart, covering the seed half an inch, and when the plants are up about an inch, thin from three to six inches apart. As the roots are perfectly hardy, they may be left in open ground all winter, care being taken to take them up before growth begins in spring. Applications of liquid manure in dry weather will prove very helpful.

Mammoth Sandwich Island (*Thoroughbred*).—A greatly improved strain, very large and superior, being fully double the size of the French Salsify and of delicate although distinct flavor. The roots are so well shaped, smooth, and white that market gardeners especially will find it most desirable, and will never sow the French after growing a crop of the Mammoth. Although comparatively few people have any idea of the value of Salsify, few vegetables are more nutritious and none more palatable, there being many ways in which it can be prepared so as to be hardly distinguishable from real oysters. Pkt., 5 and 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

SORREL.

(*Rumex Acetosa*.)

CULTURE.—One ounce is sufficient for one hundred feet of drill. For an acre, one to one and a half pounds. Sow in drills eighteen inches apart in March or April, thinning from four to six inches. No special cultivation is required, as the plant is very hardy, but keep the flower stalks cut out as they appear.

Mammoth Lyons (*Thoroughbred*).—The large and productive variety now preferred to the French. Sorrel is a very wholesome salad, the taste for which is readily acquired, and it should be far more used in this country. Wherever Germans are numerous, market gardeners will find this a profitable crop, and we see no reason why all markets should not take it freely in time. Many who do not care for Sorrel as a dish will be delighted with the combination of Spinach and Sorrel, the peculiar acid of which greatly improves the Spinach. Pkt., 5 cts.; oz., 15 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.50. Postpaid.



(*Spinacea Oleracea*.)

Epinard. Spinat. Spinace. Espaniaca.

CULTURE.—Two ounces are sufficient for one hundred feet of drill. For an acre six to ten pounds, if planted in rows eighteen inches apart, or twenty to thirty pounds if planted in ten-inch drills on beds that are usually either four or seven feet wide. The latter is the



method employed by our largest growers of spinach. As spinach cannot be grown upon poor land, manure heavily and trench deeply, liming being usually advantageous. For early use, sow from the middle of August until the middle of November, in drills not more than one inch deep. Although there is considerable danger of failure to get a "stand" if the weather is very warm, spinach being a cold-weather plant, there is no other way of having it ready for use in December. The main crop should be sown during October, about the middle of the month if conditions are favorable. When the plants are started, begin thinning out until they are from four to six inches apart. For summer use, sow at intervals from February to April, after which all kinds except the New Zealand rapidly run to seed.

Tait's Thoroughbred Curled Savoy.—The standard spinach for Southern market gardening must be a plant which will, unprotected, endure our most rigorous winters, give the greatest possible yield, and, when shipped to far distant markets, arrive fresh and uncrushed. It has been our endeavor to produce in "Tait's Thoroughbred Savoy" a spinach which would meet perfectly all these requirements, and we have succeeded so that it has now reached a point where improvement seems hardly possible. The leaves are of the darkest green, and curled to perfection, retaining their peculiar crispness long after being cut and packed. Triangular, prickly seed, indicating the presence of the flat, smooth-leaved variety, appear to a very limited extent in the seed sent out by us, our fields being very thoroughly "rogued," and the seed cleaned by machinery especially arranged for removing them. Many thousands of dollars have been lost by Norfolk truckers in recent years through using cheap, inferior stocks of spinach, and in this immediate section we should not need to warn all growers against careless buying of the seed. As we are among the largest growers of spinach seed in the world, we can, and invariably do, offer it at as low a price as is consistent with the grade of our seed. It is a matter of impossibility for any house to legitimately undersell us on spinach, and there are few indeed who are in a position to compete with us at all. Oz., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 30 cts. Postpaid. Per 100 lbs. and per 1,000 lbs. on application.

Long Seasons (Thoroughbred).—This long standing variety is unquestionably the best spinach for spring sowing, as it is of delicious quality, very productive and slower than any other kind to shoot to seed. The leaves are savoyed and very dark in color. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 40 cts. Postpaid. Per 100 lbs. on application.

Victoria (Thoroughbred).—A handsome variety with dark green leaves and, like the Long Seasons, is especially desirable for spring planting. Oz., 5 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 40 cts.

Large Viroflay (Thoroughbred).—Northern gardeners like this spinach for spring sowing, as it is very productive. We do not recommend it for use in this section, the Savoy being preferable. Oz., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 30 cts. Postpaid.

Round Leaved (Thoroughbred).—A standard variety in the North and one of the best for family use. It will not, however, bear shipment. Oz., 5 cts.; $\frac{1}{4}$ lb., 10 cts.; lb., 30 cts. Postpaid.

Round Flanders (Thoroughbred).—Very productive and an excellent spinach. Oz., 5 cts.; lb., 10 cts.; lb., 30 cts. Postpaid.

New Zealand Summer (Thoroughbred).—In the South ordinary kinds of spinach are worth less during the warm season, and there are many gardeners who will be glad to welcome this introduction from New Zealand, since it endures heat wonderfully. Although used in the kitchen in the same way as ordinary spinach, it is really entirely distinct, being a plant of considerable size with branches. It grows vigorously all the summer, and produces an astonishing amount of foliage, new leaves promptly taking the place of those which are cut, while the young branches are also edible, and may be cooked with the leaves. The leaf is very thick, soft and fleshy, and like Savoy Spinach, extremely nutritious and digestible. The seeds germinate better and more quickly if soaked in warm water over night. We are sure it will become extremely popular, and urge our readers everywhere to give it general trial. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 75 cts. Postpaid.

Spinach Beet.—(See Swiss Chard.)

SQUASH.

(*Cucurbita Melopepo*.)

Courge. Kulchen Kurbiss. Zucca. Calabaza.

CULTURE.—One ounce is sufficient for one hundred feet of drill, two to three pounds of the bush varieties or one to two pounds of the running, when planted in hills, or double the quantity if drilled, and thin to a stand. Sow from April to July, in drills or plant in hills one inch deep in the same manner as cucumbers and melons. The bush varieties should be about three feet apart each way, and the running kinds about eight feet. When the plants are up, thin so as to leave three of the strongest plants, and cultivate to keep free of weeds.

THOROUGHbred Seeds




Tail's Thoroughbred Curled Savoy Spinach.

BUSH VARIETIES.

Prolific Early White Bush (*Thoroughbred*).—Every market gardener who grows cymblings should plant a portion of his crop in this variety. It is a full week earlier than our Silver Custard, and has been a source of great profit to Southern growers. The flesh is finely grained and of good flavor, but it is not nearly so large or as showy as the Silver Custard. Pkt., 5 cts.; oz., 10c.; 2 ozs., 15c.; $\frac{1}{4}$ lb., 20c.; lb., 60c. Postpaid.

Tait's Thoroughbred Silver Custard.—This squash is an immense improvement over the old Early Scallop White Bush or Cymbling. It is considerably earlier as well as almost double the size of the old kind, and is at the same time handsomer and of better quality. We have been selling it for a number of years, and find that it is always appreciated wherever introduced. A special beauty is its striking purity of color, and we also call attention to the firm texture of the rind, which enables it to bear shipment perfectly. As pure stocks of White Bush are very uncommon, we are confident all market gardeners will be delighted with this. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 pounds on application.



TYPES OF SQUASH

1. Hubbard. 2. Orange Marrow. 3. Vegetable Marrow. 4. Yellow Crookneck.
5. Silver Custard or Cymbling.

Straight-Necked Yellow Summer (*Thoroughbred*).—This is an improvement on the Crookneck, and is considered not only more attractive in shape, but also of superior quality. In general character it is much the same as the Crookneck. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Mammoth Yellow Summer Crookneck (*Thoroughbred*).—Valuable for early crop, and the best and richest summer squash; skin bright yellow, and, when true, covered with warty excrescences, the shell becoming exceedingly hard when ripe. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 pounds on application.

Golden Custard (*Thoroughbred*).—Those who prefer the yellow bush squash will find this the best for their use, as it is decidedly superior to the ordinary Golden Bush. It is very large, beautifully colored, and of the best quality. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.



Golden Bush (*Thoroughbred*).—Similar to the White in every respect except color. The skin is a deep orange yellow, with pale yellow, well-flavored flesh. It is very productive, but less desirable than the Golden Custard. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 60 cts. Postpaid.

RUNNING VARIETIES.

Early Orange Marrow (*Thoroughbred*).—For a number of years this fine squash—a great improvement upon the Boston Marrow—has been only partially appreciated, but we note that it is now taking the prominence to which it has always been entitled. It is, perhaps, the most delicately flavored of all, and is especially valuable to truckers on account of its earliness. It is remarkably prolific, and we recommend it for both the early and late crops. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 pounds on application.

Boston Marrow (*Thoroughbred*).—An old standard variety, with thin skin of deep orange color, mottled with cream when ripe. It can usually be cut about fifteen days after the bush sorts listed, and keeps quite well, being used for fall and winter. It has fine-grained flesh of much richness, but more moist than the Hubbard. Our strain of the Boston Marrow is as pure as selection can make it, and must not be confounded with the common stocks sold at low prices. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid. Per 100 pounds on application.

The Delicious (*Thoroughbred*).—All who care for winter squash will admit that this variety has been well named. It is not yet perfectly uniform in size and coloring, but can be commended as perhaps the sweetest and best grained of all table squash. The weight runs from five to ten pounds each, the skin is dark green and the flesh, which has remarkable thickness, is a dark orange. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Canada Crookneck (*Thoroughbred*).—Not of the largest size, but an excellent variety, much liked for winter use. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Hubbard (*Thoroughbred*).—Of superior quality and largely used in the Northern States, as it may be kept through the winter. The shell is a bluish green, sometimes shaded with yellow and orange with orange-yellow flesh. It is especially popular in the North, being there considered the equal of sweet potatoes for baking, but for some reason does not usually succeed in this section. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Delicata (*Thoroughbred*).—Whether for summer or winter use, this small but very prolific squash will be found excellent. The fruit is oblong, orange yellow, and striped with green, the flesh being richly flavored and as dry as the Hubbard. It is extra early, but keeps well, and, aside from its smallness, ranks with the best winter squashes. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

Mammoth Chili (*Thoroughbred*).—With extra care this orange-yellow, smooth-skinned squash will attain a really enormous size, specimens having been produced which weighed over two hundred pounds. It is of good quality, the flesh being extra thick, sweet and very fine grained. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

VEGETABLE MARROW.

Those who like the Scallop Squash or Cymbing should try the Vegetable Marrow. Although not widely known in America, it is very highly esteemed by the English, and when better known in our country will be more appreciated. The Squashes, which resemble a very large cucumber in shape, has a cream-white colored skin and white flesh of distinctive flavor. Many of our gardens would doubtless find it a valuable acquisition.

Long White Running (*Thoroughbred*).—This selected strain bears squashes of large size and is very productive. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

Long White Bush (*Thoroughbred*).—A bush form of the above, but the squashes are neither so large nor productive.

SPRING SPROUTS.

(See Kale.)



(Solanum Lycopersicum.)

Pomme d'Amour. Liebesapfel. Pomo d'oro Tomato.

CULTURE.—One ounce is sufficient for one hundred feet of drill; four ounces will produce enough plants to set an acre. The tomato flourishes best in warm, light soil, moderately rich. For early use sow one-eighth of an inch deep in January or February in a hot-bed, or, if only a few plants are wanted, they may be sown in a window box. In order to get the plants strong and stocky, they should be transplanted when two or three inches high, and a second transplanting later on will add greatly to their stockiness. When all danger of frost has passed, set out in the open ground in rows three feet apart, leaving four feet between the plants, and, if convenient, furnish a support for the vine. For a late crop, sow in the open ground in early spring or at any time up to the middle of July. Tomatoes succeed so much better when they are supported by bush, or trained to a trellis, that we strongly recommend all amateur growers to adopt the latter method in their gardens. A great deal of room can be saved, and rotting of the fruit almost entirely prevented. The trellis should be made about four and a half feet high, with horizontal slats not more than eighteen inches apart. The posts must be very firmly set in the ground, as the weight when the vines are in full bearing is greater than might be supposed. Regular spraying with Bordeaux will prevent blight, which otherwise is liable to seriously injure the vines.

WITH PURPLE OR PINK SKIN.

June Pink (Thoroughbred).—The fruit of this now standard extra early, although of only medium size, is smooth and covered with a skin too tough to crack readily or bruise in

**June Pink Tomatoes.**


Globe (Thoroughbred).—In the far South almost all shippers agree that this beautifully-formed fruit is the most profitable pink tomato ever used there. It is practically a perfect globe, smooth and very heavy, the vine being exceptionally prolific and healthy. We recommend it to all growers whose shipments are long in transit, as it is one of those tomatoes

shipment. It has for several years been accepted as the most desirable of the extra early pink tomatoes, but we anticipate that it will be less grown as the Globe becomes better known. As there are so many later tomatoes of superior size and quality, the June Pink is naturally more adapted to the market garden than for family use, but it is a really excellent tomato and even private gardens should have enough plants to furnish them with early fruit. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; ¼ lb., 75 cts.; lb., \$3.00.



which will color up handsomely after picking. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Detroit (*Thoroughbred*).—An early pink or purple skin tomato, ripening about the same time as Chalk's Jewel. The vine is very vigorous and the nearly globe shaped fruit is of medium size remarkably free from cracking and of good quality. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.



Detroit Tomato.

Tait's Thoroughbred Norfolk.—There has long been a demand for a tomato with the color and quality of the famous old Acme, but more prolific and free from its extraordinary liability to the various diseases of tomatoes. The Beauty partially met this want, but even it had a number of short comings, being liable to blight and not always of satisfactory size. In the carefully bred strain which we call "Tait's Norfolk" Acme blood is manifest in the smooth skin and brilliant coloring, but the vines are most vigorous, and much less liable to blight than Beauty. As it is also of unsurpassed productiveness and quite uniform in its large size, it should satisfy every grower who seeks a combination of beauty, quality and yield. Like all really fine varieties, it is, of course, later than June Pink, and Earliana. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00.



Tait's Thoroughbred Norfolk Tomatoes.

Tait's Thoroughbred Emperor.—Now that the Beauty has become so liable to blight, the introduction of a hardy purple tomato will be warmly welcomed, there being so many markets which prefer fruit of that color and are willing to pay more for them than for red ones. The Emperor is of the same color as the well-known Beauty, excels it in size, quality and productiveness, and has not yet shown any tendency to disease. With the exception of Tait's Norfolk, we do not know any pink tomato which promises more than this, if extra earliness is not of the first importance. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Beauty (Thoroughbred).—This beautiful tomato was once decidedly the favorite for both market and family gardens, but the Norfolk has taken its place to a great extent. The skin is crimson purple, perfectly smooth, and it would be almost perfect but for the tendency to blight. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.


Acme (Thoroughbred).—The fruit of this variety has the pinkish purple color so much in demand in some markets, and it was a favorite shipping tomato for many years. It is round, solid and of extra fine quality, but is extremely thin-skinned and a very unsafe variety for market, owing to its liability to rot and blight. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Ponderosa (Thoroughbred).—There has been a steady improvement in the Ponderosa ever since it was introduced, and it is constantly gaining in favor, although its lateness necessarily limits its usefulness in the South. In size it so surpasses all the other large tomatoes that one can easily find specimens running from one to one and a half pounds, and we are often amused by the sensation the size of the Ponderosa creates in sections where it is not known. The flavor is good, and for slicing it is perhaps the best tomato we have. To get the best results the vines should be supported by a trellis of some sort, and it should be noted that we recommend it for local markets and for family use exclusively. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.

WITH RED SKIN.

Tait's Thoroughbred First of All.—We believe this to be the earliest tomato in cultivation. Earlier than Spark's or Langdon's Earliana, hitherto considered the best of the extra early red tomatoes, First of All bids fair to take their place. The color is a clear scarlet, without the yellowish cast that is characteristic of those varieties. The vine is amazingly productive, and budsettings are heavier than those of any other extra early. As the fruit is quite smooth and of good size compared with nearly all other extra early sorts, we recommend it as best for extra early use. Pkt., 10 cts.; oz., 40 cts.; 2 ozs., 75 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Earliana (Thoroughbred).—This extra early tomato is still used by many of our principal growers, but is unquestionably inferior to our First of All. It is not, as sometimes represented by illustration and description, a fine, large fruit, but a bright red tomato under, rather than over, medium size, and of indifferent quality. It has a substantial skin and carries well, but inferior we believe to our First of All, described above. Pkt., 5 and 10 cts.;



Tait's Thoroughbred First of All Tomato.

oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Bonney Best (Thoroughbred).—Early, prolific and of good size, this tomato has become very popular on account of its many good qualities. In shape it is nearly round, flattened



at the stem end and quite thick through. The skin is a beautiful red, and the fruits grow in clusters. It should be given a trial by all market gardeners. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Chalk's Jewel (*Thoroughbred*).—One of the best of the early red tomatoes, although we warn our readers against the claim that it is ready for picking at the same time as the Earliana; on the contrary, we believe it will average quite a week later, but of distinctly superior quality, being—what very few extra early kinds are—a really fine tomato for table use. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Kelly Red (*Thoroughbred*).—This tomato, originated in Anne Arundel Co., Maryland, and is much liked by the tomato growers of that section. It is of medium size, and very solid, of a yellowish red color, and not subject to cracking. While not a pretty tomato, it seems to suit that locality. Except however on light sandy soils, we think it much less desirable to grow for canners than Stone or Red Rock. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.


Crimson Cushion (*Thoroughbred*).—Gardeners who like the Ponderosa's size and flavor, but would prefer a tomato more brilliant in color, will find this entirely satisfactory. Although hardly as large as the Ponderosa, it is still twice the size of the average tomato, and is almost seedless, the interior being almost perfectly solid. Pkt., 5 and 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.

Stone (*Thoroughbred*).—Few tomatoes are as good as this for canning, as it is of extraordinary solidity, and may be put up so as to look almost as perfect as when picked. Market gardeners will not find it desirable for the first crop, as it is by no means so early as some other fine tomatoes, but it is excellent for later general use. It is beautifully smooth and deep scarlet in color. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

New Dwarf Stone (*Thoroughbred*).—Decidedly the best of all dwarf tomatoes, and much liked wherever it has been introduced. The fruit is in no way inferior to the original Stone, being equally adapted to canning. Pkt., 10 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 90 cts.; lb., \$3.50. Postpaid.

Matchless (*Thoroughbred*).—The size, appearance and extra fine quality of this tomato have made it a favorite wherever it has been used, and we feel safe in recommending it cordially for the main crop and for fall use. Few varieties are so smooth and solid, and the fully-ripened fruit keeps perfectly for many days after picking, so that it may be shipped less green than most kinds. The color is bright red, and the skin does not crack to any extent in rainy seasons. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Thoroughbred Red Rock.—Another good main crop tomato, that ripens with the Stone, and somewhat resembles that variety. The fruit is roundish, large, smooth, and of a scarlet red color, extremely solid and productive. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.



Matchless Tomato

WITH YELLOW SKIN AND FLESH.

Lemon Blush (*Thoroughbred*).—One of the most attractive of yellow tomatoes, as the lemon-colored skin has a delicate shading of pink. The quality is excellent. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Golden Queen (*Thoroughbred*).—A very large variety, solid flesh, deeply ribbed. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.



TOMATOES FOR PRESERVING.

Yellow Pear (*Thoroughbred*).—This variety furnishes the yellow pear-shaped fruit which is so much used for preserves and pickles. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Red Pear (*Thoroughbred*).—Equally as good as the Yellow Pear, and preferred by many on account of its brilliant coloring. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Yellow Plum (*Thoroughbred*).—Perfectly smooth, of oval shape, lemon-yellow color, and very pretty when preserved. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Red Plum (*Thoroughbred*).—A favorite for preserves, as it keeps the shape perfectly and makes a most attractive dish. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Yellow Cherry (*Thoroughbred*).—This dainty little tomato makes very decorative preserves, and is deliciously flavored. It is a shade smaller than the Red Cherry, but equally productive. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Red Cherry (*Thoroughbred*).—Fruit about an inch in diameter, set in bunches and grown for pickles. Pkt., 5 and 10 cts.; oz., 25 cts.; 2 ozs., 40 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

FORCING TOMATOES.

(For culture under glass.)

Comet (*Thoroughbred*).—Greenhouse men all know the good qualities of this red forcing tomato, the productiveness of which is astonishing. It is very uniform in shape, perfectly smooth and of specially fine flavor. Pkt., 10 and 25 cts.; oz., 50 cts.

Best of All (*Thoroughbred*).—A deep scarlet variety with very few seeds; it is of medium size and quite smooth. Pkt., 10 and 25 cts.; oz., 50 cts.

Sunrise (*Thoroughbred*).—One of the favorite forcing tomatoes, bright red in color and very solid. Pkt., 10 and 25 cts.; oz., 50 cts.



(*Brassica Rapa.*)

Navet. Weisse Rube. Nabo. Navone.

CULTURE.—One ounce is sufficient for one hundred feet of drill; one and a half to two pounds to an acre. The successful cultivation of turnips requires land which has been thoroughly enriched and put in the best condition. For spring use, sow the earlier varieties about the last of February, in drills eighteen inches apart, and thin the plants to six inches apart. For fall and winter supply sow from the middle of July to first of September, though the strap leaf varieties will usually make turnips if sown as late as the middle of September. For the rutabagas and large turnips the drills ought to be two feet apart, and the plants thinned to ten inches.

WITH WHITE FLESH.

White Milan (*Thoroughbred*).—This extra early turnip is a selection from the well-known Purple Top Milan, and is particularly recommended to all market gardeners. It is the same as the older variety, except as to color. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., \$1.00. Postpaid.

Early Snowball (*Thoroughbred*).—All of the early white turnips in common use are flat, and we are sure there will be the warmest of welcomes for this charming little variety so soon as its qualities are known. It is precisely the shape of an orange, beautifully white and most delicate in flavor, being really sweet so long as it is growing. We recommend it for sowing to immediately follow the White Milan, these two representing the best to be had in spring turnips. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.


Purple Top Milan (*Thoroughbred*).—For several years this hardy flat variety was more profitable than any other extra early turnip, but it is now giving way to the White Milan and Snowball. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 60 cts. Postpaid.

White Flat Strap Leaf (*Thoroughbred*).—A medium-sized turnip once largely grown for shipment, although now little used for either home or market gardens. As the flesh becomes spongy very soon after maturity it cannot be kept long, and its lateness as compared with the Milan has almost driven it out of cultivation as a spring crop. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.



Early White Flat Dutch (*Thoroughbred*).—This well-known old turnip is of good size and quality, but is, of course, decidedly inferior to the Milan and Snowball for market gardening, being at least ten days later. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Purple Top Globe (*Thoroughbred*).—A beautiful round white turnip, with bright purple around the top. It is especially valuable for markets since it is a rapid grower, and as good in quality as it is attractive in appearance. We consider it in many respects the most desirable turnip in our list, and advise its general use in place of the old Red-Top Flat Strap Leaf. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.



Purple Top White Globe Turnip.

tains a very large size. The flesh is sweet, but somewhat coarse of grain at maturity. In the vicinity of Norfolk the leaves are largely used for greens, sowing being made through September, October and November. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.


Pomeranian White Globe (*Thoroughbred*).—Our strain of this famous old turnip is as near perfection as we can hope to get it, being beautifully formed, very uniform in size, and of snowy whiteness. Although less grown now that the fine Purple Top Globe has captured the market, it is still a great favorite for family use, and is recommended without reservation. It makes "greens" of excellent quality, and of late years we sell quite as much seed for this purpose as for the roots. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Special price in large quantities.

White Egg (*Thoroughbred*).—Being beautifully smooth and white, as well as of rapid growth, this is a desirable kind for market gardeners, but few of our Southern growers seem to be acquainted with its good qualities. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

White French, or Rock (*Thoroughbred*).—One of the very best winter turnips, whose sweet and finely grained flesh is so solid that it has been appropriately named

Red Top Strap Leaf (*Thoroughbred*).—A well-known old variety; known also as "Blue-Top," and "Purple Top." It was formerly considered one of the best varieties for fall use, and up to the introduction of the Purple Top Globe was the favorite in every garden. The Purple Top Globe is a better turnip in every respect, and all of our market gardeners have abandoned the older variety. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Large White Norfolk (*Thoroughbred*).—A handsome turnip of large size, which has long been a standard sort for stock feeding, and is used to a considerable extent for market. It is of spherical shape, flattened at the top, and under proper cultivation at-



Pomeranian White Globe Turnip.



"White Rock." It keeps a remarkably long time before showing any signs of pithiness or shriveling, and in this respect is superior to any other white turnip. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Sweet German.—Identical with White French.

Southern Prize (Thoroughbred).—In the far Southern States this is much used for salad, and also as a stock turnip, its keeping qualities being highly valued. Being very irregular and ugly in shape, it has no value for market use. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Cow Horn (Thoroughbred).—The long white root of this variety grows half above the ground, and is usually so crooked as to be very unsightly. The quality, however, is all that could be wished, and it is one of the best turnips for keeping in the winter. The color shades from pure white at the tip to green at the top. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Seven Top (Thoroughbred).—The leaves of the Seven Top turnip are very abundant, and were formerly generally considered the best for "greens" boiled with cured meats. Being remarkably hardy, it grows through the whole winter, but the root is of no value. The Pomeranian White Globe is really a better kind for "greens," and we find that all principal market gardeners no longer ask for Seven Top. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

WITH YELLOWISH FLESH.

Amber Globe (Thoroughbred).—A very superior yellow turnip, which keeps well, and is a general favorite through the South. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Yellow Aberdeen (Thoroughbred).—Although we had much difficulty at first in inducing Southern farmers to try this fine turnip, its good qualities gradually became known, and it is now one of the most popular varieties for winter. The firm, yellow flesh has great sweetness, and since no kind equals it in keeping under unfavorable conditions, it is particularly recommended for stock feeding during the winter. As the Aberdeen is of slow growth, it is well to sow a fortnight earlier than most turnips. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Per 100 pounds on application.

Golden Ball.—This turnip of globe form and orange-colored flesh is very solid, of good flavor and keeps well. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts.

Orange Jelly.—Identical with Golden Ball described above.

SWEDES OR RUTABAGAS.

Yellow Fleshed.

Tait's Thoroughbred Purple Top Yellow.—Our rutabagas are so unlike the cheap imported stocks commonly used in this country that they frequently cause a sensation when introduced in a market. Where most have unsightly and wasteful necks, ours are beautifully symmetrical, splendid for market, and the yield per acre is enormous. Southern farmers make a great mistake in not growing more rutabagas, the value of which for stockmen can hardly be overestimated. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid. Per 100 pounds on application.

True Globe Shaped Yellow (Thoroughbred).—Entirely devoid of the objectionable "neck," characteristic of most strains, fine grained, and perfect in both color and contour, this is literally the ideal Rutabaga. For market gardening such a symmetrical, handsome root means fancy prices, or else ready sale when less high-bred stocks are not wanted at any price, and all who cater to the family trade should use it exclusively. It is much earlier than any other of the Swedish turnips, but makes very little top and should not be grown for market for which rutabagas with abundant foliage are preferred. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 75 cts. Postpaid.

White Fleshed.

Breadstone (Thoroughbred).—This is a great improvement upon the ordinary white rutabaga, being fine grained, of the most delicate flavor, and very early. The root is oval shaped, smooth, and almost without neck. It is becoming a favorite variety everywhere. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

Budlong.—Identical with Breadstone described above.

White Rutabaga.—Similar to the Yellow, with the exception of the color and texture of the flesh; it is large and productive, but being woody and deficient in sweetness, it is never grown by any one acquainted with the Breadstone Rutabaga. The leaves make excellent "greens," and by many persons it is grown simply for this purpose. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 15 cts.; lb., 50 cts. Postpaid.

WITLOOF.

(See Chicory.)

HERBS FOR THE GARDEN

EVERY garden should contain an assortment of herbs, the uses to which they may be put in the kitchen being innumerable. Their cultivation in general requires very little care, and many kinds, being perennial, need to be sown only once. No special soil is necessary, and the harvesting of the crop is exceedingly simple. The seed should be sown as early as possible in spring, the plants thinned to a proper distance, and an occasional hoeing done to prevent weeds and grasses from smothering them at first. The best time for harvesting is just at the time the flowers begin to appear and the drying should be done as quickly as possible in a dark room. If kept in closely corked bottles, the quality of the leaves will be retained much better than if exposed to the air.

Market gardeners with small places near cities will generally find herbs one of the most profitable crops they can raise.

Anise (*Pimpinella Anisum*).—A well-known annual herb, used principally for seasoning and garnishing. Pkt., 5 cts.; oz., 15 cts.

Balm (*Melissa Officialis*).—The leaves of this perennial are fragrant, and are sometimes used for making a tea for cases of fever. Pkt., 5 cts.; oz., 25 cts.

Caraway (*Carum Carui*).—Grown for the seeds, which are used in confectionery, pastries, etc.; the leaves are also sometimes put in soups. The plant will usually yield a fair crop of seed the second season, reaching full productiveness in the third year. In thinning, leave about six or eight inches between the plants. Pkt., 5 cts.; oz., 10 cts.

Catnip (*Nepeta Cataria*).—The leaves of this perennial are used for seasoning, and it is also a tonic for cats. It makes also an excellent pasture for bees. Pkt., 10 cts.; oz., 35 cts.

Coriander (*Coriandrum Sativum*).—A hardy annual, the seeds of which form an important article of commerce, being largely used in the manufacture of liquors, in confectionery, and as a disguise to the taste of medicine. Pkt., 5 cts.; oz., 10 cts.

Dill (*Anethum Graveolens*).—An annual with seeds of a peculiar, pungent taste. They are used in various ways as a condiment, and often added to pickled cucumbers to heighten the flavor. Pkt., 5 cts.; oz., 15 cts.

Fennel (*Anethum Foeniculum*).—An aromatic annual used for flavoring in cooking; also, for making tea for children. Pkt., 5 cts.; oz., 10 cts.

Horehound (*Marrabium Vulgare*).—The leaves and top of this annual are used as a medicine for subduing irritating coughs. Pkt., 5 cts.; oz., 20 cts.

Lavender (*Lavendula Vera*).—A hardy perennial producing long, sweet-scented spikes of flowers, which are used for the distillation of oil, lavender water, etc. The flowers are also dried before they fade, and laid away among linens, to which they impart their characteristic and very charming odor. Pkt., 5 cts.; oz., 25 cts.

Pot Marigold (*Calendula Officialis*).—Grown altogether for the leaves, which are used for soups. It is an annual with snowy flowers. Pkt., 5 cts.; oz., 15 cts.

Rosemary (*Rosmarinus Officialis*).—An ornamental perennial, very fragrant and with a bitter, pungent flavor. It also furnishes an oil for various purposes. The plant yields little until well established in the second season. Pkt., 10 cts.; oz., 40 cts.

Rue (*Ruta Graveolens*).—The acid bitterness of this herb has passed into a proverb. It is a hardy perennial, and will do as well on poor, thin soil as elsewhere. Rue has medicinal virtues as a stimulant and antispasmodic, but should never be used without proper authority. Pkt., 10 cts.; oz., 40 cts.

Sage (*Salvia Officialis*).—A hardy perennial, the leaves of which are plucked about the time the flower stalks are forming, then spread in a dark room and dried as quickly as possible. Its uses in dressings, etc., have made this the best known and the most extensively cultivated of all herbs. The seeds should be sown in rich soil as early in the spring as possible, a foot or more being allowed between the plants after thinning. Pkt., 5 cts.; oz., 20 cts.

Sweet Marjoram (*Origanum Marjorana*).—The leaves of this perennial are used both when green and after drying. Pkt., 5 cts.; oz., 15 cts.

Summer Savory (*Satureia Hortensis*).—A useful culinary herb, the dried leaves and flowers of which are put in dressings and soups. It is a hardy annual, and should be cultivated like Sweet Marjoram. Pkt., 5 cts.; oz., 15 cts.

Sweet Basil (*Ocimum Basilicum*).—An annual producing seeds which have nearly the flavor of cloves; the seeds, stems and tops of shoots may be used for sauces and stews. Pkt., 5 cts.; oz., 20 cts.

Tarragon (*Artemisia Dracunculus*).—Does not produce seed. We can supply roots in spring or fall, 35 cts. each; \$3.50 per dozen.

Thyme (*Thymus Vulgaris*).—A favorite herb for seasoning, and supposed to possess various medicinal qualities; the plant is perennial, and both leaves and tops of stems are utilized. Pkt., 10 cts.; oz., 45 cts.

Wormwood (*Artemisia Absinthium*).—The leaves of this perennial medicinal herb are highly aromatic, but have the proverbial bitterness of wormwood. They are used as a tonic and vermifuge, for bruises, and also said to be very beneficial to poultry. Pkt., 5 cts.; oz., 25 cts.

BIRD SEED, ETC.


All Prices are Subject to Change without Notice.

Write for Prices on Larger Quantities.

| | | |
|---|-----------------|-----------|
| Canary, for Canary Birds..... | 15 cts. per lb. | Postpaid. |
| Hemp, for Birds, Parrots, Pigeons and Chickens..... | 15 cts. per lb. | Postpaid. |
| Kaffir Corn for Pigeons and Chickens..... | 10 cts. per lb. | Postpaid. |
| Lettuce, for Birds..... | 25 cts. per lb. | Postpaid. |
| Maw (Blue Poppy), for Birds..... | 35 cts. per lb. | Postpaid. |
| Millet, Golden, for Birds, Pigeons and Chickens ... | 10 cts. per lb. | Postpaid. |
| Mixed Seed, for Canary Birds..... | 15 cts. per lb. | Postpaid. |
| Rape, German, for Birds | 15 cts. per lb. | Postpaid. |
| Sorghum Mixed, for Pigeons and Chickens | 10 cts. per lb. | Postpaid. |
| Sunflower, for Parrots, Pigeons and Chickens..... | 15 cts. per lb. | Postpaid. |
| Cuttle-Fish Bone, for Birds..... | 75 cts. per lb. | Postpaid. |

LAWN GRASS SEED

TAIT'S NORFOLK MIXTURE



A Glimpse of a Lawn at Hampton Institute, Va.

For more than a quarter of a century we have furnished seed for the lovely lawns at this famous Institution.

SOME of the most beautiful lawns in America have been made with this mixture of grass seed which has stood the test of many climates, and must not be compared with the ordinary Park Mixtures usually sold. It is the result of nearly fifty years of untiring study and experiment, coupled with the endeavor to give those who appreciate and desire a lawn, a grass-seed mixture that will produce a rich green sod in six weeks after planting, and yet make a fine and thick turf the longer it stands. It is composed of fine-leaved hardy grasses and a little white clover, which will not only stand the heat of summer, but outlive the severest winters. Do not be afraid of sowing grass too thickly, as a heavy seeding always means a better sod. We recommend for ground that has been properly prepared: 1 quart to 150 square feet (10x15); four to five bushels on an acre (44,000 square feet). Price: qt., 25 cts.; 2 qts., 40 cts.; 4 qts., 75 cts.; 1 pk., \$1.25; bush., \$4.75. Postage or expressage extra.

A bushel of our Norfolk Mixture weighs usually 24 lbs., while most lawn grass weighs from 14 to 20 pounds. This should be carefully considered when comparing prices.



SPECIAL LAWN GRASS SEED MIXTURES.

Tait's Shady Place Lawn Grass.—A mixture of grasses that thrive in shaded situations, under trees, or close to walls where there is little sun. Price, per qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.00; pk., \$1.75; bushel of 20 pounds, \$7.00. Postage or expressage extra.

Tait's Seaside Lawn Grass.—A mixture of fine grasses peculiarly suited to seashore lawns. Price, qt., 30c.; 2 qts., 50c.; 4 qts., 90c.; pk., \$1.50; bus. of 24 lb., \$6.00. Postage or expressage extra.

Tait's Terrace Lawn Grass.—A mixture of fine stoloniferous grasses peculiarly adapted to terraces. Price, qt., 30c.; 2 qts., 50c.; 4 qts., 90c.; pk., \$1.50; bus. of 20 pounds, \$6.00. Postage or expressage extra.

Tait's Golf Link Grass.—A mixture of hardy grass, adapted to golf courses. Price, qt., 30 cts.; 2 qts., 50 cts.; 4 qts., 90 cts.; pk., \$1.50; bushel 24 pounds, \$6.00. Postage or expressage extra.

Tait's Putting-Green Mixture.—A mixture of extra-fine grasses, that will make a close, firm, green and lasting turf, which will improve with trampling. Per qt., 35 cts.; 2 qts., 60 cts.; 4 qts., \$1.00; pk., \$1.75; bushel of 24 pounds, \$7.00. Postage or expressage extra.

Tait's Polo-Grounds Mixture.—A mixture of fine-leaved and deep-rooting grasses, forming a strong and lasting turf that will stand hard usage. Per bushel of 20 pounds, \$4.00. Postage or expressage extra.

SUGGESTIONS FOR THE MAKING AND CARE OF LAWNS.

IT must not be supposed that by sowing grass seeds at any season of the year in soil of any character, and in any state of cultivation or neglect, a durable, attractive turf is to be formed. From the beginning the lawn is both troublesome and expensive, and even when obtained it is, like liberty, preserved only by "eternal vigilance." The coarser natural grasses and weeds will take possession unless kept down, and wherever, from any cause, a bare spot is formed it will rapidly enlarge unless repaired.

As in housebuilding, so in the making of a lawn—a good foundation must be secured or the rest of the work will be entirely wasted, and too great care cannot be exercised in preparing the ground before sowing. Have it broken deeply by spading or plowing, since the roots must be able to penetrate quite eighteen inches in order to keep the grasses growing through the scorching days of July, August and September. If the ground is not already very rich, give a liberal application of fertilizer, avoiding the use of stable manure, as it invariably contains seeds of weeds and noxious grasses. Bone meal applied at the rate of 1,000 pounds per acre is best for the lawn, as it feeds the grass slowly and never produces the "burned" appearance so often noticed after the use of ammoniated fertilizers. Harrow or rake the surface to the finest possible condition and roll until all elevations and depressions have been removed.

In sowing the seed do not be afraid of having the grass too thick. There is no danger of this, and it is to be remembered that the quantities advised hereafter are the minimum.

Rake the seeds in lightly, following with a roller of medium weight, a firmly-rolled surface being absolutely necessary if the ground be dry; small areas may readily be packed firm by the back of a spade. Sowings made in the fall, from the first of September to the middle of November, are most successful, but if deferred until spring, sowings may be made in February, March, April and May.

As the grass begins to grow, it will almost always be accompanied by weeds of various kinds. Seeds of some of these lie in every soil ready to sprout as soon as exposed to moisture, heat and light, and their sudden appearance after the ground has been prepared for the lawn must not be credited to carelessness on the part of the merchant who supplied the grass seeds. Many kinds of weeds are easily taken out by hand when young, especially if attacked when the ground is soft and wet, and the utmost care should be exercised to prevent a single weed from going to seed.

When the grass is well set, about four inches high, it should be cut with a sickle or mown with the machine set to avoid cutting too closely, two inches at least being left above the root. After that a cutting every ten days and an occasional rolling will make the grass finer, strengthen the turf, and keep all rank-growing weeds in check. In the heat of summer the mower should be arranged so as to leave ample protection to the roots. Watering must be done with discretion. Unless the drainage is perfect, it is much more injurious to give too much water than to neglect watering altogether, and an occasional saturation is much better than the daily sprinkling commonly thought beneficial. If bare spots appear, they may be patched by breaking the ground about ten inches deep, smoothing the surface, and raking in double the usual allowance of seed. To maintain the vigor and color of the grass, a light top dressing of bone meal two or three times a year is advisable.



GRASSES AND CLOVERS

We Sell Only One Grade—The Best.

As a rule, most people are far too careless with regard to the quality of the grass and clover seeds which they buy. It requires an experienced eye to detect the various grades of these seeds, and, indeed, it is no uncommon thing for us to meet persons who are entirely ignorant that different grades exist. To them clover is clover, whether it be old or new, pure or full of noxious weeds. Like everything else, grasses and clover may be had to order at any price, but the farmer who thinks that he has saved money by buying cheap seeds need feel no surprise if he fails in getting a stand, or if his fields are covered the next season with weeds previously unknown.

We desire to call especial attention to the fact that grass and clover seeds are usually offered for sale in three grades of quality—prime, choice, fancy—according to purity, germination and weight, and that the price of the best grade is often double that of the ordinary, and is well worth it. We handle only the very highest grade, preferring to dispense with the custom of those who are satisfied with the lower grades, rather than risk injury to the reputation enjoyed by our house. The purity and freshness of our grasses and clovers may be relied upon with the same confidence that is universally felt with regard to the garden seed sent out by us.

The market prices of these seeds are constantly changing; quotations by mail or wire furnished upon application. They are sold strictly net cash, and quotations are invariably "F. O. B. Norfolk," subject to change without notice.

December, 1915.

Bulletin No. 107.

Page 31

TABLE No. III.—Continued.

| Laboratory No. | Name and Address of Seedsman and Name of Seed. From Whom and Where Collected. | Labeled. | G. Guaranteed. F. Found. | Percentage. | | Inert Matter. | Foreign Seed. |
|---|--|----------|-----------------------------|----------------|----------------|---------------|---------------|
| | | | | Purity. | Germination. | | |
| 11751—True Dwarf Essex Rape No. 4, Geo. Tait & Sons, Norfolk, Va... | | | G. F. | 93.00 99.45 | 94.50 |55 | |
| 11753—Orchard Grass No. 4, Geo. Tait & Sons, Norfolk, Va..... | | | G. F. | 80.00 90.51 | 86.00 | 8.33 | 1.16 |
| 11756—Perennial Rye Grass, No. 4, Geo. Tait & Sons, Norfolk, Va... | | | G. F. | 95.00 97.31 | 86.00 |63 | 2.06 |
| 11762—Wheat, Leap's Prolific No. 4. Geo. Tait & Sons, Norfolk, Va... | | | G. F. | 95.00 98.98 | 95.00 |74 |28 |
| 11757—Alfalfa American No. 4, Geo. Tait & Sons, Norfolk, Va..... | | | G. F. | 98.00 99.60 | 96.80 |33 |07 |
| 11759—Alfalfa Imported No. 4, Geo. Tait & Sons, Norfolk, Va..... | | | G. F. | 95.00 99.32 | 83.80 |40 |28 |
| 11761—Sapling Clover No. 4, Geo. Tait & Sons, Norfolk, Va..... | | | G. F. | 75.00 98.94 | 93.00 |48 |58 |
| 11763—Winter Rye No. 4, Geo. Tait & Sons, Norfolk, Va..... | | | G. F. | 95.00 97.75 | 96.00 | 1.87 |38 |
| 11764—Medium Red Clover No. 4, Geo. Tait & Sons, Norfolk, Va..... | | | G. F. | 95.00 99.40 | 93.10 |52 |08 |

This Page from the last report of the State Department of Agriculture shows the grade of Agricultural Seeds we supply.



Special Grass Mixtures for Meadows and Pastures.

WE HAVE many inquiries from those who have been led to buy ready-made mixtures, or have made experiments of their own, and have found that certain varieties of grass will do better than others on their land. As it is nearly impossible to make a mixture that will be satisfactory until the location, condition of soil and purpose for which wanted are known, we shall be pleased to have our customers consult with us regarding varieties suitable for their particular land; or, if they have certain varieties to include in their mixture, we are only too pleased to serve them in this way, for we have, on pages 97-102, a very complete list of fancy varieties of grasses and clovers, of which we always carry a large stock, and will put up any mixture desired. We have facilities for executing all such orders promptly.

GRASSES.

Bent, Creeping (*Agrostis Stolonifera*).—One of the great advantages of grasses of this nature is that the roots seem to grow all the better for being constantly trampled, and it is seldom indeed that Creeping Bent Turf is destroyed by hard usage. It grows rapidly, spreading over the ground like a carpet, and, being both fine-leaved and well-colored, is excellent for lawns. Height, 12 to 18 inches. 14 lbs. to the bushel. Price on application. For an acre, 50 pounds.

Bent, Rhode Island (*Agrostis Canina*).—Our principal use for this grass is in mixtures for lawns, for which it is very suitable. It does not yield at all heavily in most places, but what pasture is afforded by it is of the finest quality. Through the bending and subsequent rooting of the stems it spreads over the ground rapidly, and eventually forms an excellent turf. In general appearance it resembles Red Top, but the flower is smaller and more delicate. The stems root most freely in moist soil, although the grass thrives perfectly in dry situations. The quantity of seed advised per acre is calculated for a pasture; if intended for a lawn twice as much should be sown. Height, 12 to 18 inches. 16 pounds to the bushel. Price on application. For an acre, 40 pounds.

Bermuda (*Cynodon Dactylon*).—While there can be no question as to the value of this grass in the extreme South, where indeed it furnishes the best pasturage which can be had from the barren sandy soils so common in Florida and some of the neighboring States, we can not endorse the extravagant claims made as to its general usefulness. It is exceedingly dwarf, and the long, creeping stems, rooting at every joint, soon cover the ground with what seems almost like a thickly woven mat of green leaves and stems. Abuse, such as would soon destroy other turf, leaves Bermuda Grass flourishing, and its use in maintaining embankments of all kinds is naturally suggested. Nothing could be better for preventing washing on railway tracks or for holding the sea in check on wasting shores. Summer homes on the coast where the absence of soil makes lawn grasses worthless may yet be surrounded by a green sward, to the benefit and indefinite gratification of the eye, since Bermuda Grass seems entirely at home on a waste sand. For this purpose alone it has a usefulness not to be lightly estimated. If sown on good soil, the growth is, of course, more rank, and under such conditions the yield is considerable, but it is really an improved "wire grass," and one should be careful about introducing it indiscriminately; eradicating Bermuda Grass is not always as easy as getting it established. Height, 6 to 12 inches. 36 lbs. to the bushel. Price on application. For an acre, 10 pounds.

Blue, Canada (*Poa Compressa*).—This hardy grass should not be confused with the better known Kentucky Blue Grass, and may be easily distinguished by its flattened, wiry stems and more vivid coloring. In quality it is inferior to the Kentucky variety, but it is hardier and better adapted to sandy and gravelly soils. When frequently cut or grazed, it forms a close turf and makes an excellent early pasture for cattle. 14 lbs. to the bushel. Height, 10 to 18 inches. Price on application. For an acre, 30 to 40 pounds.

Blue, English.—See Meadow Fescue.

Blue, Kentucky (*Poa Pratensis*).—This grass, which in different parts of the country is known under various names, such as June Grass, Green Grass, etc., flourishes most in limestone soils and in somewhat shaded situations. It requires several years to become thoroughly established, but when once well set is permanent; and will endure the hottest summers, spreading with such rapidity that eradicating it is often a matter of considerable difficulty. The leaves are rather too short to be useful for hay, but as a pasture it is extremely valuable, being tender and nutritious. Blue Grass is unsurpassed for its velvety appearance and lovely color, and is therefore used as the basis for most fine lawn mixtures; but whether intended for pasturage or for a lawn, it should be sown thickly upon well-prepared ground, covered thinly, and the surface rolled if possible. Height, 10 to 18 inches. 14 lbs. to the bushel. Price on application. For an acre, 25 to 35 pounds.

Cocksfoot.—(See Orchard.)

Crested Dog's-Tail (*Cynosurus Cristatus*).—One of the grasses whose stoloniferous or creeping roots enable them to endure hardships too severe for ordinary kinds. If once started on dry hillsides or similar situations where turf-making is difficult, in a short time it will have



such hold that prolonged drought only can destroy it. In rich soil, it of course flourishes luxuriantly and furnishes excellent pasturage, especially if in combination with other grasses. It is rarely sown alone except in very shady situations where other lawn grasses suffer for want of sunshine. Height, 1 to 2 ft. 30 lbs. to the bushel. Price on application. 30 pounds to an acre.

Fescue, Meadow (*Festuca Pratensis*).—This grass, which far surpasses most varieties in nutritious matter, does not attain its full productive power until two or three years after sowing. It grows, like Orchard Grass, in tufts, and is therefore undesirable where a turf is wanted. For permanent pasture or for hay it is one of the best grasses, being available very early in the spring, and starting a new growth quickly after cutting. It cures easily and is relished by stock both in that state and when green. The best crops are obtained from sowings made in September or October, and well-drained land should be selected. In some localities this is known as Randall Grass, and in other places as English Blue Grass. Height, 3 feet. 22 lbs. to the bushel. Price on application. For an acre, 30 to 40 pounds.

Fescue, Red or Creeping, True (*Festuca Rubra*).—A creeping-rooted species forming a close and lasting turf, and especially adapted for dry, sandy soils. It resists extreme drought, and thrives on very inferior soils, gravelly banks and exposed hillsides. It is also valuable for shady places in lawns, as well as for golf-courses and for binding shifting sands on the seashore. Height, 18 to 24 inches. 22 lbs. to bushel. Price on application. For an acre, 30 to 40 pounds.

Fescue, Sheep (*Festuca Ovina*).—Another useful member of this valuable family of grasses, and a special favorite in localities where the soil is too shallow and poor to support such varieties as Orchard, Tall Meadow Oat, etc. Although exceedingly dwarf, it is very hardy, and by making almost worthless lands good pastures for close-grazing animals long ago earned the name by which it is best known, Sheep Fescue. In parts of Virginia and North Carolina there are thousands of unprofitable acres which would yield a handsome return if sown with this grass. Height, 6 to 12 inches. 22 lbs. to the bushel. Price on application. For an acre, 30 to 40 pounds.

Fescue, Tall Meadow (*Festuca Elatior*).—One of the best of the Fescues, and now almost as well known as the Meadow Fescue. It is a strong grower, and in rich, moist soil is enormously productive, making fine hay as well as furnishing the best pasturage; in dry situations it is apt to be disappointing, and we would advise instead the use of Sheep Fescue. Height, 3 to 4 ft. 20 lbs. to the bushel. Price on application. For an acre, 30 to 40 pounds.

Herd's.—See Red Top.

Johnson Grass.—See Index.

Lawn Grass.—See Index.

Millet, German.—See Index.

Millet, Hungarian.—See Index.

Millet, Pearl.—See Index.

Sudan Grass.—See Index.

Oat, Tall Meadow (*Avena Elatior*).—A very valuable grass, which matures early in the season and produces an abundant supply of foliage. It is a perennial which grows from three to three and a half feet high, according to the strength of the soil, thriving especially on dry, light loams. As a feed, it may be somewhat inferior to the finer grasses, but stock eat it with relish at all times. The hay is very easily cured and keeps well, three crops being sometimes made in the season. Sowing may be made in either spring or fall with success, although the yield will be much heavier and more constant if the plant gets a start before winter. With or without mixture it makes good



Tall Meadow Oat Grass.


hay, but it is especially recommended for permanent pasture. Eighteen pounds of Oat Grass, fourteen pounds of Orchard, and five pounds of Clover will usually give excellent results. In some sections it has been given the name of "Evergreen Grass," and under that disguise is sold at fancy prices. Height, 2 to 4 feet. 12 lbs. to the bushel. Price on application. For an acre, 30 to 40 pounds.



Orchard (*Dactylis Glomerata*).—Orchard Grass, known also as Cocksfoot, is perhaps the very best grass for the South, as it succeeds on almost all soils, makes a luxuriant growth early in the spring, and continues to yield into winter. Like most rapidly growing plants, it is rather coarse if allowed to stand too long, but if kept closely grazed, it has always a fresh, green color, and is keenly relished by all kinds of stock. It is less exhaustive to land than Timothy, and will endure considerable shade, being for this reason particularly adapted to orchards or similar situations. As ripe Orchard Grass makes hay of the poorest quality, care should be taken to avoid sowing it as a hay crop with other grasses which are later in maturing. To secure its full value, cutting should be done while it is in flower or immediately afterwards. Two full cuttings can generally be made each season, and in rainy summers it is possible to get a third crop. A very satisfactory hay is made by sowing it with Medium Red Clover and Tall Meadow Oat Grass, using fourteen pounds of Orchard, five of Clover and eighteen of Meadow Oat. The first cost of seeding land with Orchard Grass is considerable, but as it will last many years if cared for, it makes a really cheap permanent pasture. It grows in tufts, and is consequently unfit for lawns or any place where a tuft is not desired. Height, 3 feet. 14 lbs. to the bushel. Price on application. For an acre, 25 to 35 pounds.

Randall.—See Meadow Fescue.

Red Top or Herd's (*Agrostis Vulgaris*).—A native grass of splendid qualities, which takes its name from the panicle of purplish-red flowers produced by it. Sown alone or in mixture with clover and other grasses it makes a very fine permanent pasture, being tender and palatable. All kinds of stock, especially dairy cattle, are fond of it, both green and cured, Red Top and Timothy, making a particularly cheap and good hay, sown at the rate of eight pounds each to the acre. The hay is not so merchantable as Timothy, but is of better quality and seems to draw less heavily upon the strength of the soil. The particular usefulness of Red Top lies in its ability to thrive on lowlands, even those which are subject to an occasional overflow; and that mixture of grasses for such situations should always contain a large proportion of it is proved by the fact that in a few years it will almost invariably supplant the other kinds—a demonstration of “the survival of the fittest.” We advise the use of the fancy cleaned seed, which, being separated from the chaff, is much more easily sown. Height, 18 to 30 inches. 32 lbs. to the bushel. Price on application. For an acre, 10 to 15 pounds.



Red Top or Herd's Grass.



Orchard Grass.

Rye, English or Perennial (*Lolium Perenne*).—The English and Continental farmers use this extensively for permanent pasture, and it has been found well adapted to the Southern States. It is valuable here not merely on its own account, but as a protection to delicate grasses, which are less able to resist our scorching summer suns. It forms a remarkably compact turf, and after long experiments with grasses for lawns we have adopted it as an important constituent of our best lawn mixtures. It can be grown on almost all cultivated soils, and being very early, is often used in preference to other varieties of equal productiveness and nutritive value. Height, 18 to 30 inches. 28 lbs. to the bushel. Price on application. For an acre, 40 to 50 pounds.

Rye, Italian (*Lolium Italicum*).—Unlike the invaluable English Rye Grass, this is an annual, and therefore not adapted to use for permanent pastures. It is such a rapid grower however, and so productive that it is coming more and more into general use, especially for winter and early spring grazing. Sown in September, it will in ordinary seasons be well established before cold weather, and in the spring furnish first-class pasturage. It also makes a good grade of hay, and may be usually cut at least three times. The proper time to cut for

hay is just as the bloom begins to appear. It stands dry weather well, and at the same time endures an occasional overflow almost as well as Red Top. Height, 18 to 30 inches. 24 lbs. to the bushel. Price on application. For an acre, 40 to 50 pounds.

Soudan.—See Index.

Sweet Vernal (*Anthoranthum Odoratum*).—Although little used, this is a valuable pasture grass on account of its earliness, few kinds making a quicker start after winter. When dried, it is wonderfully fragrant, and a very small percentage will sweeten hay, much to the gratification of stock; it is usually sown only for this purpose. Height, 12 to 24 inches. Price on application. For an acre, 1 to 5 pounds in mixture with other grass seeds.


Timothy (*Phleum Pratense*).—Hay, with the average farmer, means Timothy Hay, and Timothy is popularly supposed to be the ideal hay grass. In so far as cheapness of seeding, market value, and yield in pounds per acre are concerned, it must be admitted that this grass is almost incomparable, but its quality is certainly overestimated. There are many other grasses well worthy of sharing the place which it occupies as the standard hay grass. It succeeds best in strong, rich clay soils, but will yield well on any land which is not excessively dry and sandy. As a rule, sowings made in the fall give the best results, unless the ground is of such a character that recently sown crops freeze out in winter. On such land sow as early as possible in the spring, in order to secure a start before weeds begin to grow. Timothy flowers rather late, and is generally sown by itself, so that it can be cut in its prime, which is about the time the blossoms fall. It is, however, often sown with Clover and Red Top, the proportions usually preferred being six pounds of Timothy with eight pounds of clover, or, in the case of the grass, eight pounds of the Red Top. Height, 18 to 30 inches. 45 pounds to the bushel. Price on application. For an acre, 15 to 25 pounds.

CLOVERS.


Alfalfa, or *Lucerne* (*Medicago Sativa*).—For many years all experiments with Alfalfa along the Southern Seaboard were practical failures, and it was for a time almost dropped from cultivation in that section. Since the discovery of the effect of inoculating the soil with Alfalfa bacteria, however, the situation has undergone a radical change, and there is no longer any reason why the crop should not be profitable on almost any rich, perfectly drained ground. There are several practical methods of inoculating the soil, and for information on this point, our readers are referred to the excellent treatise on Alfalfa issued by the N. C. Experiment Station, or to the similar bulletins prepared by other stations. Very frequently it will be found that a second trial will be entirely successful when the first sowing on the same ground failed to secure a satisfactory stand, and it is therefore a mistake to hastily decide that certain ground will not suit the crop. One can hardly overestimate the value of Alfalfa where it succeeds, as the yield per acre each season is generally four or five cuttings of about two tons each, while the feeding value of the hay has been scientifically estimated to be worth nearly twice that of the best timothy. In a favorable season, and on good ground, we have known the principal alfalfa grower in the vicinity of Norfolk to make eight heavy cuttings, the field being left in splendid condition for the following year. The hay is remarkably palatable, and it is interesting to observe the eagerness with



Alfalfa



Extra Choice Timothy Seed.



Low Grade Timothy Seed.



which stock eat it, turning away from all other kinds of forage. In Central America one of the staple crops is green Alfalfa, farmers living near cities growing it for market and bringing it in regularly just as our market gardeners do with their vegetables. Droughts which would either destroy or quite stop the growth of ordinary plants have no effect upon Alfalfa, as its roots penetrate to astonishing depths in search of moisture, records of over thirty feet having been made in some of the dry Western States; the effect upon the land of such astonishing root-growth is, of course, highly beneficial. Sowings are made in either fall or spring, and we wish to emphasize the fact that too much care cannot be given to the selection of seed and the preparation of the soil. Almost all of the seed offered in the trade is more or less adulterated, in some cases with the destructive parasite called Dodder, but most commonly with the Yellow Trefoil, a plant of no value at all as compared with Alfalfa. The cleaner the ground the better the stand will be, as young Alfalfa is so slender and delicate that it is easily smothered by weeds. Opinions vary as to the best method of sowing, but most farmers find broadcast sowings less successful than those in drills fifteen or eighteen inches apart, it being a great advantage to be able to cultivate the plants while they are getting established. Cutting should always be done as blooming begins, never allowing the seed to even form, as growth ceases with seeding. After curing, the hay should be handled as little as possible in order to prevent wasting of the leaves. Burr clover is often put with it for inoculating purposes, otherwise it should always be sown alone, and is so valuable as a hay producer that stock should not be turned in to graze it. 60 pounds to the bushel. Price on application. 30 to 40 pounds per acre.


Alsike (*Trifolium Hybridum*).—The Hybrid or Swedish Clover, extensively grown in the Western and Northern States and Canada. It yields where it succeeds enormous crops, but in most parts of the South it has not done very well. Its blossom is similar in shape to that of White Clover, but the color is a very beautiful pink, the honey made from them being even more delicious than that obtained from White Clover. It is a true perennial, but of shorter life than White Clover. Land which has become "clover sick" will sometimes produce a fine crop of Alsike. 60 pounds to the bushel. Price variable. For an acre, 10 pounds.

Bokhara (*Melilotus Alba*).—Sweet Clover in many parts of the country is seen growing wild, especially along the roadsides, seeds having been brought over in various ways from southern Europe. As it grows three or four feet high, it has some value for forage, but when grown here as a crop, it is almost always sown as a bee pasturage. For this purpose it is really very desirable, the honey produced being extremely aromatic and well flavored. Weight, per bushel, 60 pounds. Price on application. For an acre, 15 pounds.


Burr (*Medicago Maculata*).—Whether this so-called clover will ever be useful in Virginia and North Carolina as it undoubtedly is further south remains to be seen, as up to this time comparatively little has been used north of Georgia. For winter and early spring pasturage, however, it seems to have



Alsike Clover.



Extra Choice Alfalfa Seed.



Low Grade Alfalfa Seed.




considerable merit, as it grows very rapidly whenever the weather is at all moderate, and is liked by all stock. Prof. Massey, the well-known agricultural expert, recommends it in very strong terms for use with Alfalfa, as he has found its presence very beneficial to the latter, and we are not sure but that this will prove to be its strongest claim upon farmers. It may also be sown to advantage in cornfields, just as cowpeas are used, the effect upon the soil being marked. In the far South, Burr Clover is often used in connection with Bermuda Grass in order to have an all-the-year-round pasturage, in many instances the burrs containing the seeds being merely broadcasted over the Bermuda Grass sod after the surface has been thoroughly scarified. It needs to be sown only once, reseeding itself each summer, and becoming more firmly established every season. The seed may be bought both cleaned and in the burr, but Prof. Massey advises that it be always sown in the burr. Weight, per bushel, cleaned, 60 pounds; in the burr, 14 pounds. Price on application. For an acre, 10 to 15 pounds.

Crimson or Italian (*Trifolium Incarnatum*).—This valuable Trefoil, erroneously known in some parts of the South as "German" Clover, has long been a standard crop in Italy and Southern France, being the main reliance for green feed, while also very valuable when cured. In recent years Southern farmers have begun to really appreciate it, and it is destined to play an important part in the renovation of the lands now lying waste on every hand. It grows from a foot and a half to three feet high, and has dark-red blossoms, which unlike those of other clovers, are long and coneshaped. The stem is much smaller than that of Red Clover, and when grown for hay is apt to fall over unless partially supported by oats or some other stronger plant. In Virginia and North Carolina, where it is becoming more and more popular, sowing is begun about the first of August and continued until the last of October. Later than this, there is danger that cold weather will come before it has had time to get well rooted. A very common practice is to sow the seeds in the furrows of corn and cotton fields at the time of the last cultivation, an excellent plan, as the seed always makes a much better start when sown in land which has been worked shortly before, and so needs nothing more than the harrow; sown in a freshly plowed field, the seeds are apt to get too far below the surface, or else to germinate before the soil settles, in which case the young roots may shrivel before getting a hold. Many failures to secure a stand are due to the latter cause, and even where Crimson Clover is used alone it is always worth while to plow first, allow time for the soil to settle after a rain, and then break the crust with thorough harrowing. The seed should not be covered too deeply, and in dry weather rolling is very advantageous. Once thoroughly set, it is very hardy, and grows with such vigor that by early spring it will yield a heavy cutting. Several more crops can be made the same season, but as the plant is an annual, resowings every year are necessary. For winter pasture nothing could be better than a mixture of Rye and Crimson Clover, it being much better for the purpose than the ordinary Red Clover. In Northern States Crimson Clover is sown in the spring, but in this latitude it is advisable to depend altogether upon fall sowing. 60 lbs. to the bushel. Price on application. For an acre, 15 to 20 pounds.

Crimson, White Blooming.—Later than the regular Crimson Clover, with white bloom. More desirable for hay or forage. 60 lbs. to the bushel. Price variable. For an acre, 15 to 20 pounds.

Japan (*Lespedeza Striata*).—Not really a clover, but commonly known only by that name. It is a perennial, growing about twelve inches high and thriving in any soil of the South. Greatly exaggerated statements have been made as to its qualities, the most valuable of which is its ability to live through the driest seasons in soils which would support nothing else. Hillsides subject to washing may often be sown to advantage with the *Lespedeza*, as its roots have a most tenacious hold, but we do not recommend it for land that will produce any other crop. The hay is of very indifferent quality, but if pasturage is scarce stock will eat it readily when green.



Crimson Clover.




A few seeds scattered over an acre will soon cover the ground, as it spreads rapidly, often becoming a nuisance to the man who sows it and to his neighbors. Price on application. For an acre, 5 to 10 pounds.

Mammoth Red (*Trifolium Pratense Perenne*).—Known also as Pea Vine or Sapling Clover, and in England as Cow Grass. It is a vigorous perennial plant, making a growth of from four to six feet. The stalk is so coarse that when cured, stock usually reject all except the leaves, and it is rarely sown in mixture with grasses. On account of its ability to "catch" on a poorer soil than is usually required for ordinary clover, it is adapted to reclaiming land which has become exhausted, but for this purpose Crimson Clover will usually give still better results. 60 lbs. to the bushel. Price on application For an acre, 15 pounds.


Medium Red (*Trifolium Pratense*).—The common clover which is indispensable on every well-managed farm. Apart from its great value as a forage plant, it is one of the cheapest and most effective mediums of restoring fertility to worn-out lands, as it has, in common with all other clovers, the faculty of absorbing nitrogen from the air. Through the enormous development of roots, it greatly loosens and ventilates the earth, bringing up rich mineral constituents from the subsoil and leaving them available for subsequent crops. The turning under of the entire plant with its foliage is, of course, still more beneficial, on account of the humus obtained. Clover may be sown on any good land, but heavy loams and clay soils are best adapted to it, and there is no danger of any land becoming "clover sick" if a rotation of crops is pursued. The finest permanent pastures are made by using it in connection with Orchard Grass, Oat Grass, or the Fescues, a favorite mixture in the Southern States being fourteen pounds of Orchard Grass with eight pounds of clover. It produces excellent hay when alone or with grasses, but is cured more easily and with less risk of spoiling if in mixture. The cereals also such as oats, wheat, or rye, are sometimes seeded down with clover, but not always with desirable results. Sowings made in the fall, from the 10th of September to the 20th of October, will generally be well set before winter, and if conditions are favorable, in condition to use in early summer. Avoid cutting or pasturing too closely in either late summer or late autumn, as more or less foliage is needed for protection during the summer and winter. If the soil has a tendency to "throw out" crops in freezing weather, sowings in the spring will usually be safest, although there is then more danger of trouble with weeds. The ground should be put in excellent condition and the seed covered with a light harrow. 60 lbs. to the bushel. Price on application. For an acre, 15 pounds.

Sweet, White Blooming.—See Bokhara.

White Dutch (*Trifolium Repens*).—Every permanent pasture should, and all natural pastures do, have more or less White Clover. It is adapted to all soils, and having deeply-reaching roots, is able to endure long seasons of drought. A small proportion of it is usually added to mixtures of grasses for lawns, and where expense is a consideration, the grasses may be entirely dispensed with. A heavy seeding of White Clover alone will give a close, firm, and durable turf, in which the low natural grass will, after a while, make its appearance. Weeds are seldom able to interfere with its growth, and if an occasional cutting or mowing is made, a really handsome sward can be obtained. 60 lbs. to the bushel. Price on application. For an acre, 10 pounds.



Extra Choice Red Clover.



Low Grade Red Clover.



THE BEST FIELD CORNS

Prices of all Corns are cash F. O. B., Norfolk.

Especial attention is called to the fact that our quotations are for quarts, dry measure, that contain much more than the liquid measures commonly sold in the trade.

Parcel Post rates, see page 5. Corn weighs by Parcel Post, qt., 2 lbs.;

2 qts., 4 lbs.; 4 qts., 8 lbs.; pk., 15 lbs.

WHITE VARIETIES.

Tait's Thoroughbred Early.—We have pleasure in offering a new early white corn which will be of much value to all farmers, not only for "Roasting-ears," but as an early field corn. A shade later than Tait's Norfolk Market, it is longer, larger and more productive than any corn of equal earliness, a large proportion of the stalks bearing two ears. It is a vigorous, rapid grower, averaging eight feet in good soil, and so far has shown no sign whatever of any kind of blight, being evidently of a very robust constitution. The ears usually have about fourteen rows, sometimes running as high as eighteen, and the grain will be found much thicker and heavier than that of most early varieties. For use as a market green corn, it will undoubtedly prove profitable on account of its showy attractiveness, but we cannot claim for it the unique beauty of our Norfolk Market, whose dainty, pearly grain gives it a position all its own. It often happens that some disaster to the regular corn crop necessitates replanting with some very early kind, and for such purpose we are sure Tait's Early is far superior to any ever in cultivation, as its fine ears will mature perfectly in less than eighty days. Pt., 10 cts.; qt., 20 cts.; 2 qts., 30 cts.; 4 qts., 45 cts.; pk., 75 cts.; bush., \$3.00.

Tait's Thoroughbred Norfolk Market.—Our famous early corn, a full description of which will be found in the vegetable department. We suggest that those who are unacquainted with it learn what is claimed regarding its qualities, as there is no exaggeration in stating that it has really revolutionized the early corn crop. Pt., 10 cts.; qt., 20 cts.; 2 qts., 30 cts.; 4 qts., 45 cts.; pk., 75 cts.; bush., \$3.00.

Trucker's Favorite (Thoroughbred).—A standard early white variety, useful both green and dry, but less desirable than Tait's Early and Norfolk Market. Pt., 10 cts.; qt., 20 cts.; 2 qts., 30 cts.; 4 qts., 40 cts.; pk., 65 cts.; bush., \$2.50.


Perfected Dent (Thoroughbred).—We have now had a thorough test of this new Virginia selection from the White Dent, and there can be no question of its usefulness on any land in high cultivation. We do not recommend it for thin soils, but under suitable conditions it will give a splendid yield, and, on account of its earliness, may be planted a full week later than most white corns of equal size. The ears, which are often twelve inches long, average fourteen rows, the grain being of fair length. Qt., 15 cts.; 2 qts., 25 cts.; 4 qts., 40 cts.; pk., 65 cts.; bush., \$2.50.

Virginia Mammoth (Thoroughbred).—This remarkably handsome selection, bred up from the well-known Horsetooth, always finds a more ready sale than any field corn on our list, and never disappoints the farmer who puts it on good soil. We know of no corn which can show so handsome a grain, and it is very satisfactory as to productiveness. In earliness it does not compare with the early yellow varieties, but where this is not an important point it may be unreservedly commended as the most perfect white corn in existence. Qt., 15 cts.; 2 qts., 25 cts.; 4 qts., 40 cts.; pk., 65 cts.; bush., \$2.50.

Palmetto.—Identical with the "Horsetooth" and not so good as Virginia Mammoth described above.

Boone County Mammoth (Thoroughbred).—All authorities unite in ranking this as one of the best white field corns for general use. It produces handsome ears an inch or more larger than the average good corn, the rows running from eighteen to twenty-four, and the cob is of only medium size; the grain is deep, and the ears generally filled quite over the tips. On rich soil, both stalk and foliage make a strong, heavy growth, making it very desirable for ensilage. In earliness it will be found several days ahead of most standard white varieties. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Hickory King (Thoroughbred).—This splendid stock of white field corn, which is becoming more popular every season, is a remarkable example of the possibilities of plant breeding, since in a typical ear the end of a broken cob may be entirely hidden by a single kernel, the effect being to most people quite startling. If there is any other corn which could even approximately stand this test of the proportion of grain to cob we have never seen or heard of it, and do not believe any such stock exists. It is of medium earliness, and if the soil be really



Thoroughbred Hickory King Corn.
Note the single grain covering the cob.



good, there will be an average of two ears to the stalk. Investigation satisfies us that it is by long odds the best field corn which could be chosen for land which is rather thin, for even on such soils the ears will run from seven to nine inches in length, the explanation lying, of course, in the fact that so little of the plant is sacrificed to the cob. We wish to direct special attention to the individuality of our Thoroughbred selection of this corn, as it is in no sense identical with the common Hickory King, having a larger ear, a smaller cob, and much larger grains. In yield per acre on good soil it of course falls far short of the best yellow corns. Qt., 15 cts.; 2 qts., 25 cts.; 4 qts., 40 cts.; pk., 65 cts.; bush., \$2.50.

Cuban Giant Ensilage (*Thoroughbred*).—Combining the creamy quality of the Tuscarora with the rank growth of the Red Cob Ensilage, this enormous corn can hardly fail to become a standard for ensilage purposes. The close-set kernels are pure white, very broad and long, and of particularly strong vitality, two ears being frequently found on one stalk. Immense quantities of fodder are produced and, as this is almost as sweet as that of sugar varieties, dairymen will find it a great milk maker. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

YELLOW VARIETIES.

Tait's Thoroughbred Golden Wedge.—The grain of this bright yellow corn approaches the ideal size and proportions more nearly than any other variety we have ever seen, and we find that the same impression has been made upon all the farmers who have seen it on the ear. The grain being a real wedge—very long and tapering—is packed around the cob in such a way as to secure the maximum amount of grain to the ear, while in weight and attractiveness of color it holds its own with any of the standard field varieties. Qt., 15 cts.; 2 qts., 25 cts.; 4 qts., 40 cts.; pk., 65 cts.; bush., \$2.50.

Mortgage Lifter (*Thoroughbred*).—This has already become a leading field corn throughout the South succeeding in almost all soils. The ear is large, the grain deep and heavy, and it ripens about the same time as the Early Mastodon, being thus available for planting after the potato crop has been harvested. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Surprise (*Thoroughbred*).—A very fine dent corn of the Mortgage Lifter type, with shorter grains and larger cob. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Mastodon Dent (*Thoroughbred*).—The Early Mastodon—so named for its immense ears—is a cross between the White Cap and the Early Rose Dent, and the originator, who is one of the most experienced corn growers in the United States, regards it as one of the finest of all yellow corns. Although of such size, it is no less remarkable for its earliness, being from two to three weeks earlier than the Golden Beauty. The cob is large and, in wet seasons, sometimes fails to cure perfectly, especially if planted late. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Tait's Thoroughbred Golden Dent.—This selection from the Yellow Dent will be found quite distinct from the original stock, and in most respects decidedly superior. It is a stronger grower, averaging more than one ear to the stalk under the best conditions, and is several days earlier as well as larger. The ear is long and the color and weight exceptionally good. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Tait's Thoroughbred Golden Beauty.—One of the best known standard yellow field corns' not particularly early but producing large ears, with very deep golden grains and cobs of moderate size. Our stock is very carefully selected and perfectly true to type. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Improved Leaming (*Thoroughbred*).—Many varying types of the Leaming are to be had, so that the name does not really mean a great deal. The selection we offer has been bred to develop depth of grain and length of ear, and as it can be easily grown in less than one hundred days, we commend it particularly to farmers who live in sections where the growing season is short. The cob is red, and the grains deep orange in color. Although the stalk is slender and not above medium size, it makes an abundance of excellent fodder. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

White Cap Yellow Dent (*Thoroughbred*).—The small, short stalk and scanty leafing of this corn give little promise of the really handsome ear which appears in due time. It is much liked by those who do not care to use the fodder, being very early as well as productive. The kernels are bright amber yellow at the tip and white on the outer end, making it very distinct in appearance. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$2.00.

Bloody Butcher (*Thoroughbred*).—The color of this famous corn is an odd mixture of yellow and red, the spattered effect being such as to suggest the startling name of "Bloody Butcher." The ear is extraordinarily long and thick, the kernel of good shape and unusual weight, and in every essential respect, including earliness, it ranks very high indeed. It has done well in Virginia, and we anticipate a steady increase in the demand for it. Qt., 10 cts.; 2 qts., 15 cts.; 4 qts., 30 cts.; pk., 50 cts.; bush., \$4.00.



COTTONS.

Price of Cotton is cash, F. O. B. Norfolk, and subject to change without notice.

Planting cotton seeds without the least regard to the parent plant has been only too common throughout the South, but we are glad to note now a much keener interest on the part of planters to avail themselves of every improvement in the quality of staple and productiveness. The various Southern experiment stations deserve much credit for the change, and it would be difficult to exaggerate the value of their work in connection with cotton. Many fine selections have been bred in recent years, so that it is now possible to get varieties which will clean up over forty pounds of lint to each hundred pounds of seed cotton, and upwards of three hundred bolls will often be found on a single plant. The old three-lock boll has given place to types which produce five locks, and there are several kinds which will average two bolls per joint. Out of the hundreds of more or less distinct varieties, we have endeavored to select those possessing the greatest number of desirable points, and we hope the list will interest many farmers now growing the old and very inferior stocks. If reasonable notice be given us, we will usually be able to supply any other kind desired. The long-stapled cottons are not recommended for sections north of South Carolina. 30 lbs. to the bushel.

WITH SHORT STAPLE.

CULTURE.—The cultivation of cotton varies considerably, of course, according to the locality and soil, but in general the ground should be prepared by thorough plowing and harrowing, with rows forty to fifty inches apart, five feet being given where the land is unusually rich. Seeding is best done with the cotton planter, and the young plant should be thinned to about eighteen or twenty inches in the rows; if the ground is very rich, two plants may be left in a hill, but otherwise only one. Frequent shallow cultivation is necessary to keep the surface free from crust, and planting should never be done until danger of frost is passed. For an acre, 1 to 1½ bushels.

Simpkin's Early Prolific (Medium Boll).—This is evidently a selection from the King's, as a large percentage of the flowers bear the well-known red spot of the King's, but it is a full week earlier in maturing. The bolls are also larger and it is a heavier and surer cropper. Pk., 50 cts.; bushel, \$1.25. Price for large quantities on application.

King's (Medium Boll).—This standard variety holds its own against the newer cottons, many of the best of which were bred from it, as evidenced by the King's characteristic red spot in the center of the bloom. It is one of the earliest kinds, maturing in ninety days, and is invaluable for sections where the growing season is short. No cotton is so popular with the large planters of North Carolina, and its use in the extreme South is becoming more extensive now that the boll weevil is such a menace, especially to cottons whose slow maturing gives a long exposure to damage. We are inclined to think, however, that Simpkin's Prolific will before long be recognized as even better than this, since it is still earlier and more productive. Pk., 50 cts.; bushel, \$1.25. Price for large quantities on application.

Mebane's Triumph (Large Boll).—No cotton with large bolls equals this in earliness, and it has been found to resist drought particularly well, owing to the length of the roots. Pk., 50 cts.; bush., \$1.25. Price for large quantities on application.

Toole (Medium Boll).—Although several days later than the King's in maturing, this fine Georgia selection has been making wonderful yields every year since its introduction, and competent judges believe it to be the best type of Prolific in cultivation. It is of rank growth and resists drought better than most kinds. Pk., 50 cts.; bush., \$1.25. Special prices for large quantities.

WITH LONG STAPLE.

Allen's Improved.—Next to the famous and absolutely unrivalled Sea Island Cotton, this furnishes the best lint for fine thread, and where long-stapled cottons thrive, it should have a careful trial. Pk., 50 cts.; bushel, \$1.50. Price for large quantities on application.

Floradora.—Great claims for yield and quality of fibre are made for this South Carolina selection, single plants of which have produced several pounds of seed cotton. It deserves the attention of all growers of this type of cotton. Pk., 50 cts.; bushel, \$1.50. Price for large quantities on application.

Sunflower.—One of the long-stapled cottons introduced by the Agricultural Department, and now very well known throughout the far South. The fibre is fine but very strong, and it always brings a high price. Pk., 50 cts.; bushel, \$1.75. Price for large quantities on application.

Sea Island.—No description is needed of this wonderful cotton, the lint of which will sometimes be two inches in length. It is altogether unique, and cannot be grown to perfection except in its native islands, but more or less is annually produced in Georgia and South Carolina, using island seed. The seed we offer was taken from Island Cotton, and any grower who wishes to experiment with this variety can find no better stock. Pk., \$1.00; bushel, \$3.00. Price for large quantities on application.



GRAIN.

Standard Varieties Useful in the South.

Barley.—The great value of Barley for winter pasturage has not been generally recognized as yet, but many Southern dairymen have adopted it as one of their main crops for this purpose, using it also for hay. If the ground is reasonably strong, it may be firmly established before winter, and will bear almost continuous grazing until late spring, the beneficial effect upon milch cows in particular being most noticeable. If intended to be cured for hay, the head should not be allowed to form. Sowings are made both in summer and fall, and sometimes it is broadcasted when corn or cotton crops are "laid by." 48 lbs. to the bushel. For an acre, 2 bushels. Per bushel on application.

BUCKWHEAT.

48 lbs. to the bushel. For an acre, 1 bushel.

Japanese.—A distinct variety, earlier and more productive than the Silver Hull. The plant is large and vigorous, and the flour made from it is of the best quality. Like all buckwheats it will thrive where few other plants will. In excessive hot weather buckwheat is liable to blight, and the seed should not be sown in the latitude of Norfolk before the middle of July. It may be sown either in drills or broadcast. Prices variable.

Silver Hull.—Up to the introduction of the Japanese, the favorite sort, but now less desirable in every way than that variety. Prices variable.

OATS.

32 lbs. to the bushel. For an acre, 2 bushels.

Stella.—This new white spring oat, maturing in about ninety days, promises to out rival the well-known Burt oat. It is a wonderful yielder, and every farmer should give it a trial. Price per bushel on application.

Burt, or Ninety Day.—Probably the best spring oat for general use in the South, and now very largely grown in Virginia and the Carolinas for both hay and grain. Planted in February, March and April they can usually be relied upon to mature in time to avoid all injury from heat, and the grain is free from rust. Per bushel on application.

Bancroft.—Maturing a little later than the Burt Oats, this variety has become very popular in the past few years, especially for spring planting. Per bushel on application.

Virginia Gray Winter.—A general favorite in the South for fall planting, and much used for winter pasturage as well as for the grain. It is a hardy variety of very vigorous growth and stools finely, making a better turf than any other kind. Sown in September or October, they will be well set before cold weather and may be grazed freely throughout the winter. Spring sowings in March will give very good results, and our customers will find them far more productive than the ordinary spring oat. Price variable. Per bushel on application.

Red Rust Proof.—No description is needed of this standard winter oat, as it is almost universally used throughout the South. Per bushel on application.

Appler.—This is a Southern grown type of the Red Rust Proof Oat, and is unquestionably one of the most valuable the Southern farmer can grow, especially if a crop of grain is desired. Appler cannot be considered an early sort, and for that reason should be sown in the fall. Price variable.

RYE.

56 lbs. to the bushel. For an acre, 1½ bushels.

Winter.—For winter pasturage few crops compare with Winter Rye, its adaptability to almost all soils and situations being enough to make it a universal favorite; inexpensive, very productive and of remarkable nutritive value, it can be used to advantage on every farm where stock is kept, and we strongly recommend that all unused land be covered with rye during the winter, as a protection. It also ranks among the best green manures, and is very largely used for that purpose. Per bushel on application.

Spring.—Having a shorter, stiffer straw than Winter Rye, Spring Rye is little used except when the fall crop has for any reason failed. Per bushel on application.

WHEAT.

60 lbs. to the bushel. For an acre, 1½ bushels.

Leap's Prolific.—This Virginia-bred selection of beardless wheat has now established a wide reputation for productiveness and high milling value. We have more demand for it than for all other beardless kinds combined. Per bushel on application.

Fulcaster.—A standard bearded variety, very productive and well adapted to this section. Per bushel on application.

Fulz.—Well known as a very reliable beardless wheat. Per bushel on application.

Harvest King.—One of the finest of the bald wheats, and a general favorite. Per bushel on application.



MILLETS.

German Millet (*Setaria Italica* var.)—The principal claims which can be made for German Millet are its earliness and the enormous yield of hay. Only sixty or sixty-five days are required to mature the plant, and it is usually in the best condition for cutting within fifty days from the time of sowing. Cutting should be done as soon as it blossoms, while the juices are



German Millet.

abundant, and before the numerous small bristles of the flowers become firm, as these, when ripe and hard, are injurious to horses, and it is at the time they are maturing that the plant draws most heavily upon the soil. Most farmers who speak disparagingly of millet do so upon the ground that it is exceedingly injurious to all soils, and that the product is almost worthless. If such persons would sow the seed as thickly as is necessary to make the stem and foliage fine, and would cut it at the proper time, they would find reasons for modifying their opinions. Being very tender, the seed should never be sown until the ground becomes thoroughly warm, and it is best not to sow until hot weather, unless an early crop is especially desired; in this latitude it is not safe to sow after the middle of August. A favorite use for it is in following early potatoes. On such land millet gives an enormous yield and leaves the ground in excellent mechanical condition for a succeeding crop. The soil should be warm, light, rich, and well pulverized to a good depth. If the ground is very rich, sow the maximum quantity of seed advised, proportionately less, according to the strength of the soil. Never put on poor ground. Cover the seed with a light harrow, and if the weather be dry, firm the surface with a heavy roller. There is no comparison between Southern grown seed and Western grown, the former being much more productive and better in quality. We never handle any except Southern seed so long as it is obtainable. Price on application. For an acre, 50 to 75 pounds.

Hungarian Grass (*Setaria Italica* var. *Germanica*).—A variety of millet which in general habit resembles the German, but is less vigorous, though earlier and of finer quality. The yield per acre does not compare with that of the German, and in dry summers it makes an exceedingly short growth; for this reason few of our farmers here care to grow it, although all recognize its superior fineness. Like the German, it is a tender annual, and must not be put in the ground before warm weather, a few cold nights being sufficient to practically ruin the crop. Thick seeding is unnecessary, as the

stem has no tendency to coarseness. Sow in the same way as German Millet and cut before the seeds are well formed. Price on application. For an acre, 1 to 50 pounds.

Pearl, or Cat-Tail Millet (*Penicillaria Spicata*).—Although long well-known to the farmers of Georgia and Alabama, it is only in the last fifteen years that Cat-Tail Millet has come into general use and popularity; indeed so ignorant was the general public regarding it that thousands of farmers have been deceived into buying the seed as a high-priced novelty, tons of the seed having been sold by unscrupulous dealers at one dollar per pound. Although rather coarse, it is one of our most valuable forage plants, being enormously productive on rich soil, and there are many farmers who would scarcely know how to do without it now. It grows from eight to ten feet high, and yields several crops each season, a vigorous growth starting immediately after each cutting. When cultivated for fodder, it should be sown in drills about three feet apart and thinned to a foot apart in the row, May and June being the best months for sowing. The plant throws out a great many shoots, and does best if not crowded. It is relished by all kinds of stock and is extremely nutritious. Price on application. For an acre, 6 pounds in drills, 25 pounds broadcast.



PEANUTS.

Prices of peanuts are always cash F. O. B. Norfolk, and subject to change without notice. Our friends will kindly notice that it is impossible for us to guarantee the germination of peanuts, as we do with all vegetable seeds, although we use the utmost care to supply only perfect seed.

CULTURE.—Peanuts will do well on most Southern farms, provided lime is not lacking, but without an abundant supply of lime they cannot be successfully grown, 1,000 to 2,000 pounds being often put upon an acre with good results; soils rich with marl of course require no liming. Special peanut manures are prepared by the various fertilizer manufacturers and a liberal use of these at the rate of 200 to 300 pounds per acre will greatly increase the yield. Planting may be done in the latitudes of Virginia and North Carolina as early as April and as late as the first week of June. If the season is late, avoid planting too soon, as the nuts are apt to rot if lying in cold, wet soil. Fallow the ground, roll it well and make drills two to two and a half feet apart; plant the nuts (removed from the shell) ten to twelve inches apart, with one or two nuts to the hill, covering about one inch with drag or by pressing the soil over them with the foot, unless the regular peanut planter be used. Care must be taken to avoid breaking the skin on the nut, as it is necessary for protection during germination. When the vines are started, thorough cultivation must be begun and continued until the nuts are beginning to form. If the season is dry, an application of plaster is beneficial, as it absorbs moisture from the air and protects the surface from baking. The ends of the vines should be loosened as much as possible at each working in order to prevent their taking root, the object being to force the plant to make good nuts near the stem, and the branches should be pegged down at each joint. In harvesting the crop, the roots are loosened from the soil by a plow-point made for the purpose, the vines pulled up with the nuts attached and left to dry in the field for a day, being then stacked with the nuts downward around a firmly-set six-foot post. If thick sticks are placed at the vase of the stock to keep the vines from resting on the ground they may be left in that condition as long as desired. While the peanut vine or bush is excellent for feeding, its fertilizing value if left on the ground is such that we recommend leaving all on the land for that purpose. For an acre, 2 bushels.

DWARF.

Mammoth Virginia Bush.—This is by far the most profitable of dwarf varieties, as the nuts are almost as showy as those of the Running Jumbo. 22 lbs. to the bushel. 20 cts. per lb. Postpaid. Per 100 pounds on application.

Spanish.—Land which would not make ten per cent. of a crop of the Jumbo will often produce excellent Spanish nuts, and they require very little cultivation. The rows should not be more than thirty inches apart, and eight inches apart in the row will allow them ample room. Unless the acreage is very large, it is not worth while to shell them before planting, the usual plant being to merely break the little shell in two, each half containing one pea. They are very easily gathered, the nuts clinging firmly to the roots at harvest, and no kind cures so readily. Immense quantities are now grown simply for hogs, hardly any food being more fattening or wholesome. 30 lbs. to the bushel. Lb., 20 cts., postpaid. Per 100 pounds on application.

RUNNING.

Running Jumbo.—The retail peanut trade—which, after all, absorbs the bulk of the peanuts, strange as it may seem when one considers the quantity annually produced—ranks this immense nut above all others on account of its showy attractiveness, and it is always the least affected by depressed markets, demand invariably exceeding the supply. It is especially adapted to light, sandy soils, and under the best cultivation will often produce over one hundred and twenty-five bushels per acre. The seed we offer is Virginia grown, every nut picked from the roots by hand to avoid injury to the germ, and growers should appreciate the opportunity to secure really fancy seed peanuts. We beg to caution our readers that so-called Jumbos very frequently prove to be only a mixture of large-sized nuts picked out of perhaps a dozen kinds, some dwarf and some running. 22 lbs. to the bushel. 20 cts. per lb., postpaid. Per 100 pounds on application.



Spanish Peanuts.



SORGHUMS.

Prices for Sorghum Seed are cash F. O. B. Norfolk, and subject to change without notice.


Early Orange.—This has been found the best for stock feeding, since it produces the strongest stalks and is less liable to lodge than any of the other saccharine sorghums. It may be planted at any time from the middle of April to the 1st of August, being of such rapid growth that it is ready for feeding in sixty days. When sown for hay, it is well to seed not less than two bushels per acre, in order to secure a fine growth of stalks and the maximum yield with least waste. It is claimed that on good soil there is no trouble in getting upwards of five tons of cured hay per acre. It may be sown broadcast, but will be much more uniform if put in with a wheat drill. Sorghum is very slow in curing, and is left on the ground for a week and a half if the weather be fine, or for twice that length of time if there is much rain. It suffers very little injury from such exposure, and has been known to make good hay after remaining wet for a long time. Opinions vary as to the best time for cutting, but it is best done when there are signs of ripening, as it then cures better than when green. After drying in windrows for two or three days it may be put in the barn. When grown for summer feeding it should be grown in drills two and a half to three feet apart with about eight stalks to the foot, or in drills two feet apart, with a dozen or more stalks to each hill. Twelve pounds per acre are sufficient for this method. Five pounds per acre when grown for syrup. Lb., 15 cts., postpaid. Per 100 lbs. on application.

Sugar Drip.—This sorghum is said to make a larger yield of syrup than either Amber or Orange, and of a decidedly better quality. Since the making of syrup is not so difficult, this sort should encourage its making not only for the home, but for local markets as well. For forage it is the equal of either of the other varieties, but not quite so early as the Orange. Lb., 15 cts., postpaid. Per 100 pounds on application.

Early Amber.—An early productive variety which grows from eight to ten feet high, the name being taken from the clear amber color of the syrup, which is of the best quality. As a forage plant it is very valuable, and affords on rich soil two or three cuttings during the summer. Sow in drills two feet apart and cultivate as corn. For an acre, ten pounds in drills, or five pounds if sown for syrup; two bushels if sown broadcast for hay. Lb., 15 cts., postpaid. Per 100 lbs. on application.

Rural Branching, or Millo Maize.—This sorghum, which is non-saccharine, flourishes in the hottest weather, growing in a bush-like form and throwing out suckers from all the lower joints. The foliage procured is of fair quality, and may be cut at any stage for green feed or cured for fodder. Make the drills four feet apart, sow the seed thinly, and cultivate as corn. For an acre, five pounds. Lb., 15 cts., postpaid. Per 100 pounds on application.

White Kaffir Corn.—This sorghum, which is a native of Southern Africa, is low, perfectly erect, and quite distinct from the other non-saccharine varieties, branching from the top joints instead of stooling from the root. It may be cured, the stalk as well as blades, into excellent fodder, but if wanted for this purpose should be cut as soon as the first seed-heads come into bloom; if sown as soon as the ground is warm, a second crop may be made afterwards. It is available for green feed from early in the season to winter, and is greatly relished by all kinds of stock, its nutritive value ranking very high indeed. The grain is produced on heads about one foot long, and may be fed to poultry or ground into a flour very useful for stock feed. Sow in rows three feet apart and cultivate as corn, or broadcast for forage, either alone or with cowpeas. For an acre, five pounds in drills, or fifty pounds broadcast. Lb., 15 cts., postpaid. Per 100 pounds on application.



Early Orange Sorghum.

The words "THOROUGHbred SEEDS" being a registered trade-mark (U. S. Patent Office No. 51052), and the word Thoroughbred being also a registered trade-mark (U. S. Patent Office No. 92011), all persons are warned against their use in connection with the advertising or sale of seeds. We solicit the help of our friends in the detection and punishment of infringements of our copyright.



TOBACCO.

CULTURE.—One ounce of tobacco should produce at least 10,000 plants if sown properly. It is advisable to sow as early as possible, the usual custom being to make a large fire over the place intended for the seed-bed in order to destroy weed seeds. The ground is put in the finest possible condition, the seed sown broadcast on the surface and pressed down firmly with a plank or the back of a spade, after which the bed must be protected by cottons or other covering. When the seedlings get five or six inches high, they are transplanted in rows four feet apart, with three feet between the plants. Cultivate thoroughly.

Sterling.—The earliest bright yellow tobacco, and one of the best in quality. Splendid for wrappers; does best in stiff soil. Pkt., 5 cts.; oz., 30 cts.; 2 ozs., 50 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00; postpaid.

Improved Yellow Oronoko.—A variety of much merit, developed by careful selection from the Old Standard Yellow Oronoko, used for high-grade filler. Its growth is large, but erect, and its leaves, while large, are of the finest texture. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00; postpaid.

Warne.—A splendid variety for bright yellow wrappers. Grows to a large size and holds itself up well. The leaf is of good size and very fine grained. It is tough, silky, and is one of the best varieties when properly grown and is a very popular sort. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00; postpaid.

Improved Long Leaf Gooch.—In this variety we have an ideal tobacco for Eastern North Carolina and South Carolina, and a portion of Georgia. It is adapted to sandy soils, grows unusually large, producing a large, broad leaf of No. 1 quality, cures well, and makes more pounds to the acre than most varieties. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00; postpaid.

White Burley.—A large, broad leaf, light colored tobacco with thick, porous leaves; raised very extensively in Kentucky and is becoming a prime favorite in Virginia on account of its porous quality; is especially recommended for fillers, best suited to limestone soil. Pkt., 10 cts.; oz., 35 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00; postpaid.

Connecticut Seed Leaf.—One of the hardiest varieties of tobacco and excellent for cigar wrappers. It is best for sections where the tenderer and finer kinds do not succeed. Pkt., 5 cts.; oz., 20 cts.; 2 ozs., 30 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00; postpaid.

MISCELLANEOUS FIELD SEEDS.

Prices of all these Seeds are Cash "F. O. B. Norfolk," and subject to change without notice.

Broom Corn (Improved Evergreen).—This variety grows about eight feet high, has a permanent green color, and is practically free from crooked, irregular brush. It succeeds best on strong, deep soil with good drainage, and as cold is very injurious, sowings must not be made until the ground is warm. To keep the brush in good shape it is necessary to bend the head down about the time the seeds mature. Drill in rows three feet apart and cultivate as ordinary corn. For an acre, five pounds. Lb., 20 cts., postpaid. Per 100 lbs., on application.

Canada Field Peas.—These are very valuable for stock feeding, and are being more largely used each season. They are put at the rate of two bushels to the acre broadcast, being usually sown with oats, a combination which is extremely satisfactory. A bushel and a half of each to the acre is sufficient, the peas, of course, being ploughed in to the usual depth and the oats put in afterwards with a harrow. Sowings may be made as early as February in ordinary years, and it is usually safe to put them in at any time up to the middle of March. They make a quick growth and produce an immense amount of the best forage at a time when feed is apt to be particularly scarce. When grown with oats they are very easily cured, and all kinds of stocks are fond of the hay, the nutritive value of which is remarkably high. Price on application.

Spanish Chufas—A special nut grass largely grown in some sections for feeding to hogs for which purpose they are highly recommended. After the crop is grown, hogs may be turned into the field, thus saving the labor of harvesting and feeding. Chufas do best on light, sandy soil, or rather soil that does not contain too much clay, except as a sub-soil. They should be planted in drills two and a half to three feet apart, dropping from three to five Chufas in a hill 15 to 20 inches apart, cover about two inches, keep clean and stir the soil occasionally. If for any reason an imperfect stand is obtained, the plants may be transplanted. Level culture is the best. They are very productive, nutritious and fattening. They can be planted in May, June or early in July. Pkt., 10 cts.; lb., 35 cts.; postpaid. Write for prices on larger quantities.

Flax (Linum Usitatissimum).—Flax is very sensitive to cold and should not be sown until all danger from frost is past. When sown for the fiber two bushels are usually sown to an acre. Price variable.

Hemp (Cannabis Sativa)—Grown for its fiber, from which many commodities are manufactured. For an acre broadcast one and a half bushels. Lb., 15 cts.; per hundred pounds on application.

Mangels—See index.

Rape, Dwarf Essex (Thoroughbred).—An excellent forage plant, especially for sheep and hogs, and grown extensively for them in Europe, though little known in this country until



recent years. It grows with wonderful rapidity, being usually ready for pasturage six or eight weeks after sowing, and an acre is said to support a dozen sheep for more than a month, poultry also revelling in it. Almost any soil will grow it, and the yield per acre is simply enormous, more than twenty tons per acre having been often produced on good ground. Stock feeding upon Rape should be supplied with salt freely. When young it makes a delicious, tender, sweet salad, being often sown solely for this purpose. Sow from early summer until late fall, putting six pounds to the acre broadcast, or three pounds in drills. We offer the genuine Dwarf Essex, importing it ourselves, and can guarantee its freedom from mixture with the inferior annual variety. 1 lb., 20 cts., post-paid, or 10 lbs., \$1.50; 25 lbs., \$2.50; 100 lbs., \$9.00; F. O. B. Norfolk.


Rape, Dwarf Essex.—As usually sold, lb., 15 cts.; post-paid, or 10 lbs., \$1.25; 25 lbs., \$2.00; 100 lbs., \$7.00; F. O. B. Norfolk.

Soja, or Soy Beans (*Soja Hispida*).—Tests of the nutritive value of Soja Beans demonstrate that they are decidedly superior to cowpeas for feeding purposes, and we do not wonder that the demand each year is increasing enormously. It is now recognized as one of the most important forage crops for the South, as well as a nitrogen gatherer of the greatest value. The plant thrives in hot, dry weather, and does equally well on heavy and light soils, leaving the ground in a condition of extraordinary cleanliness; few crops are so good for smothering filth of any kind, and almost any weed can be entirely eradicated by two or three successive years of Soja Beans sowed thickly. Growing erect, with a stout stalk, they are very easily harvested, but if desired, the vines may be left standing and stock turned into the field to feed upon them. Two or three crops of Soja Beans turned under will literally transform poor land, and it is the greatest of pitics more are not so used throughout the South. The best time for planting is about the month of May, when corn would be put in, but immense quantities are planted as late as July. We strongly recommend all farmers to sow them in the corn fields at the time of the final cultivation. One and a half bushels are not too much per acre when the crop is to be cut for hay or forage, or for soiling, as it is a great advantage to have the stalk and branches fine. Many farmers now sow Soja Beans and Cowpeas together, using about three pecks of each per acre, and the combination is regarded as very successful, since the cowpeas are thus supported and harvesting facilitated. Eight to ten quarts are put to the acre in drills three and a half feet apart when a crop of matured beans is wanted. Price on application.

Mammoth.—Seeds, straw yellow—The most popular of soja beans for forage purposes. A little later in maturing than some of the other varieties, but produces large quantities of both forage and seed.

Wonderful.—Black seed—Earlier in maturity than the Mammoth Yellow, very prolific and producing a better quality of hay.

Sunflower, Mammoth Russian (*Helianthus Annuus*).—This enormous variety is a great improvement on the native sunflower, being much more vigorous and productive. It is adapted to almost any soil and situations, and there are few farms that could not spare some field for it which would otherwise lie unused. The flower heads frequently measure a foot and a half across, and are packed at maturity with large plump seeds, marked with black and white. In some countries immense acreages are grown simply for oil, which may be extracted from the seed, a hundred bushels of which can be easily produced on an acre of rich ground, but the principal use made of them here is in poultry feeding. Poultry are extremely fond of the seed, and when thus fed fatten more rapidly, perhaps, than on any other food. In addition to the value of the seed, the leaves are used for forage and the stalks for fuel. Plant in drills three or four feet apart, with eighteen inches between the hills,



Sudan Grass.



and cultivate the same as corn. When the seeds are hard, cut off the heads and pile them loosely in a well-ventilated place to cure; they may then be easily threshed out and cleaned. For an acre, six pounds. Pound, 15 cts, postpaid. Per 100 pounds on application.

Sudan—Introduced from Africa a few years ago, this grass has become quite popular in the Southwest, where conditions are unfavorable for growing other grasses successfully. The plant closely resembles Johnson Grass, except that it does not have the rootstalks by which that grass spreads from year to year, and being an annual, could never become the pest that Johnson Grass is. It grown from four to seven feet high, stools remarkably, and can be cut at least three times during a season. It is finer in growth than sorghum, and will produce more and better hay than millet. Being a warm weather plant, and in the latitude of Norfolk in drills, it should not be sown before May, or later than July. It is easily mowed, and cures readily. When sowed in drills eighteen inches apart four to six pounds are required to an acre, or about twenty five when sown broadcast. As it is extremely difficult to tell the seed from that of Johnson Grass, only seed that has been tested for purity and germination should be sown. The seed offered by us has been thus tested. Lb., 20 cts, Write for prices on larger quantities.

Stock Beets—See index.

Teosinte (*Reana Luxurians*).—A Central American fodder plant which is becoming more popular each year. It bears, in general appearance, considerable resemblance to Indian corn, but the leaves are longer and broader, while the stalk contains a sweet sap. The growth is exceedingly rapid, and it will often attain a height of twelve or more feet, an amazing number of shoots being produced by each plant, the stalks thickly set with succulent and nutritious foliage. Like most other plants of its kind, Teosinte is very sensitive to cold, and should, therefore, be grown only in warm climates, and sowing deferred until the danger of frost is past. In favorable seasons several cuttings may usually be made. Make the rows three feet apart, dropping two or three seeds every twelve inches. We feel sure that all who need crops of this sort will be pleased with Teosinte, having never yet received an unfavorable report regarding it. For an acre, four pounds. Oz., 5 cts.; 2 ozs., 10 cts.; $\frac{1}{4}$ lb., 20 cts.; lb., 65 cts.; postpaid. Per 100 lbs. on application.

Velvet Beans (*Dolichos Multiflorus*).—Among the newer forage plants this stands very high, as it is probably the most productive of its class and the best adapted to really poor soils. The growth is little less than marvelous, the vines attaining a length of ten or more yards, while the pods are borne in enormous clusters. All the Experiment Stations unite in declaring its nutritive value to be remarkable. For an acre, 3 pecks. Price on application.

100 Day—A very early variety that has a strong vine producing purple flowers in clusters. The pods are about three inches long, containing speckled beans that are nearly round. Prices variable.

Yokohama—A newer sort said to be as early, and more prolific than the 100 Day. The flowers are purple, and the pods are three times as large as the 100 Day. The beans are nearly flat and of a mottled grey color. Prices variable.

Vetch, Sand, Hairy, or Winter (*Vicia Villosa*).—After the most thorough tests the best informed farmers now consider this one of the most valuable, if not the most valuable, of forage plants within the reach of Southern farmers. Good authorities claim that it will yield from six to ten tons of green food to the acre, and its nutritive value has been determined to be much greater than clover. It makes good and easily cured hay, and is perfectly hardy, thriving on poor, arid, sandy soil, while on rich soil it makes a growth of five or more feet. Any kind of grain may be sown with it, to support the vines, but rye or oats will be found most satisfactory, and we think particularly good results will be obtained from 50 lbs. of Vetch with one and a half bushels of Virginia Gray oats, sown in September or early October. It is available for use a remarkably long time, as it is green through the winter and remains in condition until the middle of July, all stock eating it with the greatest relish. If desired, it may be cut very early in the spring and the ground thus released for early plantings of other crops. Price on application. For an acre, 60 to 75 pounds.

White, or Navy Beans.—If saved bright, these are usually a most profitable crop, and there is no reason why more should not be grown in the South. Being perfectly dwarf and very prolific, an enormous quantity can be produced on an acre, and there is little cost of cultivation. As the weevil is likely to attack beans harvested during warm weather, it is best not to plant before the last of June. The ground should be well prepared by plowing and harrowing and drills made about two and a half feet apart, the beans either drilled or dropped by hand, being covered a little less than two inches. Deep cultivation is undesirable, and it is only necessary to keep the surface well loosened. When the majority of the pods have turned yellow, the plants should be pulled up by the roots and after being left for a day or two to dry, spread in the barn until thoroughly cured. After threshing, fan and hand-pick if possible, as a fine sample will sell much more readily and at a far better price. In Carolina they are often very profitably used for replanting missing hills in the cotton fields. For an acre, three pecks. Qt., 25 cts., postpaid. Price in large quantities on application.

FLOWER SEEDS

*A Select Collection
for Southern Gardeners*



GARDENERS in the Southern States who have been successful with vegetables, roses, bulbous plants, etc., often make a serious mistake when they begin the cultivation of flowers from seed. Instead of ascertaining the kinds best suited to our hot climates they are apt to make a selection at random from some comprehensive list which describes the flowers as they are in their perfection. Meeting with failure for this reason, they become discouraged, and perhaps abandon what might have become one of the most intense of their pleasures. In the arrangement of this list it has not been our endeavor to secure variety at the expense of discrimination, but it will be found to contain most of those which are of real value in the South.

Annuals are raised exclusively from seed. They bloom and die the same year.

Biennials live two years, flowering usually in the second. Many kinds, if sown in the fall, will show bloom the following spring.

Perennials are herbaceous plants, lasting three or more years, with the same blooming habits as the biennials. Perennials marked "tender" should be taken from the ground before freezing weather, stored away from frost, and reset in the ground as soon as danger from cold is past.

GENERAL DIRECTIONS FOR SOWING FLOWER SEED.

SOWING IN THE OPEN GROUND.

Hardy.—The varieties designated as Hardy may be sown as early as the 10th of March, unless the season is backward.

Half-Hardy.—Those which are Half-Hardy should not be risked until the ground becomes warm under the surface; about the middle of April in ordinary years.

Tender.—A few are marked Tender, and they may be sown during May.

In sowing flower seed a very common mistake is made in covering them too deeply. The seeds are, as a rule, extremely small, many almost as fine as dust, and a safe rule is to cover them their respective thickness. This is best done by simply pressing them into the soil, which must be finely pulverized, with the palm of the hand or a board.

Some varieties have seeds large enough to produce a vigorous root, and such may be covered from one-quarter to one-half inch, according to their size.

Never fail to press the earth firmly over the seeds, and a piece of bagging laid on the bed will prevent excessive evaporation or damage from washing rains while the seeds are germinating.

Hardy annuals may be sown where they are to bloom, but, unless otherwise cautioned, it is always preferable to transplant.


The height which each variety may be expected to attain is included in its description as a guide to the most effective arrangement when different kinds are placed in the same bed or border. The taller flowers should be placed in the rear to avoid the choking of the smaller and less vigorous kinds.

SOWING INDOORS.

For those who have neither greenhouse nor conservatory, and desire early flowers, we advise shallow boxes filled with rich, loamy soil, and placed in a warm window as the best method of starting flower seeds. As the plants grow, give plenty of air and sunlight and avoid excessive watering. When large enough to handle, transplant into new boxes or pots, so as to have strong plants ready to go in the garden when danger from frost is past.

**ABRONIA UMBELLATA.**

A charming trailing plant with sweet-scented lilac flowers formed in a head like that of the Verbena. It remains in bloom for a long time, and is very useful for hanging baskets, or for any particularly dry situation. The husk should always be removed from the seed before sowing in order to facilitate germination. Half-hardy annual. 5 inches. Pkt., 5 cts.; oz., 30 cts.



Sweet Alyssum.

ACROCLINUM.

One of the most beautiful of the Everlastings, robust in habit, and adapted to almost any good soil. They are very desirable for winter bouquets, and when grown for this purpose should be cut as they begin to expand, being allowed to dry in the shade. The flowers are shaped much like field daisies, and are either white or a lovely rose-color. Half-hardy annual. 2 feet. Mixed. Pkt., 5 cts.; oz., 30 cts.

AGERATUM MEXICANUM.

(Floss Flower.)

The wild Ageratum is familiar to every one who notices the plants along our Southern roadsides, its tiny blue tufted flowers being often so massed as to show many square yards of solid color. The cultivated varieties are splendid for large clumps, and are adapted to almost any situation. The Dwarf Imperial which we offer blooms more freely than any other Ageratum, and is one of the plants available for bouquets both winter and summer. Half-hardy annual. 8 to 12 inches. Pkt., 5 cts.; oz., 50 cts.

AGROSTEMMA.

(Rose of Heaven.)

Although a perennial, the Agrostemma blooms the first season, and is fine for cutting as the flowers are produced on long slender stems. Being not unlike some of the single Dianthus, it is often called the Mullein Pink. Hardy perennial. 2 feet. Mixed. Pkt., 5 cts.; oz., 30 cts.

ALYSSUM.

A hardy annual which begins to flower when very young, and is literally covered almost all the season with its sweet white flowers. It is especially adapted to borders or for rock work in the summer. Sweet Alyssum may also be used effectively in window boxes for winter blooming. Height, 6 inches. Pkt., 5 cts.; oz., 30 cts.

Little Gem.—This is the prettiest variety, being so dwarf and full of bloom that it has been aptly named "The Carpet of Snow." 4 inches. Pkt., 5 cts.; oz., 50 cts.

AMARANTHUS.

Caudatus.—Graceful plants, which are very ornamental in the border, and are highly valued by landscape gardeners for use in little nooks, etc. The blossom being a long raceme, drooping and blood-red in color, lends itself effectually to grouping with cut flowers. Half-hardy annual. 3 feet. Pkt., 5 cts.; oz., 30 cts.

Globe.—A familiar old Amaranthus much admired for its stiffly decorative effect in the garden, and also useful when dried. The heads will retain their beauty of color for years, if gathered before the bloom is too far advanced, and dried carefully in a dark closet. The flowers are produced in great profusion, and exhibit a wide range of brilliant colors. Half-hardy annual. 2 feet. Mixed. Pkt., 5 cts.; oz., 30 cts.

Salicifolius.—A fine foliage plant which grows in pyramidal form and is most suggestive of a fountain of colored water. The leaves when fully grown are about a foot in length and

one-quarter inch wide, beautifully undulated, their color changing as the plant matures from green to orange red. It is a half-hardy annual, attaining a height of four feet when planted in rich soil. Pkt., 5 cts.; oz., 75 cts.

Tricolor.—The "Joseph's Coat" is one of the most valuable of the Amaranthus family, the showy reds, yellows, and greens of its leaves being very effective wherever color is desired. It is of trim, upright growth, and looks well when planted singly. Half-hardy annual. 3 feet. Pkt., 5 cts.; oz., 50 cts.

ANTIRRHINUM, OR SNAPDRAGON.

This useful border plant, which is an old favorite, has been greatly improved in late years, and is now one of the most effective of flowers, either singly or in clumps, the colors being remarkably fine; it is also excellent for cutting, few flowers being more decorative than these picturesque spikes. If the seed is sown early, Snapdragons, though perennial, will bloom the first season. The seed we offer is the finest French stock, and we are sure that those who are not familiar with the improved Snapdragon will be delighted with it. Half-hardy. 2 feet.

Giant Pink.—Pkt., 10 cts.; oz., \$1.00.**Giant Red.**—Pkt., 10 cts.; oz., \$1.00.**Giant White.**—Pkt., 10 cts.; oz., \$1.00.**Finest Mixed.**—Pkt., 5 cts.; oz., 50 cts.

Giant Variegated.—These are particularly pretty, the large blossoms being brilliantly striped and blotched. Pkt., 10 cts.; oz., \$1.00.

ARCTOTIS GRANDIS.

The appearance of this remarkable new annual is well suggested by the name which has been given it—the Blue-Eyed African Daisy—and it is likely to become one of the greatest favorites everywhere, its luxuriant growth being an especial recommendation to those gardeners who are not usually successful with flowers. It grows very rapidly, making a handsome bush about three feet high, the foliage somewhat suggestive of the "Dusty Miller." The flowers—after three inches across—are pure white, with a bright blue center, surrounded by pale gold, the under side of the petals being pale lilac. No one with flower borders should overlook such an acquisition. Hardy annual. 3 feet. Pkt., 10 cts.; oz., 70 cts.

ASTERS.

In the South the aster sometimes fails to reach the perfection developed in cooler climates, but this does not prevent its being among the very choicest of our summer flowers.



Crego Aster.

DISCOUNT—Purchasers sending cash for Flower Seed in packets only may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



In beauty of form and color they have few rivals, and their usefulness as cut flowers makes them very useful for market as well as for the home garden. Many small gardeners earn from a thrifty bed of asters far more than could have been realized from the same space in vegetables and with perhaps less trouble and expense. If planted in a place not too hot, they require little care, the black aster beetle being the worst enemy, and these are so easily seen that it is an easy matter to pick them off before damage is done. A mulch around the roots will be found very beneficial during hot weather, and water should be given freely when needed. We offer a carefully selected list of the handsomest ones and suggest the use of both early and late kinds in order to lengthen the season. Half-hardy annual. 1 to 2 feet.

Comet.—This distinct class of branching Aster is of vigorous growth, and has flowers very much like some of the feathery Japanese chrysanthemums. All the outer petals curve outward irregularly, giving a curious but remarkably artistic effect.

Light Blue.—Pkt., 10 cts.; oz., \$2.00.

Pink.—Pkt., 10 cts.; oz., \$2.00.

Red.—Pkt., 10 cts.; oz., \$2.00.

White.—Pkt., 10 cts.; oz., \$2.00.

Mixed.—Pkt., 10 cts.; oz., \$2.00.

Crego Aster.—The twisted and curled petals of this variety give the flower the appearance of a huge flat chrysanthemum. The flowers are the largest of any Aster we know of; often measure 5 inches in diameter. The strong erect stems average 15 to 20 inches in length. Though the flowers are large they are produced in abundance.

Crimson.—Pkt., 15 cts.; oz., \$2.50.

Rose.—Pkt., 15 cts.; oz., \$2.50.

White.—Pkt., 15 cts.; oz., \$2.50.

Mixed.—Pkt., 15 cts.; oz., \$2.50.

German Quilled.—The familiar double Aster, with quilled petals, very reliable, but less beautiful than some of the newer kinds. Mixed. Pkt., 5 cts.; oz., 50 cts.

Globe Paeony Flowered.—Very similar to fine Paeonies, and of lovely colors. Mixed. Pkt., 10 cts.; oz., \$1.00.

Ostrich Feather.—A unique race characterized by petals of such delicacy and exquisite form that the flower suggests at once the name which has been given it. No description can really convey any adequate idea of their charm and decorative value. The stems are long and, under good cultivation, the flowers will measure as much as four inches in diameter.

Crimson.—Pkt., 10 cts.; oz., \$1.50.

Light Blue.—Pkt., 10 cts.; oz., \$1.50.

Rose.—Pkt., 10 cts.; oz., \$1.50.

Violet.—Pkt., 10 cts.; oz., \$1.50.

White.—Pkt., 10 cts.; oz., \$1.50.

Mixed.—Pkt., 10 cts.; oz., \$1.50.

Pyramidal Bouquet.—An excellent variety for bedding. Pkt., 5 cts.; oz., \$1.00.

Pyramidal Paeony Flowered.—These have incurved petals, and are fine for cutting. Mixed. Pkt., 10 cts.; oz., \$1.00.

Queen of the Market.—Especially valuable for early use, as it is ready for cutting a fortnight before most Asters. Being one of the branching asters with long stems, it is valuable for bouquets.

Dark Blue.—Pkt., 10 cts.; oz., \$1.00.

Light Blue.—Pkt., 10 cts.; oz., \$1.00.

Rose.—Pkt., 10 cts.; oz., \$1.00.

White.—Pkt., 10 cts.; oz., \$1.00.

Mixed.—Pkt., 10 cts.; oz., \$1.00.

Truffaut's Perfection.—One of the finest of all types. The flowers are very double, beautifully formed and the long curved petals are of extraordinary size. Mixed.

Light Blue.—Pkt., 10 cts.; oz., \$1.00.

Rose.—Pkt., 10 cts.; oz., \$1.00.

White.—Pkt., 10 cts.; oz., \$1.00.

Mixed.—Pkt., 10 cts.; oz., \$1.00.

Victoria.—A superb Aster growing in a compact pyramid and producing from one to two dozen large flowers with flexible petals. A single blossom will often measure full four inches across, and the colors range from the most delicate shades to deep purple and scarlet. Mixed. Pkt., 10 cts.; oz., \$2.00.

White Rose Flowered.—We commend this particularly for late use, as it comes into bloom about the time most Asters are past their best. The flowers are large and not unlike pure white chrysanthemums. Pkt., 10 cts.; oz., \$2.00.

BACHELOR BUTTON.

(See *Matricaria*.)

BALLOON VINE.

A rapidly-growing climber of attractive foliage, and remarkable for the inflated membranous capsule from which the name Balloon Vine is derived. This peculiarity also suggests its other name of "Love-in-a-Puff." The flower is white and inconspicuous. Half-hardy annual. 10 feet. Pkt., 5 cts.; oz., 25 cts.

BALSAM.

Like many others of the old garden favorites the, "Lady Slipper" or "Touch-me-not" has been improved almost out of resemblance of the original type. While of little value for bouquets, it is certainly a magnificent outdoor plant, with its gorgeous masses of beautiful and brilliantly colored flowers. No flower is more easily cultivated, and it succeeds in almost any good soil. Half-hardy annual. 2 feet.

Camellia Flowered.—A beautiful variety of perfect form and hardly to be distinguished from the Camellia. Mixed. Pkt., 5 cts.; oz., 50 cts.

Double.—A very small percentage of single flowers usually will be found. Mixed. Pkt., 5 cts.; oz., 50 cts.

BALSAM APPLE.

There is little difference between this and the Balsam Pear, except in the shape of the fruit. Pkt., 5 cts.; oz., 25 cts.

BALSAM PEAR.

This vigorous climber has handsome leaves, which give quick and dense shade for verandas, etc., and bears a small yellowish white flower. The orange-colored fruit, which is covered with warty protuberances, bursts open when ripe and turns back, showing bright red seeds. It is a really handsome vine and very interesting to those unfamiliar with it. Preserved in spirits, the ripe fruit is highly valued by old-fashioned people for its supposed value in healing cuts and bruises. Half-hardy annual. 12 feet. Pkt., 5 cts.; oz., 25 cts.



Queen of the Market Aster.

**BROWALLIA.**

A very desirable plant, which produces pretty, delicate flowers in great profusion during summer and autumn. It is excellent for edging or baskets, and may be potted for winter blooming. Half-hardy annual. 1 foot. Blue and white mixed. Pkt., 5 cts.; oz., 60 cts.

CALENDULA.


Whenever a showy mass of color is wanted without much trouble or expense, the *Calendula* will be found most serviceable. It flourishes under almost all conditions, and is in constant bloom until checked by very low temperatures; in this climate, it will often bloom more or less throughout the winter, without the least protection. If potted, or set in window boxes they will brighten a room for the whole winter. The *Striped Meteor*, which we offer, has large double, yellow flowers, each petal striped with orange. Hardy annual. 1 foot. Pkt., 5 cts.; oz., 25 cts.

CALLIOPSIS.

(See *Coreopsis*.)

CALLIRHOE INVOLUCRATA.

An excellent bedding plant, which produces flowers of a purplish crimson color. Blooming commences when the plant is very small, and it continues late in the fall. Hardy annual. 2 feet. Pkt., 5 cts.; oz., 60 cts.

CANDYTUFT.

Rocket Candytuft.

For solid beds, edging or rockeries Candytuft is invaluable, and we receive practically no orders for flower seed from which it is omitted. The blossoms of most kinds being rather inconspicuous except when massed, the best effects are obtained by sowing thickly, but the *Empress* makes fine individual plants, is ideal for window boxes, and indispensable for mixed bouquets. The seeds should be sown where the plants are to remain, and by sowing in the fall, flowers may be had in profusion very early in the spring. Hardy annual. 6 inches to 1 foot.

Empress. A greatly improved Rocket Candytuft which is superior to all others for cutting, as it bears large, pyramidal

trusses of pure white florets. The plant is of strong upright growth and, branching freely, produces an astonishing amount of bloom. Pkt., 5 cts.; oz., 40 cts.

Little Prince.—Extremely dwarf, but with large heads of purest white. It is particularly recommended for pots and borders. Pkt., 5 cts.; oz., 50 cts.

Rocket.—(See *Empress*, described above.)

White.—The standard old White Candytuft. It is much less handsome than the *Empress*, but is still largely used because it thrives almost anywhere without special attention, and is for the whole season one mass of snowy white. Pkt., 5 cts.; oz., 40 cts.

Dwarf Hybrid.—Persons who are familiar with only the white varieties of Candytuft will be surprised by the beauty of these gay hybrids. The colors are exceedingly pretty, and they look well either in borders or beds, being particularly adapted to boxes on account of the long blooming period. Mixed. Pkt., 5 cts.; oz., 50 cts.

PERENNIAL CANDYTUFT.

Hardy, evergreen plants, making a magnificent showing the second year from seed. They bloom very early, cushioning rock ledges, borders, etc., with banks of bloom. Sow outdoors in spring or fall in any sunny place.

Sempervirens.—White flowers remain fresh nearly a month; 1 ft.; pkt., 15 cts.

CANNA.

No description is needed of these splendid plants, as they are perhaps as generally used now as any other flower. The seeds, from which the name of "Indian Shot" is derived, are so extremely hard that before planting they should be soaked for at least twelve hours in warm water. If it is desired to keep the roots over winter, take them up before frost and store in a warm place, or cover the ground with a thick coating of manure. Half-hardy perennial. 3 to 6 feet. Mixed. Pkt., 5 cts.; oz., 25 cts.

CANNA ROOTS.

For descriptive list see index under Summer Flowering Bulbs.

CANTERBURY BELLS.

Attractive and showy biennials, which succeed best in rich, well-drained soil. The bell-shaped flowers are of beautiful colors and are produced in amazing profusion, a thrifty plant being literally hidden under the blooms. As the plants grow to a considerable size, branching widely, care should be taken in setting them out to allow not less than two feet each way. Small stakes are frequently necessary for support.

Calacanthema.—This is less generally known than the old variety, but in a short time it must necessarily become the favorite. It is a profuse bloomer, and has a singular calyx which extending around the bell, reminds one of a deep saucer holding a cup of the same color. Whether in the garden or potted for the house, it is a strikingly handsome plant. Pkt., 10 cts.; oz., \$1.50.

Single.—The familiar old Canterbury Bell; universally beloved as one of the prettiest of old-fashioned flowers. Mixed. Pkt., 5 cts.; oz., 50 cts.

CARDINAL CLIMBER.

The beautiful lacinated leaves of this vine, with its intense Cardinal red flowers borne in great profusion, make it most desirable for covering unsightly places or for verandas. Pkt., 15 cts.

CARNATION.

In the splendid strains of carnation we offer—all imported from the best French specialists—a remarkably large percentage of the flowers will be perfectly double, all being more or less double. Gardeners who have been buying plants will find it decidedly to their advantage to sow seeds instead, especially now that we have such fine kinds blooming the first year from seed; these, although so much earlier than the old race of carnation, bear comparison with the best of them as to beauty, fragrance and productiveness. In the Southern States Carnations rarely require any protection whatever, although it is generally worth while to throw around them a little loose litter in midwinter. Hardy annual. 1½ feet.

Chabaud's Everblooming.—A veritable triumph of plant-breeding, which puts within the reach of everybody Carnations of high grade. Although of superb size and

DISCOUNT—Purchasers sending cash for Flower Seeds in packets only may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



CHRYSANthemum.

The annual chrysanthemum is of course not to be compared with the magnificent perennials now so largely grown by florists and amateurs, but they have nevertheless abundant charm of their own. The blooming season is from early summer until frost, and their gay colors make beds or borders attractive during those hottest weeks of the summer, when flowers are apt to be scarce. Hardy annual. 1 to 1½ feet.

Double.—These have well-formed, very double flowers of fine colors, and are excellent for bouquets. Pkt., 5 cts.; oz., 50 cts.

Single.—Many gardeners will be surprised to learn that the well-known Paris Daisy or "Marguerite" is a member of the Chrysanthemum family. It needs no description, since, as one of our commonest and most lovely wild flowers, its white and gold stars have been the delight of every one not a stranger to the fields. No flower is more artistic for decorations or so inspiringly fresh in its simple beauty. Pkt., 5 cts.; oz., 75 cts.

Inodorum Plenissimum.—A charming pure white variety very double and in constant bloom. The stems being of good length. It is fine for cutting as well as for the garden. Pkt., 5 cts.; oz., 75 cts.

CINERARIA.

The well-known silver-leaved plant, whose beautiful downy foliage is so much used in ribbon borders and in beds of Coleus or Geraniums. It is a favorite plant for conservatories and window boxes. In potting it for the house, use a rich loam with ample arrangement for drainage. Cuttings root readily under glass. Tender perennial. 1 foot. Pkt., 5 cts.; oz., 40 cts.


CLARKIA.

Very desirable for bedding purposes, as it will grow and bloom freely in any soil. It is a good plan to sow the seed in the fall, so that when spring comes the plant will be ready to break at once into blossom. Hardy annual. 2 feet. Mixed. Pkt., 5 cts.; oz., 20 cts.

COBOEA SCANDENS.

A magnificent climber, growing thirty feet and upwards, if planted in a rich, sunny situation. The flowers are large, symmetrical bells, which, light green when first opened, turn gradually to a fine purple-lilac. The foliage is also handsome, and makes a fine screen for verandas or lattices of any kind. To secure germination of the seed, plant them edgewise in boxes of moist earth, giving no water until they have sprouted. A piece of glass or cloth will prevent evaporation while the seeds are starting. Tender perennial. Pkt., 5 cts.; oz., 60 cts.

COCKSCOMB.



Cockscomb.

Dwarf Queen.—This improved strain attains an immense size when grown in a warm, rich soil, specimens having been known to measure nearly two feet from tip to tip. The heads have the appearance of heavy silk plush and, if cut before maturity, may be dried for winter decorations, the red ones holding their color especially well. Half-hardy annual. 1 foot. Mixed. Pkt., 5 cts.; oz., \$1.00.



Chabaud's Everblooming Carnation.

finest colors, they flower freely the first year and, if the soil is what it should be, will continue to bear indefinitely. The colors include many splendid shades of yellow. Mixed. Pkt., 25 cts.; oz., \$3.00.

Dwarf Vienna.—The earliest of all and very pretty in beds, but less valuable than Chabaud's Everblooming for cutting, the stems being shorter. Mixed. Pkt., 15 cts.; oz., \$2.00.

Fancy Picotee.—The flowers of the Picotee are daintily edged with purple, crimson and rose, making them peculiarly attractive. This is a magnificent strain, carefully selected for many years by a famous French grower, and both amateurs and florists can rely upon it confidently. They do not bloom until the second season. Mixed. Pkt., 15 cts.; oz., \$1.50.

Castor Bean.—See Ricinus.



Feathered.—The feathered Cockscomb should be better known, for it is a handsome foliage plant, extremely showy when in bloom. It grows in pyramidal form with many branches, each tipped with a graceful feathery plume, and




Columbine.

does not in any way suggest the ordinary Cockscomb. As the long spikes retain much of their beauty after drying, they are fine for winter bouquets. Half-hardy annual. 2 feet. Mixed. Pkt., 5 cts.; oz., 75 cts.

COLEUS.

The use of Coleus in ribbon gardening, massing, etc., is too familiar to call for any comments upon its usefulness, and it is among the most easily cultivated of our plants. Especial attention is directed to our stock of this seed, as it is a mixture of superb hybrid varieties, and will produce foliage of the most beautiful marks and stainings. The seed should be sown very carefully in a box of fine earth, excess of moisture being avoided; a pane of glass laid over the box until germination has begun will usually obviate the necessity for



Coreopsis.

watering after sowing, and we strongly advise that this little precaution be taken. Tender perennial. 2 feet. Mixed Pkt., 25 cts.; oz., \$7.50.

COLUMBINE.

An old flower whose curious form and exquisite colorings will always ensure its popularity. With a constitution like that of the roadside weeds, it is very serviceable for grouping in corners, or for naturalizing purposes, etc. Hardy perennial. 2 feet. Mixed. Pkt., 5 cts.; oz., 25 cts.

COLLINSIA.

A native of California which is remarkably attractive in beds of mixed orders. The flowers are borne in whorls and produced in great abundance, with a number of whorls around each flower stem. Hardy annual. 1 foot. Pkt., 5 cts.; oz., 25 cts.

CONVOLVULUS.

(See Morning Glory.)

COREOPSIS.

For borders there is nothing brighter or more reliable than the Coreopsis. The plant is covered from early summer until frost with beautiful flowers of every shade of yellow,



Cosmos

orange, and red, each blossom being from one to two inches across. Hardy annual. 1½ feet. Pkt., 5 cts.; oz., 25 cts.

CORNFLOWER.

None of the other Centaureas compare with this old-fashioned favorite known and loved under so many homely names—"Ragged Robin," "Blue Bottle," "Kaiser Blumen," "Bachelor's Button," etc. Although quite as hardy as any wild flower, they are exquisite in form and color and make particularly effective table decorations. The blue is one of the finest shades of that color ever seen in nature. Hardy annual. 1½ feet. Mixed. Pkt., 5 cts.; oz., 25 cts.

COSMOS.

Showy summer and autumn bloomers, the flowers of which resemble the single Dahlia, although much more beautiful, owing to their daintiness. In rich soil the plant has a very luxuriant growth, and, in such situations, the plants should not stand closer than three feet apart, eighteen inches being close enough in all cases. Few flowers have grown more into popularity in late years than the Cosmos, and we recommend it to all who have space for large plants in their gardens. Hardy annual. 4 to 5 feet.

Large Early Flowering Cosmos.

Pink.—Pkt., 5 cts.; oz., 40 cts.

Red.—Pkt., 5 cts.; oz., 40 cts.

White.—Pkt., 5 cts.; oz., 40 cts.

Mixed.—Pkt., 5 cts.; oz., 40 cts.


DISCOUNT—Purchasers sending cash for Flower Seeds in packets only may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



Giant Late Flowering Cosmos.

Pink.—Pkt., 5 cts.; oz., 40 cts.
 Red.—Pkt., 5 cts.; oz., 40 cts.
 White.—Pkt., 5 cts.; oz., 40 cts.
 Mixed.—Pkt., 5 cts.; oz., 40 cts.

CYPRESS VINE.



Cypress Vine.

One of the most popular of all summer climbers. The star-shaped flowers are small and thickly set in beautiful dark green foliage of fern-like appearance. Tender annual. 15 feet.

Scarlet.—Pkt., 5 cts.; oz., 25 cts.

White.—Pkt., 5 cts.; oz., 25 cts.

Mixed Colors.—Pkt., 5 cts.; oz., 25 cts.

DAHLIA.

Although the fact is not generally known, this familiar flower, so universally admired for its perfect form and superb colors, will bloom the first year if the seed is sown early. Seedling Dahlias show a few single flowers, but the seed we offer is finely selected and is invariably satisfactory. In raising them from the seed, there is always uncertainty as to color, and the grower is often delighted by the origination of an entirely new shade or combination of colors. For ten cents we will supply enough seeds to make roots worth several dollars. During the winter, the roots should be taken up and stored out of the reach of freezing weather. Half-hardy perennial. 3 to 6 feet. Finest mixed double, pkt., 10 cts.; oz., \$2.00.

DAHLIA ROOTS.

For descriptive list, see index under Summer Flowering Bulbs.

DAISY.

The Double English Daisy is unsurpassed as an edging, especially for shady borders or as a pot plant, and one cannot but regret it is so seldom seen in the Southern garden. The flowers are very numerous, perfectly double in the best specimens, and of the loveliest colors. The plants are so hardy that they may at any time be lifted from the soil, kept in the house until past their prime, and then reset in the garden, none the worse for the handling. No table need be without its growing flowers so long as English Daisies



Double Daisy.

are established in the garden. Half-hardy perennial. 3 inches.

Double English, Finest Mixed.—Pkt., 10 cts.; oz., \$2.00.
 Single Paris.—Pkt., 5 cts.; oz., \$1.00.

DELPHINIUM.

(See Larkspur.)

DIANTHUS.

Of this invaluable family every garden worthy the name is sure to contain several representatives, and some kinds are as dear on account of their associations as for their own sakes. The different varieties, while affording great diversity of appearance, are all distinguished by rich and brilliant coloring, great productiveness and, in many cases, delightful fragrance. The biennials as well as the annuals begin blooming a few weeks after sowing and, until killed by frost, are literally covered with flowers all the time. 1 to 1½ feet.

Barbatus.—See Sweet William.

Chinese Double.—The familiar old Chinese or Indian Pink, easily grown and very showy. Our mixture contains an immense variety. Pkt., 5 cts.; oz., 50 cts.

Diadematus.—The famous Diadem Pink—ideal for bouquets. The flowers are very double, and all the petals have the outer edges beautifully fringed. Mixed. Pkt., 5 cts.; oz., 75 cts.

Eastern Queen.—Of the many named varieties of Dianthus, we offer one of extraordinary beauty, and commend it to all who love Pinks. The Eastern Queen has large diameter, and the petals are exquisitely marbled with darker shades. Pkt., 5 cts.; oz., 75 cts.

Heddewigii.—Few kinds of Dianthus rival this splendid Japanese strain, the flowers of which are large and charmingly marked with stripes, staining and rings. Mixed. Pkt., 5 cts.; oz., 75 cts.

Laciniatus.—Another fringed variety, single but hardly less effective than the Diadem. Mixed. Pkt., 5 cts.; oz., 50 cts.

Pheasant's Eye.—With every petal daintily fringed, and the dark centres contrasting beautifully with the white around them these are fine for either beds or cut flowers. Pkt., 5 cts.; oz., 50 cts.

DISH CLOTH GOURD.

An ornamental climber with prettily shaped foliage and yellow flowers, which are borne in clusters. The seed pod is about two feet long, and when ripe has a porous lining of sponge-like texture. This, when dried, may be easily separated from the rind, and makes an admirable dish cloth or flesh brush. It is also often converted into various fancy articles about the house. Pkt., 5 cts.; oz., 25 cts.

DOLICHOS LABLAB.

One of the finest climbers for shading verandas, etc., as it grows with remarkable rapidity, produces a great amount of foliage, and endures long droughts. Its flowers are borne in clusters somewhat in the form of a hyacinth spike, a resemblance which has suggested the name by which it is best known—

Dish Cloth
Gourd.

Hyacinth Bean. Not being subject to attack of insects, it will be found particularly serviceable in localities badly infested with caterpillars, etc. Plant the seed where the vine is to grow.

Purple.—Pkt., 5 cts.; oz., 25 cts.; lb., \$1.50.

White.—Pkt., 5 cts.; oz., 25 cts.; lb., \$1.50.

Mixed.—Pkt., 5 cts.; oz., 25 cts.; lb., \$1.50.

ESCHSCHOLTZIA CALIFORNICA.

Showy plants, flowering profusely all the season. Their various shades of yellow are attractive in beds or borders. Half-hardy annuals. Mixed. 1 foot. Pkt., 5 cts.; oz., 30 cts.

EVENING GLORY.

Of the same habit of growth as the Morning Glory, but the large, fragrant, white flowers expand only in the evening. Tender annual. 10 to 15 feet. Pkt., 5 cts.; oz., 25 cts.

EVENING PRIMROSE.

Strong plants of easy culture and very desirable for shrubbery borders where space is abundant. The flower is yellow, very large, and its peculiarity of opening in the evening with a sudden spring, instead of unfolding gradually, is a source of never-ending pleasure to all children. Hardy perennial. 2 to 3 feet. Pkt., 5 cts.; oz., 30 cts.



California Poppy.
(*Escholtzia Californica.*)

EVERLASTINGS.

Acroclinium, *Globe Amaranthus*, *Helichrysum*, *Cockscomb*, *Rhodanthe*, *Statice*, *Xeranthemum*. Each of these is described under its own name.

FEVERFEW.
(See *Matricaria.*)

FORGET-ME-NOT.

A favorite old border plant that succeeds best in moist situations. It comes into blooming early and the little star-shaped blue flowers appeal to every heart. Hardy perennial. 6 inches. Pkt., 5 cts.; oz., 60 cts.

FOUR O'CLOCK.
(See *Mirabilis Jalapa.*)

FOXGLOVE.

These hardy, handsome plants are very useful for planting in places partially shaded, and nothing is finer for "naturalizing" in private parks. The effect of a clump of stately Foxgloves in the half-light of the woods is one not likely to be forgotten, and this is really the ideal setting for their beauty. The dainty, thimble-shaped flowers are borne in great profusion on stalks often four or five feet high, and they are in bloom for a large part of the summer. Mixed. Pkt., 5 cts.; oz., 25 cts.

GAILLARDIA.

Splendid bedding plants, remarkable for the size and brilliancy of their flowers, which are produced profusely during summer and autumn. If a gay mass of color is wanted, nothing will be more satisfactory than a thickly-set bed of Gaillardias. Half-hardy annual. 1½ feet.

Finest Double Mixed.—Pkt., 5 cts.; oz., 30 cts.
Finest Single Mixed.—Pkt., 5 cts.; oz., 30 cts.

GERANIUM.

Geraniums may be readily raised from seed by sowing in boxes of fine earth and placing in a gentle heat. A packet of seed will furnish a large number of plants, and occasionally one or more of the seedlings will develop an absolutely new sort, all new Geraniums being thus produced. There is hardly any plant more popular for the house or garden on account of its exquisite colors, easy cultivation and convenient habit of growth. Half-hardy perennial. 1½ feet. Fine mixed *Zonale* and *Inquans*. Pkt., 5 cts.; oz., \$2.00.

GILIA.

Pretty dwarf plants, very fine for massing and rock work. The flowers are small but charming in the general color effect. Hardy annual. 1 foot. Mixed. Pkt., 5 cts.; oz., 25 cts.

GODETIA.

A profuse bloomer, excellent for borders. The flowers are large and remarkable for their richness and variety of coloring. Hardy annual. 1 foot. Mixed. Pkt., 5 cts.; oz., 50 cts.

Lady Satin Rose.—This dwarf Godetia has lovely flowers of shell-pink, with a sheen like satin. Nothing could be prettier in a border. Mixed pkt., 5 cts.; oz., 75 cts.



Geranium.

GOURDS—ORNAMENTAL.

Climbers of rapid growth, which are well fitted for covering fences or arbors. The foliage is quite pretty and the fruits are very interesting in their shapes. Tender annuals. 10 to 20 feet.

Ornamental Large Mixed.—Pkt., 5 cts.; oz., \$25 cts.
Ornamental Small Mixed.—Pkt., 5 cts.; oz., 25 cts.

HELICHRYSUM.

Handsome plants for the border, but especially valuable for winter use in wreaths or bouquets. When they are to be dried for this purpose, cut them as they are coming into bloom and hang them in a dark room with heads downward. Hardy annual. 2 to 3 feet. Fine mixed. Pkt., 5 cts.; oz., 40 cts.

HELIOTROPE.



Heliotrope.

The delicately tinted and fragrant blossoms of this beloved little flower are so well known that any attempt at description would be superfluous. It is adapted to both bedding and house culture, requiring little attention. By sowing indoors early in the spring and transplanting into small pots,

DISCOUNT—Purchasers sending cash for Flower Seeds in *packets only* may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



plants may be made so strong and stocky that they will be in full bloom soon after being set in the garden. Half-hardy perennial. 2 feet. Choice mixed, pkt., 10 cts.; oz., \$2.00.

HOLLYHOCK.

Hollyhocks have been so wonderfully improved of late years that those who are familiar with only the old-fashioned kinds would scarcely be able to identify them. A paper of our seed will produce a great number of the most finely selected varieties, and if sown in the fall will usually furnish blooming plants the next season. If set in rows as a background or interspersed among shrubbery, they give an effect obtainable in hardly any other way, while their decorative value in the house can be appreciated only by those who have used them. Tie to stakes if the stalks show a disposition to fall. Half-hardy biennial. 5 to 7 feet. Extra fine mixture. Pkt., 10 cts.; oz., \$2.00.

HUMULUS, OR JAPANESE HOP.

We are deeply indebted to the Japanese for their improvement upon the Hop, especially now that we have the variegated variety—one of the most beautiful as well as serviceable of all climbers. It is of exceptionally rapid growth, and being free from all kinds of parasitic insects and almost indifferent to heat, it is particularly good for southern window and veranda boxes. The foliage is of the same shape as the common Hop, but is more luxuriant in appearance, while the mixture of white, light green and dark green makes it strikingly ornamental. Hardy annual. 15 feet. Pkt., 10 cts.; oz., \$1.00.

HUNNEMANNIA.

All persons who love the Eschscholtzia should be interested in this splendid variety of Poppy, for its flowers are much like the finest Eschscholtzias, although they keep fresh a longer time after cutting. The plant lives for two years, blooming the first season in about ten weeks after sowing and continuing to produce its gorgeous yellow blossoms until the very end of autumn. 2 feet. Pkt., 10 cts.; oz., \$1.00.

HYACINTH BEAN.
(See *Dolichos Lablab*.)

ICE PLANT.

A pretty little trailing plant, the leaves and stems of which are covered with a remarkable crystalline substance much resembling ice. The foliage is, for this reason, extraordinarily pretty, and in the heat of summer is often most effectively used for garnishing. Half-hardy annual. Pkt., 5 cts.; oz., 30 cts.

IPOMOEA CARDINALIS.
(See *Cardinal Climber*.)

IPOMOEA QUAMOCCLIT.
(See *Cypress Vine*.)

IPOMOEA MEXICANA.
(See *Moon Flower*.)

IPOMOEA PURPUREA.
(See *Morning Glory*.)

LANTANA.

A well-known shrub, splendid for bedding, as it is constantly in full bloom. The flower stem is crowned with a large truss of verberna-like flowers of infinitely varied hues. Tender perennial. 2 feet. Mixed. Pkt., 5 cts.; oz., 50 cts.

LARKSPUR.

The colors of the Larkspur are extremely beautiful, and in mixed borders its profuse masses of purple, white and red show splendidly. It is best to sow the seed in the fall or very early in the spring. Hardy annual. 3 feet.

Hyacinth Flowered Double Mixed.—Pkt., 5 cts.; oz., 25 cts.

Ranunculus Flowered Double Mixed.—Pkt., 5 cts.; oz., 25 cts.

Perennial.—These are usually taller than the annual sorts, but do not bloom until the second season.

Dark Blue.—Pkt., 25 cts.; oz., \$2.50.

Finest Mixed.—Pkt., 25 cts.; oz., \$2.00.

LATHYRUS.

Few people know the usefulness of the Everlasting or Hardy Sweet Pea, but it is one of the best vines for certain purposes, being a hardy perennial of great vigor. Old fences, unsightly banks or rocks can be quickly hidden, and the always abundant flowers are good for cutting. 8 feet. Mixed. Pkt., 5 cts.; oz., 40 cts.

LAVATERA.

For massing in large beds this is excellent, as it is literally covered with bloom during the entire summer. The colors are pure white and delicate tints of red and rose. Half-hardy annual. 3 feet. Pkt., 5 cts.; oz., 50 cts.



Lantana Hybrida.

LOBELIA.

Neat, pretty plants of profuse bloom and color, very valuable for edging as well as for hanging baskets and vases. They are easily raised from seed and begin to bloom early in the summer. Half-hardy annual. 6 inches. Pkt., 5 cts.; oz., 50 cts.

LOVE-IN-THE-MIST.
(See *Nigella*.)

LUPINUS.

A fine bedding plant, bearing long, graceful spikes of peashaped flowers of many shades and colors. Rich soil is needed to bring this plant to perfection, and the seed should be sown where they are to bloom, transplanting being usually unsuccessful. Hardy annual. 2 feet. Mixed. Pkt., 5 cts.; oz., 25 cts.

LYCHNIS.

The flowers of this highly ornamental plant are very large and finely colored. It is of easy culture, and should be in every garden. Hardy perennial. 2 feet. Mixed. Pkt., 5 cts.; oz., 30 cts.

MARIGOLD.

An old garden favorite, prized for its numerous and showy flowers. It is excellent for planting in large beds, and will thrive in any good soil.

African.—A very robust plant, brilliantly colored with orange and yellow. Half-hardy annual. 2 feet. Pkt., 5 cts.; oz., 50 cts.

French.—The old variety, with rich, velvety and beautifully striped flowers. Half-hardy annual. 2 feet. Pkt., 5 cts.; oz., 50 cts.

MATRICARIA.
(*Capensis Plena*.)

The double white Feverfew, sometimes called Bachelor Button, very useful as an edging to large beds, as it succeeds in any garden soil. It is also an excellent pot plant, and is much grown by florists for cut flowers. Hardy annual. 2 feet. Finest double. Pkt., 5 cts.; oz., 50 cts.

MAURANDIA.

One of the most beautiful of all climbers and suitable for both garden and greenhouse culture. It is a rapid grower, blooms profusely all the season and the fine delicate foliage



is much prettier than Smilax. If wanted during the winter for window gardening, the plants should be lifted before frost, cut back to ten or twelve inches and potted in rich soil. Half-hardy perennial. 10 feet. Mixed. Pkt., 5 cts.; oz., \$1.50.

MIGNONETTE.

Well known as one of our most fragrant plants, and a universal favorite, although it makes no appeal to the eye like other flowers. In order to encourage large spikes, the plants should be thinned enough to prevent spindling stems, and in the South it is well to avoid situations with too much sun exposure. Hardy annuals.

Sweet Scented.—This is the familiar old variety. It has spikes of medium size, so fragrant that a bed will perfume the whole atmosphere around it, and every garden should have a corner or bed devoted to it. 1 foot. Pkt., 5 cts.; oz., 20 cts.

MIRABILIS JALAPA.


The Four O'Clock has long been a favorite and is, when properly treated, an extremely ornamental plant. The flower is shaped like that of the Morning Glory, produced in clusters and blooms in the afternoon. If the plants are set two or three feet apart in a sunny place they will not fail to produce a very fine effect. Half-hardy perennial. 2 feet. Mixed. Pkt., 5 cts.; oz., 25 cts.

MONKEY FLOWER.

For baskets or pots this dainty little Mimulus is one of the best small plants we have, the flowers being as unique as they are beautiful with their brilliant spots and blotchings. The ground colorings are white, yellow and sulphur marked with every conceivable shade of crimson and pink. If the seeds are sown reasonably early, the plant will be in bloom the first summer. Half-hardy perennial. 1 foot. Mixed. Pkt., 10 cts.; oz., \$1.25.

MOON FLOWER.

A wonderful vine which, if set out in rich ground and given support, will grow forty to fifty feet in a single season. The flowers, which are several inches in diameter, are white and have a rich Jessamine odor. It blooms abundantly, but only at night or on cloudy days. The true Moon Flower must not be confounded with the Evening Glory, the flowers of which are much smaller and otherwise inferior. Tender annual. Pkt., 10 cts.; oz., \$1.00.



White Moon Flower.


SKY-BLUE MOON FLOWER.

The vines of this variety grow from 15 to 18 feet, producing gorgeous flowers in shape more like the Morning Glory, of a lovely sky-blue, with markings of rose. Pkt., 10 cts.; oz., \$1.00.

MORNING GLORY.

All members of this family are characterized by such extraordinary beauty of color that it is small wonder that the common name for them is "Morning Glory." Although the flower is so delicate in texture that it withers before the first touch of sunshine, the vine is the hardiest of our entire list of climbers, growing rapidly in a soil of any character. Unsightly objects may be thus transformed in a few weeks, but the flowers are of course useless for cutting. Hardy annual. Mixed. 15 to 20 feet.

Japanese Imperial.—Those who have never seen the Japanese Morning Glory can form no idea of its indescribable gorgeousness. The blossoms are not only much larger than those of the ordinary Convolvulus, but are of infinitely varied colorings and most exquisite form, many having fringed and intricately frilled edges. Mixed. Pkt., 10 cts.; oz., 50 cts.



Morning Glory.

Major (Morning Glory).—A vigorous climber, familiar to every one. It is a very rapid grower, making a wonderfully gay display in the early morning, but now that the Japanese variety has been introduced here, no one should use the old vine, there being no comparison between them. Mixed. Pkt., 5 cts.; oz., 25 cts.

Minor.—Showy trailing plants, which produce an abundance of richly colored flowers, and are adapted to either beds or mixed borders. Hardy annual. 1 foot. Mixed. Pkt., 5 cts.; oz., 25 cts.

DWARF NASTURTIUM.

Although the flowers are smaller and the blooming season shorter as compared with the running variety, the compact growth of the Dwarf Nasturtium renders it peculiarly valuable for massing in beds or for ribboning. It is also better for indoor window boxes unless space is not to be considered. Hardy annual. 1 foot. Finest mixed. Pkt., 5 cts.; oz., 10 cts.; ½ lb., 35 cts.; lb., \$1.25.

TALL NASTURTIUM.

Handsome climbers for verandas, a favorite house plant for winter blooming, and quite indispensable in the garden. In shape the flowers are like those of the Dwarf Nasturtium, but are usually much larger. Having no tendrils, the vine usually requires a little help in starting to climb any perpen-

DISCOUNT—Purchasers sending cash for Flower Seeds in packets only may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



dicular support, but will soon hug a good sized string and run up rapidly, holding securely by means of the leaf stems. A very pretty effect may be obtained by sowing the seed in a round bed, and then heaping brushwood loosely upon it. In a few weeks the vines will have grown up through this, presenting the appearance of a solid mound of bloom and foliage. The heat of midsummer has little or no effect upon the Tall Nas-

Beauty.—Dark Crimson. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{2}$ lb., 50 cts.

Chameleon.—We can recommend this novelty as one of the most interesting of plants, each vine producing flowers of different colors. The blossoms are of fine size and the curious variations in color are very attractive. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{2}$ lb., 50 cts.

Lady Bird.—Orange yellow spotted with dark crimson. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{2}$ lb., 50 cts.

Pearl.—Creamy white. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{2}$ lb., 50 cts.

Signal.—Beautifully striped in rich colors. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{2}$ lb., 50 cts.

Sweetheart.—Lovely bright rose. Pkt., 5 cts.; oz., 15 cts.; $\frac{1}{2}$ lb., 50 cts.

Finest Mixed.—Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{2}$ lb., 25 cts.; lb., \$1.00.

NEMOPHILLA.

Of close, compact habit of growth, and in shaded places a steady bloomer. The flowers are of beautiful colors, varying greatly in shades, but being very small, show to perfection only when closely massed. Hardy annual. 6 inches. Mixed. Pkt., 5 cts.; oz., 25 cts.

NICOTIANA.

Sylvestris.—Many varieties of Tobacco are very ornamental, but this is a really superb plant growing in pyramidal form to a height of four feet, with foliage of the most vivid green; the flower stem is tall and bears in a loose head clusters of long, drooping flowers, deliciously fragrant and of snowy whiteness. Tender perennial. Pkt., 10 cts.; oz., 60 cts.

NIGELLA.

"Love-in-a-Mist," or "Devil-in-a-Bush."

An interesting plant, with very finely divided foliage and curious flowers. The seed pod is enclosed in a close, delicate network of leaves, which has suggested the names by which it is commonly known. Hardy annual. $1\frac{1}{2}$ to 2 feet. Pkt., 5 cts.; oz., 25 cts.

NOLANA.

Fine trailing plants which should be much better known, since they are admirably adapted to poor soils and rocky places, thriving almost anywhere provided they have abundant sunshine. The blue and white flowers are somewhat suggestive of Petunias. Hardy annual. 6 inches. Pkt., 5 cts.; oz., 50 cts.

PAEONIA.


The beautiful Chinese Paeony, well known for its immense, rich flowers. It is adapted to any good soil, and should be in every garden, especially since it is easily grown from seeds. Hardy perennial. Height, 2 feet. Mixed. Pkt., 10 cts.; oz., 75 cts.

PAEONY ROOTS.

We can also supply Paeony Roots in the fall from 25 cts. to \$1.00 each, and from \$2.50 to \$10.00 per dozen, postage or expressage to be paid by the purchaser.


PANSY.

No description is needed of this universal favorite, and it would be hard to find a garden whose charm is not in large measure dependent upon its marvelous coloring. The seed we offer is grown for us by two of the greatest specialists in the world, and Pansy lovers can get no finer strains. If the seed is sown in August or September, and a little protection given during the winter, they will bloom abundantly through the following season. Plants from seed sown in the spring should not be



Tall Nasturtium.

turtium, provided watering is not neglected, and nothing could be more charming on the breakfast table in hot weather than a bowl of these fresh-looking flowers, whose aromatic fragrance is a real invigorant. When the seeds are young, they may be picked and used as a substitute for capers. Hardy annual. 8 to 10 feet.



Pansy

permitted to bloom until cool weather. As the buds appear pick them off, and thus throw the strength of the plant into making a compact and bushy growth, ensuring large and brilliant flowers through the fall until the ground freezes. Do not allow faded blossoms to remain on the plant. Hardy perennial. 6 inches.

Splendid Show Mixtures of Pansies.

Fine Large Flowering.—Of excellent stock, finely colored, and of good size. Pkt., 5 cts.; oz., \$1.00.

Finest Stained.—This mixture is from magnificent varieties, and is in every respect the equal of many of the high-priced named Pansies. Pkt., 10 cts.; oz., \$3.00.

Thoroughbred Strain.—Absolutely unsurpassed for size and superb coloring. The seed is saved from only exhibition flowers and lovers of the Pansy will find no strain more worthy of their care. To gardeners who have grown only ordinary pansies, the blotching, veining, spotting and marbling of these giant flowers will be a revelation of man's achievements in floriculture. Pkt., 25 cts.; oz., \$7.50.

Masterpiece or Germania Exhibition.—Easily the most beautiful of all pansies, owing to its exquisitely ruffled petals; this wavy, curled effect quite takes away the stiff look so characteristic of the pansy, and often makes it appear double. Although showing a great range in coloring, dark velvety tones always predominate. Pkt., 25 cts.; oz., \$7.50.

Pansies in Separate Colors.

Emperor William.—Ultramarine blue with violet eye and violet blotches. Pkt., 10 cts.; oz., \$1.50.

Faust or King of the Blacks.—The most striking of all dark Pansies and really almost jet black. Pkt., 10 cts.; oz., \$1.50.


Lord Beaconsfield.—Deep purple violet, shading to light blue on upper petals. A splendid Pansy. Pkt., 10 cts.; oz., \$1.50.

Royal Purple.—Bright purple. Pkt., 10 cts.; oz., \$2.00.

Golden Queen, Pure Yellow.—Pkt., 10 cts.; oz., \$1.50.

Fire King.—Golden yellow upper petals purple. Pkt., 10 cts.; oz., \$1.25.

DISCOUNT—Purchasers sending cash for Flower Seeds in *packets only* may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



Petunia.

Azure, Sky Blue.—Pkt., 10 cts.; oz., \$1.25.
President Carnot.—White Purple Blotched. Pkt., 10 cts.; oz., \$2.00.
Tiger, Yellow Purple Stained.—Pkt., 10 cts.; oz., \$2.00.

PENSTEMON.

An extremely beautiful herbaceous perennial, with long, graceful spikes of richly-colored Gloxinia-like blossoms, the colors of which range from every shade of red to lilac and purple. Not even Phlox is better for bedding and we hope to bring it to the attention of many who are now ignorant of its true value. Half-hardy perennial. 2 feet. Mixed. Pkt., 15 cts.; oz., \$2.00.

PETUNIA.

There is no bedding plant of easier culture than the Petunia, and few that make a gayer appearance when in full bloom. On rich soil it has a tendency to run to vine, which should be suppressed by pinching off the shoots when necessary. The shape of the flower is similar to that of the Convolvulus, and a paper of seed will give an immense variety of color. As the seeds are as fine as dust, it is advisable to sow in boxes in the house, transplanting when large enough. Hardy annual. 1 to 2 feet.

Single Scarlet.—Pkt., 10 cts.; oz., \$1.50.
Single Fine Mixture.—Pkt., 5 cts.; oz., \$1.25.
Double Extra Fine Mixture.—Pkt., 50 cts.

PHLOX DRUMMONDII.



Phlox Drummondii.

One of the standard bedding plants which have a place in almost every garden, being unexcelled for constant profusion

of bloom and diversity of colors. For early flowering, sow the seed in boxes to transplant in the border or bed when the weather is warm, and a later sowing may be made in the open ground where they are to bloom. Hardy annuals. 1½ to 2 feet.

Scarlet.—Pkt., 5 cts.; oz., \$1.00.
White.—Pkt., 5 cts.; oz., \$1.00.
Large Flowering, Fine Mixed.—Pkt., 5 cts.; oz., 75 cts.
Starred and Fringed.—The flowers of these beautiful varieties are star-shaped or beautifully fringed, both types being charming novelties to those unfamiliar with them. Pkt., 10 cts.; oz., 75 cts.

POPPY.

If sown early in spring, Poppies may be brought into bloom immediately after the late Tulips, and they are scarcely less gorgeous in their color effects. Constant improvement has greatly increased their value, and many new varieties of great interest have been developed. For several seasons we have found Poppies growing steadily in popularity, and they are particularly recommended for use in large beds where their dazzling colors can be made to tell most effectively. Several varieties are excellent for cutting, but it should be noted that they keep much better if cut before the petals have fully opened. All kinds should be sown where they are to remain, as the plants do not bear transplanting well. The seeds should be sown on top of very finely prepared soil and merely pressed in firmly, instead of being covered like ordinary seeds. In Tidewater Virginia, it is possible to sow as early as the middle of February, which makes the season very long. Hardy annual. 2½ feet.

Danebrog (Single).—A very handsome single variety with petals of flaming scarlet relieved at the base by markings which form a cross of silver white. Pkt., 5 cts.; oz., 25 cts.

Shirley (Single).—Of all the single Poppies, this is easily the favorite, and indeed it would be hard to imagine a lovelier flower of its type. No other Poppy is so good for cutting, and at the same time it is among the best for bedding. The petals have the appearance of some wonderful gauze, and the colors are of indescribable beauty and variety. Pkt., 5 cts.; oz., 75 cts.

Carnation Flowered (Double).—A very fine variety, extremely double and daintily fringed. Pkt., 5 cts.; oz., 25 cts.

Paeony Flowered (Double).—These closely resemble double Paeonies, and make a superb display when massed in the garden. Pkt., 5 cts.; oz., 25 cts.


Ranunculus Flowered (Double).—The beauty of this uncommon Poppy lies in the perfect form of the flowers rather than in the showy splendor characteristic of most kinds; the blossoms are small, but very double and of exquisite colors. Pkt., 5 cts.; oz., 30 cts.

PORTULACA.

Both single and double varieties of Portulaca are exceedingly useful for edging of rock work, as the moss-like foliage is very luxuriant and supplies a lovely setting for the dainty little flowers. On sandy banks, etc., it grows to perfection, enduring dry seasons better than almost any other plant. Hardy annual. 6 inches.

Double Rose-Flowered (Mixed).—Practically none of the flowers are single, each bloom being a perfect rose in miniature, and there is a great range of brilliant colors. Pkt., 10 cts.; oz., \$2.50.

Single Mixed.—This is an extra fine strain, with very large blossoms and splendid colors. Pkt., 5 cts.; oz., 40 cts.



Shirley Poppies.

PYRETHRUM.

The golden foliage of the Pyrethrum has a remarkably pretty effect in edging, especially when contrasted with dark-leaved plants; and we recommend it strongly for carpet bedding, etc. Sow the seed indoors and transplant where wanted. Hardy perennial. 5 inches. Pkt., 5 cts.

RHODANTHE.

An everlasting flower of great beauty. Its bright colors and elegant habit of growth make it one of the most desirable bordering plants. When intended for winter bouquets the flowers should be cut as soon as opened and dried in a dark room, hanging heads downward. Half-hardy annual. 2 feet. Pkt., 5 cts.; oz., 75 cts.

RICINUS.

(Castor Bean.)

A foliage plant of vigorous growth and tropical appearance, now largely used in landscape gardening. It is unsurpassed for mixed shrubberies or planting singly on beds and lawns, the effect being especially striking after the brilliantly colored fruit is formed. Tender annual. 8 to 10 feet.

Sanguineus.—The variety best known; the stalks and fruit are blood red. Pkt., 5 cts.; oz., 15 cts.

Zanzibariensis.—Those who have never seen this new and really splendid Castor Bean cannot imagine its superiority to the old kind. The plants grow to gigantic size, branching widely and the great leaves are of striking colors, some having the appearance of beaten copper. Even the seeds are peculiar in their markings and colorings. Pkt., 5 cts.; oz., 20 cts.

RUDBECKIA.

A strong and quick growing plant, bearing immense quantities of yellow cone-shaped flowers suitable for planting in clumps or among shrubbery.

Amplexicaulis.—Hardy annual. Height, 3 feet. Pkt., 10 cts.; oz., 40 cts.

Neumannia.—Perennial. Height, 3 feet. Pkt., 10 cts.; oz., 40 cts.

SALPIGLOSSIS.

Highly ornamental, autumn-blooming plants, with funnel-shaped flowers curiously veined and marked. Of easy culture, but best suited to light, sandy soil, it is undoubtedly one of the most interesting annuals, and should be much better known. Half-hardy annual. 18 inches. Pkt., 5 cts.; oz., 75 cts.

SANVITALIA.


On small beds or rockeries the Sanvitalia is exceedingly useful, as its gay yellow flowers are produced freely during the entire season. They resemble miniature Dahlias, and for the purposes indicated few plants are better for making a bright patch of color. The vine trails over the ground, rarely standing more than six inches high. Hardy annual. Pkt., 5 cts.; oz., 75 cts.

SALVIA.

(See Scarlet Sage.)

SCABIOUS.

The Double Scabious is entitled to a foremost place among the standard bedding plants on account of its general usefulness, and we regret that it is so little known here. The flowers are of peculiar form and diversified coloring, varying from white to rose, crimson, and purple, and are quite fragrant. Their long stems fit them especially for decorative purposes, and if cut as soon as the buds expand the flowers will keep for many days. Hardy annual. 18 to 24 inches. Pkt., 5 cts.; oz., 40 cts.



Ricinus Zanzibariensis.

SCARLET RUNNER.

One of the most ornamental varieties of the bean family, of rapid growth and producing dazzling scarlet flowers from July to October. For training on verandas and over unsightly objects, it will be found very useful, and the beans may be cooked in the same way as the Lima Bean. Hardy annual. 20 to 40 feet. Pkt., 5 cts.; pt., 30 cts.


SCARLET SAGE.

The Scarlet Sage has long been a favorite bedding plant, also grown for conservatory decoration, bearing long spikes of flowers in great profusion from July till frost; half-hardy

DISCOUNT—Persons sending cash for Flower Seeds in *packets only* may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



perennials, blooming the first year from seed, which should be sown as early as possible, either indoors or in a hotbed, and the young plants transferred to their flowering quarters when the weather has become settled and warm. May also be sown in the open ground in May. 2½ feet. Pkt., 10 cts.; oz., \$4.00.



Scarlet Sage (Salvia).

SCHIZANTHUS.

The "Butterfly Flower," so popular on account of its dainty shape and exquisite colorings; one might easily mistake the blossoms for those of an orchid, and if it were of less easy culture no doubt the average gardener would hold it in much higher estimation. They bloom freely all the summer, and September sowings will furnish delightful house plants for the winter. Half-hardy annual. 2 feet. Pkt., 5 cts.; oz., 50 cts.

SENECIO.

A dwarf summer bloomer, very much admired on rockeries and useful for winter blooming in the conservatory or window box. It produces an abundance of flowers, large and beautifully tinted. Hardy annual. 1 foot. Pkt., 5 cts.; oz., \$1.00.

SENSITIVE PLANT.

A remarkable plant, with finely divided foliage and flowers of pinkish white. The leaves close and droop when touched

or shaken, as well as at the approach of night; a peculiarity which has given it the name of "Sensitive Plant." Tender annual. 18 inches. Pkt., 5 cts.; oz., 50 cts.

SILENE, OR CATCHFLY.

Of easy culture and adapted to almost all situations and soils. It may be used for ribbon gardening or beds, and produces fine masses of bloom. Hardy annual. 12 to 15 inches. Pkt., 5 cts.; oz., 25 cts.

SMILAX.

A lovely climber with delicate foliage of glossy green, very much used on account of the facility with which it may be twined gracefully around columns, stair rails, or house fixtures of any kind. In bouquets also, it makes a charming contrast for the delicate colors of the flowers, and is one of the best vines for baskets. To facilitate sprouting of the seed, soak them twenty-four hours in warm water. Half-hardy perennial. 8 to 10 feet. Pkt., 10 cts.; oz., 50 cts.

STOCKS.

German Ten Weeks.—

Blue.—Pkt., 10 cts.; oz., \$2.50.
Rose.—Pkt., 10 cts.; oz., \$2.50.
White.—Pkt., 10 cts.; oz., \$2.50.
Mixed.—Pkt., 10 cts.; oz., \$2.50.

This flower has long been considered invaluable by gardeners, being admirably adapted for bedding, massing, edging, or ribboning. Flowering usually begins about ten weeks after sowing, and there are few sights more beautiful than a fine bed of these plants in full bloom. The duration and delicate fragrance of the flowers commend it very strongly for pot culture in the house. If desired for early use, sow the seed indoors and transplant when the ground becomes warm, forcing with weak, liquid manure. Hardy annual. 1 to 2 feet.

Perpetual Large Flowering.—This sort will flower continuously through the summer if sown early.

Blue.—Pkt., 25 cts.; oz., \$4.00.
Pink.—Pkt., 25 cts.; oz., \$4.00.
White.—Pkt., 25 cts.; oz., \$4.00.
Red.—Pkt., 25 cts.; oz., \$4.00.
Mixed.—Pkt., 25 cts.; oz., \$4.00.

SUNFLOWER.

Dwarf Double.—Few people have any idea of the value of the Dwarf Sunflower in Southern gardens; the flowers are really not unlike dahlias and, planted in clumps or large masses, they are charming for all situations where delicate plants could not be made to flourish. Pkt., 5 cts.; oz., 15 cts.

Tall Double.—For showy splendor this handsome California Sunflower is one of our best plants in spite of its coarseness. The color is a rich, deep yellow and it produces an immense amount of bloom. Pkt., 5 cts.; oz., 15 cts.

Mammoth Russian Single.—Large yellow with dark center. The old standard tall variety. ½ lb., 5 cts.

New Red Single.—The plants of this new Sunflower grow about eight feet high and produce single flowers of a rich chestnut red, with some red tipped with yellow, while some will be entirely yellow. Pkt., 10 cts.; oz., 50 cts.

Stella, Single.—Beautiful small flowers of golden yellow with black disk, borne gracefully on long stems. Pkt., 10 cts.; oz., 25 cts.

SWEET PEAS

Giant Spencer or Orchid Flowering and Grandiflora Varieties

The dainty form and exquisite colors of the Sweet Pea made it generations ago one of the best-loved flowers, but its popularity has grown immensely during the last decade, owing to improvements which have really brought about a transformation of the flower. The introduction of the Spencer type has more than doubled the size of the blossom, beautiful undulations and flutings have been developed, and the stems have become very long and stout. So eagerly is the coming of the Sweet Pea awaited now that enormous quantities are forced for market by florists, finding sale at fancy prices before the outdoor crop is available. Almost any one living near a city will find their cultivation as profitable as it is simple, especially if care be taken in gathering and bunching, so that the delicate blossoms and tendrils are not bruised.

Sweet Peas may be sown either in the fall or early spring. For the best results, the soil should be deep and heavily manured, and if possible the situation should be one which permits the vines to get air and sunshine on both sides, although there is no difficulty in growing them against a fence. The usual custom is to dig a trench ten inches deep into which put four inches of well rotted manure and cover with two inches of good soil. Sow the peas on top of this about half an inch apart, and cover with two inches of earth. Before covering it is a good plan to scatter tobacco dust liberally on the peas as a preventive of lice. As the plants develop, the earth is gradually drawn to them until the furrow has been filled, the roots being thus kept from the surface heat in summer. We think it is a good plan to make a little trench parallel with the row, flooding it occasionally during dry



weather, and a mulch of leaves or lawn sweepings will be found very helpful; sprinkling of the vines does harm rather than good and watering should be done at the roots only. Sweet Peas make a great deal of vine under proper conditions, and it is always best to thin them out to about an inch in the row, as soon as they are well out of the ground. If the blossoms are picked regularly, they will bear until killed by either extreme heat or frost, the flowering season being naturally longest in cool climates. In most parts of the South, it is very easy to bring Sweet Peas into bloom very early in the year by sowing in October or November, and it is a pity more gardeners do not take advantage of this simple method of gaining a month or more. A light dressing of manure over the surface will prevent the ground freezing too deeply, and they rarely suffer from such cold as we have in the South. Hardy annual. 6 feet.

Tait's Gorgeous Mixture.—This mixture, which contains sixty of the most beautiful grandiflora varieties, cannot be surpassed at any price, except by using Spencer selections. Wherever we send a package, it invariably proves to be the most effective of advertisements, so that we now enjoy a great reputation for Sweet Peas. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Tait's Thoroughbred Mixture.—Composed exclusively of the most beautiful Spencers, this represents the climax in Sweet Peas, and will give infinite pleasure to all lovers of flowers. Pkt., 10 cts.; oz., 20 cts.; ¼ lb., 50 cts.; lb., \$2.00. Postpaid.

Named Varieties.

The following kinds, representing the finest work of the world's most famous Sweet Pea specialists, have all been grown very carefully from the originator's stock and should satisfy any amateur or florist.

Blue or Purple Shades.

Afterglow (Spencer type).—One of the most distinctive varieties in cultivation. The standard is a reddish mauve, becoming deeper in tone towards the base, while the wings are a rich electric blue. Pkt., 10 cts.; oz., 35 cts.; ¼ lb., \$1.00; lb., \$4.00. Postpaid.

Brilliant Blue (Grandiflora type).—The large standard is slightly hooded, of the richest dark navy blue; the wings are also large and the tips show a bright gentian-blue tint. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Captain of the Blues (Spencer type).—Standard is purplish mauve, while wings are lavender purple. Pkt., 10 cts.; oz., 25 cts.; ¼ lb., 65 cts.; lb., \$2.50. Postpaid.

Flora Norton (Spencer type).—Very brilliant, almost a bright blue, and one of the best of its color. Pkt., 10 cts.; oz., 25 cts.; ¼ lb., 65 cts.; lb., \$2.50. Postpaid.

Flora Norton (Grandiflora type).—Same color as the Spencer type described above. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Helen Pierce (Spencer type).—Marbled blue on white; very perfect in form and a fine bloomer. Pkt., 10 cts.; oz., 25 cts.; ¼ lb., 65 cts.; lb., \$2.50. Postpaid.

Helen Pierce (Grandiflora type).—Same color as the Spencer type described above. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Le Marquis (Early Flowering or Christmas Type).—A very early deep "Navy Blue." Pkt., 10 cts.; oz., 20 cts.; ¼ lb., 50 cts.; lb., \$2.00. Postpaid.

Lord Nelson.—Identical with Brilliant Blue described above.

Navy Blue (Grandiflora type).—Standard indigo and violet, wings indigo, shading to navy blue. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Romolo Piazinni (Grandiflora type).—A handsome pea, with blossoms of rosy purple, shading to blue. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Royal Purple (Spencer type).—A new shade in Sweet Peas, a rich purple, almost a true royal purple. The same shade does not exist in the Grandiflora type. Pkt., 10 cts.; oz., 35 cts.; ¼ lb., \$1.00; lb., \$4.00. Postpaid.

Wedgewood (Spencer type).—A splendid variety, usually producing three or more flowers to a stem, of a unique shade of blue. Pkt., 10 cts.; oz., 35 cts.; ¼ lb., \$1.00; lb., \$4.00. Postpaid.

Lavender Shades.

Asta Ohn (Spencer type).—The best lavender. Is more truly a soft, pinkish lavender self-colored. Very large and wavy. Pkt., 10 cts.; oz., 30 cts.; ¼ lb., 75 cts.; lb., \$3.00. Postpaid.

Countess of Radnor (Grandiflora type).—Soft lavender, with a light touch of red. Very early. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Lady Grisel Hamilton (Grandiflora type).—(Improved Countess of Radnor.) Soft lavender, tinted with mauve in standard. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Lottie Eckford (Grandiflora type).—A great favorite on both sides of the ocean, and easily the prettiest of the Picotee Sweet Peas. The flowers are silvery-white, shaded with lilac and bordered with lavender. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Margaret Madison (Spencer type).—Possibly the best lavender. The flowers are large and beautifully varied, borne on long stout stems. Pkt., 10 cts.; oz., 30 cts.; ¼ lb., 65 cts.; lb., \$2.50. Postpaid.

Mrs. C. H. Totty.—Lavender. Practically same as Countess of Radnor.

Mrs. Alex. Wallace (Early Flowering or Christmas variety).—Pinkish lavender. Pkt., 10 cts.; oz., 20 cts.; ¼ lb., 40 cts.; lb., \$1.50. Postpaid.

Phenomenal (Grandiflora type).—One of the lovely orchid-flowered Sweet Peas, the white ground shaded with blue and lavender. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Claret and Maroon Shades.

Othello (Spencer type).—Of immense size with large drooping wings and large wavy standard. Deep rich maroon. Pkt., 10 cts.; oz., 25 cts.; ¼ lb., 65 cts.; lb., \$2.50. Postpaid.

Black Knight (Grandiflora varieties).—Similar to Boreatton, the popular open form type, glossy deep maroon. The same shade as a Black Tartarian cherry. Pkt., 10 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Pink Shades.

Apple Blossom (Spencer type).—Very large, standard very bright rose, wings primrose with a flush of rose tint. Pkt., 10 cts.; oz., 25 cts.; ¼ lb., 65 cts.; lb., \$2.50.

Bolton's Pink (Grandiflora type).—Brilliant pink with tint of salmon. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Blanche Ferry (Early or Christmas variety).—Bright rose standard with white wings. Pkt., 5 cts.; oz., 10 cts.; ¼ lb., 25 cts.; lb., 80 cts. Postpaid.

Countess Spencer (Spencer type).—Of extraordinary size, perfect in form and very long stemmed. The petals are peculiarly graceful owing to the waving of the edges, and are the brightest pink. Pkt., 10 cts.; oz., 30 cts.; ¼ lb., 75 cts.; lb., \$3.00. Postpaid.

Earliest of All—(Early Flowering or Christmas variety). Pink Standard with White Wings, practically the same as Blanche Ferry. Pkt., 10 cts.; oz., 15 cts.; ¼ lb., 40 cts.; lb., \$1.50. Postpaid.

Enchantress of Paradise (Spencer type).—Practically the same as Countess Spencer, except that the pink is a shade deeper. Pkt., 10 cts.; oz., 30 cts.; ¼ lb., 75 cts.; lb., \$3.00. Postpaid.

Florence Morse Spencer (Spencer type).—One of the loveliest of the Spencer type; the flowers are bluish white with an edge of delicate pink. Pkt., 10 cts.; oz., 30 cts.; ¼ lb., 75 cts.; lb., \$3.00. Postpaid.

DISCOUNT—Purchasers sending cash with order may select Flower Seeds in packages only to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



Gladys Unwin (Unwin type).—A particularly charming pink, very delicate except on the edges where it shades deeper. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$2.00. Postpaid.

Helen Lewis (Spencer type).—Giant Orange Pink with wavy edges. An extremely handsome pea. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Janet Scott (Grandiflora type).—Clear pink at base and shading to buff at edges. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Jeannie Gordon (Grandiflora Type).—Rose standard and primrose wings. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Katherine Tracy (Grandiflora type).—Soft pink and very large, but not as productive as some of the other pinks listed. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Lovely (Spencer type).—A splendid variety deep pink at the base of standard and wings shading to blush at the edges. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50.

Lovely (Grandiflora type).—Same shade as the Spencer type. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Margaret Atlee (Spencer type).—A particularly fine variety of the duplex type, with flowers of extraordinary size borne on long stems. The color is an exquisite shade of salmon pink perfectly suffused over a cream ground. Pkt., 10 cts.; oz., 35 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Sterling Stent (Spencer type).—One of the brightest colored Sweet Peas in cultivation. The color is a rich deep salmon suffused with orange and practically sun proof. The large flowers are borne on long stems. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Mrs. J. F. Dolansky (Early Flowering or Christmas variety).—Light pink of a very pleasing shade. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

Mrs. Hugh Dickson (Spencer type).—A superior strain of apricot pink and buff in the most improved giant Spencer type. The color is soft but bright and most pleasing. The stems are long and bear uniformly four blossoms. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Mrs. Jos. Chamberlain (Grandiflora type).—An old favorite still largely grown wherever the Sweet Pea is loved. The blossoms have rose stripes upon a clear white ground. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Miss Wilmott (Grandiflora type).—The flowers are very highly colored, and especially attractive on account of their having veining of a darker shade of pink. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Mrs. Wm. Sim (Early Flowering or Christmas variety).—Salmon pink. Pkt., 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

Prima Donna (Grandiflora type).—An always satisfactory pink, with a very large shell-shaped standard, fine stems and hardy vine. It holds its own against the newer peas wonderfully well. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Prince of Wales (Grandiflora type).—A great improvement upon "Her Majesty." The shell-shaped blossoms are the deepest rose. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

St. George (Grandiflora type).—A brilliant orange pink, or more correctly, flame color. The most brilliant of all Sweet Peas. Pkt., 5 cts.; 10 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Red Shades.

Illuminator (Spencer type).—A beautiful orange-salmon Sweet Pea, which in a brilliant sunshine or under artificial light appears to be a bright salmon-cerise. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Flamingo (Early Flowering or Christmas variety).—Crimson. Pkt., 10 cts.; oz., 15 cts.; $\frac{1}{4}$ lb., 50 cts.; lb., \$1.50. Postpaid.

George Herbert (Spencer type).—One of the gorgeous Spencers, with blossoms of crimson and magenta. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

King Edward (Spencer type).—This is easily the showiest of all the red varieties, and none are so large or so elaborately frilled and fluted. The standards will often measure full two inches across, and the wings are of proportionate size, while the stout stem carries easily its burden of three or four of these giant blossoms. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

King Edward VII (Grandiflora type).—This is undoubtedly the finest red of this type. The standards often measure two inches across and the wings are of proportionate size, with long stout stems. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Marie Corelli (Spencer type).—Rosy crimson wings with standard cherry red, giving effect of brilliant crimson long strong stems. A very beautiful Sweet Pea. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Queen Alexandra (Grandiflora type).—Less striking than King Edward VII, this is still a superb variety, with very long stems and flowers of extra size and beauty of form. It is really a much improved Scarlet Gem, the color being a true scarlet. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Salopian (Grandiflora type).—Formerly the most splendid of reds, but now surpassed by the two varieties named above. Its popularity is such that many will no doubt continue to use it for years, and we list it again. Pkt., 5 cts.; oz., 10 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Vermillion Brilliant (Spencer type).—Possibly the most brilliant self-colored scarlet Spencer and practically sun proof. The flowers are of perfect form, and the strong stems will frequently have four flowers. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

White.

King White (Spencer type).—One of the most exquisite White Sweet Peas ever introduced, and a revelation to those who are not acquainted with the Spencers. The long, strong stems almost always carry four splendid blossoms, the petals of extraordinary size and very beautifully waved and fluted after the Spencer fashion. Pkt., 10 cts.; oz., 30 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Blanche Burpee (Grandiflora type).—A fine large pure white flower of good form. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Dorothy Eckford (Grandiflora type).—With the exception of the newer Spencer types, this is by far the finest and largest white. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Emily Henderson (Grandiflora type).—Pure white, and especially valuable on account of its hardness, but not nearly as handsome as the two listed above. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Mont Blanc (Early Flowering or Christmas variety).—The best forcing white. Pkt., 10 cts.; oz., 20 cts.; $\frac{1}{4}$ lb., 40 cts.; lb., \$1.50. Postpaid.

Shasta (Grandiflora type).—A remarkably large and productive selection, with fluted wings and standard. The flowers have very long stems, and are ivory-white when fully expanded. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

White Spencer.—Next to King White, the best White Sweet Pea. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 75 cts.; lb., \$3.00. Postpaid.

Cream or Primrose Shades.

Jessie Cuthbertson (Spencer type).—Color a rich cream overlaid with stripes or marblings of bright rose. One of the best Striped Sweet Peas. Pkt., 10 cts.; oz., 35 cts.; $\frac{1}{4}$ lb., \$1.00; lb., \$4.00. Postpaid.

Mrs. E. Kenyon (Grandiflora type).—A most lovely Sweet Pea, large in size and clear primrose. Pkt., 5 cts.; oz., 10 cts.; 2 ozs., 15 cts.; $\frac{1}{4}$ lb., 25 cts.; lb., 80 cts. Postpaid.

Queen Victoria (Spencer type).—Black seeded and opens with tint of blush, but soon turns clear primrose. Of immense size and very wavy. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{4}$ lb., 65 cts.; lb., \$2.50. Postpaid.

Primrose Spencer (Spencer type).—The finest of its class, clear primrose color, fine large wavy standard and wings;



white seeded. Pkt., 10 cts.; oz., 25 cts.; $\frac{1}{2}$ lb., 65 cts.; lb., \$2.50. Postpaid.

HARDY SWEET PEAS.

(See Lathyrus.)



Sweet William.

SWEET WILLIAM.

An ever-popular favorite, producing the richest effects in beds and mixed flower borders. The improved varieties are much superior to old-fashioned sorts, being very large and handsomely tinted. Hardy perennial. $1\frac{1}{2}$ feet.

Auricular-Flowered Mixed.—Pkt., 5 cts.; oz., 50 cts.

Double Mixed.—Pkt., 5 cts.; oz., 50 cts.

THUNBERGIA.

A slender vine, which is unsurpassed for window boxes or for trailing over rock work. The flowers are of singular form, but very pretty, and borne in the greatest profusion all the season, the colors ranging from white to bright orange, the center always dark. Select a rich, well-drained soil, with good, sunny exposure. Half-hardy annual. Pkt., 5 cts.; oz., 75 cts.

TROPOEOLUM PEREGRINUM.

(Canary Bird Vine.)

The flowers of this easily cultivated climber have a fanciful resemblance to the form of a bird, and being yellow, have suggested the name of "Canary Bird Vine." Independently, however, of this peculiarity, it is highly admired and will be found a useful vine for any purpose, except for making a dense shade. Half-hardy annual. 10 feet. Pkt., 5 cts.; oz., 50 cts.

VERBENA.

As a bedding plant, the Verbena is universally regarded as invaluable, and few plants are better for window boxes, since it is never out of bloom during the season. Although perennial, they bloom from seed the first year, flowering in August if sown in May. A better way is to sow the seed in boxes or hot-beds early in March and transplant when all danger of frost is past. Verbenas from cuttings are less vigorous than those grown from seed. Half-hardy perennial. 5 inches.

Scarlet.—Pkt., 5 cts.; oz., 75 cts.

Finest Hybrid Italian.—This seed is saved from splendid named varieties, and is absolutely unsurpassed for diversified brilliancy of color. The trusses are of extraordinary size, the individual flowers very perfect and the plant is remarkably vigorous. Pkt., 10 cts.; oz., \$1.25.

Fine Mixed.—An excellent mixture of fine stocks, but much inferior to our other grades. Pkt., 5 cts.; oz., 75 cts.

VINCA.

The Vinca or Periwinkle is a perennial, and must be sown early to obtain flowers the first season. It blooms freely

until frost, and may then be potted and brought into the house, where it will continue flowering all the winter. Those who have sunny situations where other flowers suffer in mid-summer will find the Vinca almost unsuppress if a reasonable amount of water is given. Tender perennial. 1 foot. Mixed pkt., 10 cts.; oz., 60 cts.

VIOLET.

No part of the garden is more charming than the violet bed, most generous with its wealth of fragrance and beauty when the garden is at its poorest. A few warm days during the winter are enough in this climate to throw it into profuse bloom, and it is in perfection very early in the spring. Flowers appear more or less through the year, but the plants are apt to suffer during the summer unless in a shady situation and on rich, deep soil. During severe weather it is well to cover the plants with litter, in order to protect the foliage and young buds. "The Czar," which we offer, is one of the finest varieties, being a beautiful deep blue and of large size. Hardy perennial. 6 inches. Pkt., 15 cts.; oz., \$3.00.

VIRGINIA STOCKS.

Extremely pretty little plants, flowering profusely and excellent for small beds or as an edging. They flourish in any soil, and should be more generally cultivated. Hardy annual. 3 to 6 inches. Mixed. Pkt., 5 cts.; oz., 25 cts.

VISCARIA.

Fine effects may be had from these if they are set thickly in large beds, the color being splendid. Light soils suit best, but they require little care and are practically never out of bloom in warm weather. Hardy annual. $1\frac{1}{2}$ feet. Mixed. Pkt., 5 cts.; oz., 75 cts.



Vinca.

WALLFLOWER.

The large spikes of the Wallflower are among our earliest spring flowers, and in sunny, sheltered places they will, in this climate, frequently bloom throughout the winter. As the colors have been wonderfully improved in recent years, splendid effects may be gained by massing the flaming reds and yellows. The odor is inexpressibly sweet, more delicious perhaps than that of any other flower in our list and always subtly suggestive of the old-time garden. Since the plant will endure very low temperatures, no protection is needed here during the winter, and their indifference to heat and drought adds to their value in the South. It is a capital plant for rockeries and similar situations. Hardy biennial. 1 to 2 feet.

Dwarf Double Mixed.—Pkt., 5 cts.; oz., 50 cts.

Tall Double Mixed.—Pkt., 5 cts.; oz., 50 cts.

Dwarf Single Mixed.—Pkt., 5 cts.; oz., 50 cts.

Parisian Extra Early Single.—Unlike the old Wallflower, this annual variety flowers beautifully the first season, and we recommend it unreservedly. Pkt., 10 cts.; oz., 75 cts.

ZERANTHEMUM.

None of the Everlastings are so worthy of the name as this familiar old variety, for its heads retain their shape

DISCOUNT—Purchasers sending cash for Flower Seeds in *packets only* may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



and lovely color perfectly for many years. Hardy annual. 2 feet. Pkt., 5 cts.; oz., 50 cts.

Imperial Double Mixed.—Pkt., 5 cts.; oz., 50 cts.

ZINNIA.

In perfection of form and coloring the flowers of the Double Zinnia now rival the Dahlia, while it has a much longer blooming season, and is much hardier; Zinnias flourish luxuriantly in the hottest situations, and require hardly any attention beyond an occasional stirring of the soil. By sowing in the house and transplanting when the ground becomes warm, they may be brought into flower very early, continuing in full bloom until killed by frost. The plant is of branching habit, and grows, by the end of the season, to quite a large bush, every stem with a flower. The modern Zinnia must not be classed with the stiff, coarse and crudely colored flower of the old gardens, and it is really one of our most useful plants. Half-hardy annual, 2 to 3 feet.

Dwarf Double Mixed.—Pkt., 5 cts.; oz., 50 cts.

Tall Double Flesh Color.—Pkt., 5 cts.; oz., 60 cts.

Tall Double Golden Yellow.—Pkt., 5 cts.; oz., 60 cts.

Tall Double Scarlet.—Pkt., 5 cts.; oz., 60 cts.

Tall Double Violet.—Pkt., 5 cts.; oz., 60 cts.


Tall Double White.—Pkt., 5 cts.; oz., 60 cts.

Tall Double Fine Mixed.—Pkt., 5 cts.; oz., 50 cts.

Giant Double Crimson.—Pkt., 10 cts.; oz., \$1.00.

Giant Double Flesh Color.—Pkt., 10 cts.; oz., \$1.00.

Giant Double Violet.—Pkt., 10 cts.; oz., \$1.00.



Giant Double Zinnia.

Bulbs for Spring Planting.

All prices are F. O. B. Norfolk.

CANNAS.

The gorgeous flowers and splendid foliage of the Canna are gaining for it greater popularity each season. No lawn or park seems complete without its tropical leaves and its mammoth flower spikes that are a mass of bloom from July until frost.

In our list below will be found the best of the standard sorts, and the prices are so reasonable that any one can have a beautiful bed of them for a very small outlay of money.

CULTURE.—Although astonishing success with Cannas will often be had under most unpromising conditions, they respond so luxuriantly to care that it is well worth while to take a little trouble at the start. The bed should be spaded to a depth of at least a foot, an abundance of well-decomposed manure worked in, and the roots set four or five inches under the surface. The "blazing" effects for which Cannas are so famous are best secured by the use in masses, with the roots set not more than two feet apart—dwarf kinds being set even more closely. All Cannas love water, and in dry seasons blooming will be much more profuse and constant if the soil be kept always moist. In the South, planting may be done as early as the last of March, but if early bloom is wanted, the best way is to start them in pots under protection, transplanting to the open ground when danger of frost is past. Unless taken up before freezing weather, the roots should be covered with litter for the winter.

Alphonse Bouvier (Green foliage).—Flowers very large, clear crimson in large clusters; grand variety for bedding. Height, 4½ feet.

Austria (Green foliage).—Immense blooms of the lovely orchid type, golden yellow spotted with crimson in the throat. Height, 4 feet.

Brandywine (Dark Bronze foliage).—Intense cherry-red dappled with crimson, the petals occasionally bordered with a fine line of gold. Height, 4 feet.

Charles Henderson (Green foliage).—Brilliant scarlet yellow throat, one of the best bedders and a profuse bloomer. Height, 3½ feet.

David Harum (Bronze foliage).—Vermilion dotted with crimson. Height, 3½ feet.

Duke of Marlborough (Green foliage).—Of extraordinary size, and so constant in blooming that it is undoubtedly the finest of the maroons. Height, 4 feet.

Egandale (Bronze foliage).—Flowers deep currant red, of a peculiar and pleasing shade it is an early and constant bloomer; one of the best bedders grown. Height, 4 feet.

Golden King (Green foliage).—A pleasing shade of golden yellow. Height, 4½ feet.

Italia (Green foliage).—A fine representative of the Giant Orchids, the flowers gold yellow with splashes of scarlet. Height, 5 feet.

King Humbert (Bronze foliage).—The most gorgeous of all bronze Cannas, both foliage and flowers being tremendously effective. The blossoms are orange scarlet, flaked with carmine. Height, 4 feet.



Louise (Green foliage).—Soft rose pink. Height, 4½ feet.

Madame Crozy (Bright green foliage).—Dazzling scarlet edged with gold. Height, 4 feet.

Mrs. Kate Gray (Green foliage).—One of the finest orchid-flowered sorts; full head of soft orange, shaded carmine and with dotted yellow throat. Height, 6 feet.

Mont Blanc (Green foliage).—The only really white Canna; good heads of wide heavy bloom. Height, 3 feet.

Norfolk (Green foliage).—Giant orchid-flowered, rich sulphur yellow; inner petals dotted with scarlet. Early and free-blooming. Height, 4 feet.

Richard Wallace (Green foliage).—A free bloomer of a beautiful canary yellow with large flowers carried well above the foliage. Height, 4 feet.

Tarrytown (Green foliage).—Crimson, very fine. Height, 3½ feet.

Wm. Saunders (Bronze-leaved).—Flowers very large. Bright scarlet. Height, 4 feet.

Virginia Rush (Green foliage).—This orchid-flower Canna has possibly the largest single flowers of any. Bright scarlet, very showy, and fine for the center of beds. Height, 6 feet.

Any of the above splendid named varieties.—Each, 10 cts.; 3 for 25 cts.; doz., 75 cts.; \$5.50 per 100. Postage or Expressage to be paid by purchaser.

CALADIUMS.

Few foliage plants are so useful as the Caladium, and none require less attention after planting. Their magnificent leaves furnish the best possible background for grouping, and their absolute immunity from insect attack makes them doubly useful now that so many of our handsomest plants are always disfigured in that way.

CULTURE.—For the best results, the soil should be rich, and watering should not be neglected in very dry weather. Planting is best done in April and May, the top of the bulb being set about five inches under the surface. If left in the ground during the winter, they are apt to decay from freezing.

Extra Selected Bulbs.—Each, 15 to 25 cts.; doz., \$1.50 to \$2.50; \$8.00 to \$15.00 per 100. Postage or Expressage Extra.

DAHLIAS.

This flower has been so much improved in recent years that no garden seems complete without it. Especially is this true of the type known as Decorative Dahlias. Many of this sort are beautiful, curiously twisted, but nearly all varieties free from formality or stiffness. The blooms are generally on long stiff stems and are splendid for cut flowers. **In the list below will be found the most desirable varieties of each class.**

CULTURE.—They do best in rich soil and plenty of sun, but will grow in any good garden soil, and in almost any location excepting one very shady. The bulbs or tubers should be planted in April, about 4 inches deep and 30 inches apart. An inch square stake, 3 or 4 feet long, should be stuck a foot in the ground when the roots are planted, and the plants should be tied to it when about 2 feet high.

Cactus.

Rene Cayeaux—Crimson.
Krimhilde—Pink.
Reinkoenig—White.
Golden Gate—Yellow.

Decorative.

Delice—Pink.
Jack Rose—Crimson.
Henry Lindhurst—Scarlet.
Mont Blanc—White.
Yellow Duke—Yellow.

Double or Show.

A. D. Livoni—Pink.
Red Hussar—Cardinal Red.
White Swan—White.
Princess Victoria—Yellow.

Any of the above splendid named varieties 15 cts. each; per doz., \$1.50. * Postage and Expressage Extra.

GLADIOLUS.

Gladiolus are so inexpensive, so easily grown and so beautiful both in the garden and as cut flowers that it is difficult to understand the general lack of interest in them.

CULTURE.—Any good soil is suitable and, unlike most flowering bulbs in this climate, they not only do not deteriorate, but on the other hand increase rapidly. Planting may be done at any time in April, May or June, the bulbs being set about three inches under the surface. As supports will be needed for the flowers, it is a good plan to put a dozen or more in a group around one stake, tying the stalks loosely to it. In the South, the bulbs are best left in the ground and covered with litter for the winter.

America—Soft Lavender Pink.
Brenchleyensis—Vermillion Scarlet.

Ceres—White Spotted Purplish Rose.
Halley—Salmon Rose Blotched.
Canary Bird—Soft Yellow.

Orion—Delicate Pink Dark Blotched.
Pink Beauty—Dark Pink.

Any of the above splendid named varieties, 40 cts. doz.; \$2.50 per 100; \$22.00 per 1000. Postage or Expressage Extra.

| | Dozen | 100 | 1000 | |
|------------------------------------|---------|--------|---------|------------------------------|
| Tait's Thoroughbred Mixture..... | 40 cts. | \$2.50 | \$22.00 | Postage or Expressage Extra. |
| Finest Blush, Rose and Pink..... | 40 cts. | 2.50 | 22.00 | Postage or Expressage Extra. |
| Finest Variegated..... | 40 cts. | 2.50 | 22.00 | Postage or Expressage Extra. |
| Finest White and Light Shades..... | 40 cts. | 2.50 | 22.00 | Postage or Expressage Extra. |
| Finest Scarlet Mixture..... | 30 cts. | 1.75 | 14.00 | Postage or Expressage Extra. |

TUBEROSES.

This well-known flower is highly prized for its delightful fragrance, and needs no description.

CULTURE.—Tuberose should be grown only in rich, well-drained soil, and their love for the sunshine must be remembered. As the bulbs are extremely sensitive to cold, planting should be deferred until all danger of frost is past, and they should be set so that the top of the bulb will be not more than two inches under the surface of the ground. As the flower stalks shoot up, some kind of light support should be provided to prevent damage by storms.

Double Dwarf Pearl.—Doz., 25 to 40 cts.; \$1.50 to \$2.50 per 100. Postage or Expressage Extra.

Single or Orange Flowered.—Doz., 25 cts.; \$1.50 per 100. Postage or Expressage Extra.

INDEX.

VEGETABLES.

| | PAGE |
|------------------------------------|-----------|
| Anise..... | 101 |
| Artichoke..... | 13 |
| Artichoke Roots..... | 13 |
| Asparagus..... | 13-14 |
| Asparagus Roots..... | 14 |
| Balm..... | 101 |
| Beans, English Broad..... | 22 |
| Beans, Lima Bush..... | 20-21 |
| Beans, Lima Pole..... | 21-22 |
| Beans, Snap Bush..... | 15-19 |
| Beans, Snap, Pole or Running..... | 19-20 |
| Beet..... | 23-24 |
| Beet (Spinach or Swiss Chard)..... | 24 |
| Beet, Stock, or Mangel Wurzel..... | 25 |
| Beet, Sugar..... | 24 |
| Borage..... | 25 |
| Broccoli..... | 25 |
| Brussels Sprouts..... | 26 |
| Burnet..... | 26 |
| Cabbage..... | 26-33 |
| Cabbage, Chinese (Pe-Tsai)..... | 53 |
| Cantaloupe..... | 58-61 |
| Caraway..... | 101 |
| Cardoon..... | 33 |
| Carrot..... | 33-34 |
| Casa-ba..... | 61 |
| Catnip..... | 101 |
| Cauliflower..... | 35-36 |
| Celeriac..... | 36 |
| Celery..... | 37-38 |
| Chard Swiss (or Spinach Beet)..... | 24 |
| Chervil..... | 38 |
| Chicory..... | 38 |
| Chives..... | 39 |
| Chives Roots..... | 39 |
| Citron..... | 67 |
| Coriander..... | 101 |
| Collards..... | 39 |
| Corn..... | 39-44 |
| Corn, Field..... | 112-114 |
| Corn, Pop..... | 44-45 |
| Corn, Salad..... | 45 |
| Cress, Garden..... | 45 |
| Cress, Water..... | 45 |
| Cucumber..... | 46-49 |
| Cymbing..... | 92 |
| Dandelion..... | 49 |
| Dill..... | 101 |
| Egg Plant..... | 49-50-51 |
| Endive..... | 51 |
| Fennel..... | 51-101 |
| Fetticus..... | 45 |
| Finocchio..... | 51 |
| Garlic..... | 51 |
| Gherkin..... | 52 |
| Gourds..... | 130 |
| Gumbo..... | 68-69 |
| Hanover or Plain Kale..... | 53 |
| Herbs..... | 101 |
| Horsehound..... | 101 |
| Horseradish..... | 52 |
| Kale..... | 52-53 |
| Kohl Rabi..... | 53 |
| Lavender..... | 101 |
| Leek..... | 54 |
| Lettuce..... | 54-57 |
| Mangel Wurzel..... | 25 |
| Martynia..... | 57 |
| Melon, Musk..... | 58-61 |
| Melon, Water..... | 62-67 |
| Mint Roots..... | 57 |
| Mushroom Spawn..... | 67 |
| Mustard..... | 67-68 |
| Nasturtium..... | 133 |
| Okra..... | 68-69 |
| Onions..... | 69-72 |
| Onion Sets..... | 72-73 |
| Oyster Plant..... | 89 |
| Parsley..... | 73-74 |
| Parsnip..... | 74 |
| Peas..... | 74-80-120 |
| Pepper..... | 80-82 |
| Pe-Tsai..... | 53 |
| Pie Plant..... | 88-89 |
| Potatoes..... | 82-84 |
| Pot Marigold..... | 101 |
| Pumpkin..... | 85 |
| Radish..... | 85-88 |
| Rosemary..... | 101 |
| Rhubarb..... | 88-89 |
| Rhubarb Roots..... | 89 |
| Rue..... | 101 |
| Rutabaga..... | 100 |
| Sage..... | 101 |
| Salsify..... | 89 |
| Sorrel..... | 89 |

VEGETABLES—Continued.

| | PAGE |
|-----------------------|--------|
| Spinach..... | 89-91 |
| Spring Sprouts..... | 53 |
| Squash..... | 90-93 |
| Summer Savory..... | 101 |
| Sweet Marjoram..... | 101 |
| Sweet Basil..... | 101 |
| Tarragon Roots..... | 101 |
| Thyme..... | 101 |
| Tomato..... | 94-98 |
| Turnip..... | 98-100 |
| Vegetable Marrow..... | 93 |
| Vegetable Oyster..... | 89 |
| Witloof..... | 38 |
| Wormwood..... | 101 |

GRASSES.

| | |
|--------------------------------|---------|
| Bent, Creeping..... | 105 |
| Bent, Rhode Island..... | 105 |
| Bermuda..... | 105 |
| Blue, Canada..... | 105 |
| Blue, English..... | 105 |
| Blue, Kentucky..... | 105 |
| Cocksfoot..... | 105 |
| Crested Dog's Tail..... | 106 |
| Fescue, Meadow..... | 106 |
| Fescue, Red or Creeping..... | 106 |
| Fescue, Sheep..... | 106 |
| Fescue, Tall Meadow..... | 106 |
| Herd's..... | 106 |
| Lawn Grass Mixtures..... | 102-103 |
| Millet, German..... | 117 |
| Millet, Hungarian..... | 117 |
| Millet, Pearl..... | 117 |
| Oat, Tall Meadow..... | 106 |
| Orchard..... | 117 |
| Penicillaria Spicata..... | 107 |
| Randol..... | 107 |
| Red Top or Herd's..... | 107 |
| Rye, English or Perennial..... | 107 |
| Rye, Italian..... | 107 |
| Sudan..... | 121 |
| Sweet Vernal..... | 108 |
| Timothy..... | 108 |

CLOVERS.

| | |
|------------------------------|-----|
| Alfalfa..... | 108 |
| Alsike..... | 109 |
| Bokhara..... | 109 |
| Burr..... | 109 |
| Crimson..... | 110 |
| Crimson, White-blooming..... | 110 |
| Japan..... | 110 |
| Lespedeza Striata..... | 110 |
| Lucerne..... | 108 |
| Mammoth Red..... | 111 |
| Medium Red..... | 111 |
| Sweet..... | 111 |
| White Dutch..... | 111 |

MISCELLANEOUS FIELD SEEDS.

| | |
|--|-------------|
| Barley..... | 116 |
| Beans, Soja..... | 121 |
| Beans, Soy..... | 121 |
| Beans, White or Navy Pea..... | 122 |
| Broom Corn..... | 120 |
| Buckwheats..... | 116 |
| Canada Field Peas..... | 120 |
| Chufas, Spanish..... | 120 |
| Corn, Field..... | 112-114 |
| Cotton..... | 115 |
| Flax..... | 120 |
| Grain..... | 116 |
| Hemp..... | 101-120 |
| Kaffir Corn..... | 119 |
| Lespedeza..... | 110 |
| Millets..... | 117 |
| Millo Maize (Rural Blanching Sorghum)..... | 119 |
| Oats..... | 116 |
| Peas (Japan or Stock)..... | 121 |
| Peas (Canada Field)..... | 120 |
| Peanuts..... | 118 |
| Penicillaria..... | 117 |
| Potatoes..... | 82-84 |
| Rape..... | 120-121 |
| Reana Luxurians..... | 122 |
| Rye..... | 116 |
| Soy Beans..... | 121 |
| Sorghum..... | 119 |
| Stock Peas or Soy Beans..... | 121 |
| Sudan Grass..... | 121-122 |
| Sugar Cane or Sorghum..... | 119 |
| Sunflower..... | 101-121-137 |
| Teosinte..... | 122 |
| Tobacco..... | 120 |
| Vetch..... | 122 |
| Velvet Beans..... | 122 |
| Wheat..... | 116 |

INDEX.

BIRD SEEDS.

| | PAGE |
|---------------------------|------|
| Canary..... | 101 |
| Hemp..... | 101 |
| Kaffir Corn..... | 101 |
| Lettuce..... | 101 |
| Maw..... | 101 |
| Millet..... | 101 |
| Mixed (for Canaries)..... | 101 |
| Rape German..... | 101 |
| Sorghum..... | 101 |
| Sunflower..... | 101 |
| Cuttle Fish Bone..... | 101 |

FLOWERS.

| | |
|--------------------------------|---------|
| Abronia Umbellata..... | 124 |
| Acroclinium..... | 124 |
| Ageratum Mexicanum..... | 124 |
| Agrostemma..... | 124 |
| Alyssum..... | 124 |
| Amaranthus..... | 124 |
| Antirrhinum..... | 124 |
| Arctotis Grandis..... | 124 |
| Asters..... | 124-125 |
| Bachelor Button..... | 125 |
| Balloon Vine..... | 125 |
| Balsam..... | 125 |
| Balsam Apple..... | 125 |
| Balsam Pear..... | 125 |
| Browallia..... | 126 |
| Calendula..... | 126 |
| Calliopsis..... | 126 |
| Callirhoe Involucrata..... | 126 |
| Canary Bird Vine..... | 140 |
| Candytuft..... | 126 |
| Canna..... | 126 |
| Canna Roots..... | 141-142 |
| Canterbury Bells..... | 126 |
| Cardinal Climber..... | 126 |
| Carpatia..... | 126-127 |
| Castor Bean..... | 127 |
| Chrysanthemum..... | 127 |
| Cineraria..... | 127 |
| Clarkia..... | 127 |
| Coboea Scandens..... | 127 |
| Cockscomb..... | 127-128 |
| Coleus..... | 128 |
| Collinsia..... | 128 |
| Columbine..... | 128 |
| Convolvulus..... | 128 |
| Coreopsis..... | 128 |
| Cornflower..... | 128 |
| Cosmos..... | 128-129 |
| Cypress Vine..... | 129 |
| Dahlia..... | 129 |
| Dahlia Roots..... | 142 |
| Daisy..... | 129 |
| Delphinium..... | 126 |
| Dianthus..... | 129 |
| Dish Cloth Gourd..... | 129 |
| Dolichos Lablab..... | 129 |
| Eschscholtzia Californica..... | 129-130 |
| Evening Glory..... | 129 |
| Evening Primrose..... | 129 |
| Everlastings..... | 130 |
| Feverfew..... | 130 |
| Forget-me-not..... | 130 |
| Four O'Clock..... | 130 |
| Foxglove..... | 130 |
| Gaillardia..... | 130 |
| Geranium..... | 130 |
| Gilia..... | 130 |
| Godetia..... | 130 |
| Gourds Ornamental..... | 130 |
| Helichrysum..... | 130 |
| Heliotrope..... | 130 |
| Hollyhock..... | 131 |
| Humulus or Japanese Hop..... | 131 |
| Hunneemannia..... | 131 |
| Hyacinth Bean..... | 131 |
| Ice Plant..... | 131 |
| Ipomoea Cardinalis..... | 131 |
| Ipomoea Quamoclit..... | 131 |
| Ipomoea Mexicana..... | 131 |
| Ipomoea Purpurea..... | 131 |
| Lantana..... | 131 |

FLOWERS—Continued.

| | PAGE |
|---------------------------------|---------|
| Larkspur..... | 131 |
| Lathyrus..... | 131 |
| Lavatera..... | 131 |
| Lobelia..... | 131 |
| Love-in-a-Mist..... | 131 |
| Lupinus..... | 131 |
| Lychnis..... | 131 |
| Marigold..... | 131 |
| Matricaria..... | 131 |
| Maurandia..... | 131 |
| Mignonette..... | 132 |
| Mirabilis Jalapa..... | 132 |
| Monkey Flower..... | 132 |
| Moon Flower..... | 132 |
| Morning Glory..... | 132 |
| Nasturtium, Dwarf..... | 132 |
| Nasturtium, Tall..... | 132-133 |
| Nemophilla..... | 133 |
| Nicotiana..... | 133 |
| Nigella..... | 133 |
| Nolana..... | 133 |
| Paeonia..... | 133 |
| Pansy..... | 133 |
| Pansies in separate colors..... | 134 |
| Pansies—show mixtures..... | 135 |
| Penstemon..... | 135 |
| Petunia..... | 135 |
| Phlox..... | 129-135 |
| Poppy..... | 135 |
| Portulaca..... | 135 |
| Pyrethrum..... | 136 |
| Rhodanthe..... | 136 |
| Ricinus..... | 136 |
| Rudbeckia..... | 136 |
| Salpiglossis..... | 136 |
| Salvia..... | 136 |
| Sanvitalia..... | 136 |
| Scabious..... | 136 |
| Scarlet Runner..... | 136 |
| Scarlet Sage..... | 136 |
| Schizanthus..... | 137 |
| Senecio..... | 137 |
| Sensitive Plant..... | 137 |
| Silene or Catchfly..... | 137 |
| Smilax..... | 137 |
| Snappdragon..... | 124 |
| Stocks..... | 137 |
| Sunflower..... | 101-131 |
| Sweet Peas..... | 137-139 |
| Sweet Peas (Hardy)..... | 140 |
| Sweet William..... | 140 |
| Thunbergia..... | 140 |
| Tropaeolum Peregrinum..... | 140 |
| Verbena..... | 140 |
| Vinca..... | 140 |
| Violet..... | 140 |
| Virginia Stocks..... | 140 |
| Viscaria..... | 140 |
| Wallflower..... | 140 |
| Xeranthemum..... | 141 |
| Zinnia..... | 141 |

SUMMER FLOWERING BULBS.

| | |
|----------------|---------|
| Cannas..... | 141-142 |
| Caladiums..... | 142 |
| Dahlias..... | 142 |
| Gladiolus..... | 142 |
| Tuberoses..... | 142 |

MISCELLANEOUS.

| | |
|-----------------------------------|-----|
| Books..... | — |
| Dusters..... | — |
| Correspondence..... | 4 |
| Fertilizers..... | — |
| Garden Calendar for 1916..... | 10 |
| Guide to Sowing and Planting..... | 8-9 |
| Hints for the Garden..... | 6-7 |
| Insecticides..... | — |
| Number of Plants to acre..... | 7 |
| Parcel Post Rates..... | 5 |
| Plant Diseases and Remedies..... | 11 |
| Special Mixture for Pastures..... | 105 |
| Suggestions for Lawns..... | 103 |

The words "THOROUGHbred SEEDS" being a registered trade-mark (U. S. Patent Office No. 51052), and the word Thoroughbred being also a registered trade-mark (U. S. Patent Office No. 92011), all persons are warned against their use in connection with the advertising or sale of seeds. We solicit the help of our friends in the detection and punishment of infringements of our copyright.

TRADE MARK



REGISTERED

TRADE MARK



REGISTERED